



Calhoun: The NPS Institutional Archive

DSpace Repository

Theses and Dissertations

1. Thesis and Dissertation Collection, all items

1965

Development of a computer assisted instruction program for use in teaching basic mathematics to graduate students

Bainbridge, John K.; Janiec, Roy T.; Leslie, William H.; Spence, John C. H.

Monterey, California. Naval Postgraduate School

http://hdl.handle.net/10945/24665

This publication is a work of the U.S. Government as defined in Title 17, United States Code, Section 101. Copyright protection is not available for this work in the United States.

Downloaded from NPS Archive: Calhoun



Calhoun is the Naval Postgraduate School's public access digital repository for research materials and institutional publications created by the NPS community. Calhoun is named for Professor of Mathematics Guy K. Calhoun, NPS's first appointed -- and published -- scholarly author.

> Dudley Knox Library / Naval Postgraduate School 411 Dyer Road / 1 University Circle Monterey, California USA 93943

http://www.nps.edu/library

NPS ARCHIVE 1965 BAINBRIDGE, J.

DEVELOPMENT OF A COMPUTER ASSISTED INSTRUCTION PROGRAM FOR USE IN TEACHING BASIC MATHEMATICS TO GRADUATE STUDENTS

JOHN K. BAINBRIDGE ROY T. JANIEC WILLIAM H. LESLIE JOHN C. SPENCE LIBR NAVAL POSTGRADUATE SCHOOL MONTEREY, CALIF. 93940

DUDLEY KNOX LIERARY NAVAL POSTGRADUATE SCHOOL MONTEREY, CA 93943-5101









DEVELOPMENT OF A COMPUTER ASSISTED INSTRUCTION PROGRAM FOR USE IN TEACHING BASIC MATHEMATICS TO GRADUATE STUDENTS

* * * * * *

John K. Bainbridge
Roy T. Janiec
William H. Leslie
John C. Spence



DEVELOPMENT OF A COMPUTER ASSISTED INSTRUCTION PROGRAM FOR USE IN TEACHING BASIC MATHEMATICS TO GRADUATE STUDENTS

by

LT. John K. Bainbridge, USN
CDR Roy T. Janiec, USN
LT. William H. Leslie, USN
LT. John C. Spence, USCG

Submitted in partial fulfillment of the requirements for the degree of

MASTER OF SCIENCE

IN

MANAGEMENT

United States Naval Postgraduate School
Monterey, California

1 9 6 5

1 1.1

NPS ARCHIVE 1965 BAINBRIDGE, J.

. .

- "

U. Serie Valendalle Small

DEVELOPMENT OF A COMPUTER ASSISTED INSTRUCTION PROGRAM FOR USE IN TEACHING BASIC MATHEMATICS TO GRADUATE STUDENTS

by
John K. Bainbridge
Roy T. Janiec
William H. Leslie
John C. Spence

DUDLEY KNOX LIBRARY
NAVAL POSTGRADUATE SCHOOL
MONTEREY, CA 93943-5101

This work is accepted as fulfilling the research paper requirements for the degree of

MASTER OF SCIENCE

IN

MANAGEMENT

from the

United States Naval Postgraduate School



ABSTRACT

The mathematical knowledge needed for the successful completion of the Navy Management program at the Postgraduate School is greater than that initially possessed by many of the officers assigned. Due primarily to a lack of time, the lecture-type review course currently offered to correct this situation has been only partially successful. More individualized instruction would be beneficial to all students involved; this could be realized in the given time period by the use of programmed instruction techniques. This study was concerned with programmed instruction in general and computer assisted instruction in particular. It was directed toward an attempt to determine the feasibility of utilizing computer assisted instruction methods at this school.

Specifically, the study developed a programmed instruction course in arithmetic and geometric progressions to be used with the IBM Computer Assisted Instruction System currently installed at the school. The course is designed to be used, after extensive testing and revising, in a feasibility study to determine if this method of instruction is superior to the lecture method of teaching basic mathematics to graduate students in the Navy Management Program.

This paper is an extensive report of the research conducted, the techniques adopted and the procedures followed in developing the programmed instruction course in progressions. It is intended to be beneficial both to an academic administrator and program authors interested in computer assisted instruction.



TABLE OF CONTENTS

Chapt	er				Page					
I	Statement of the Problem									
II	Summary of Selected Related Studies									
III	The Study - A General Discussion									
IV	The Study - A Detailed Discussion									
V	Summary of Study Results									
VI	Conclusions and Recommendations									
	Footnotes									
	Bibl	io	gra	aphy	51-5					
Appen	dix	A	-	Computer Assisted Instruction Course in Arithmetic and Geometric Progressions (Computer Print Out).	A-1					
Appen	dix	В	-	Listing of Subject Areas and Associated Labels.	B-1					
Appen	dix	С	-	Sample Print-out of Student Response Record.	C-1					
Appen	dix	D	-	Textbook for Programmed Instruction Course in Arithmetic and Geometric Progressions.	D-1					
Appen	dix	E	-	Student Typing Instructions for use with the IBM 1052 Printer-Keyboard.	E-1					
Appen	dix	F	-	Flow Charts of Programmed Instruction Course in Arithmetic and Geometric Progressions.	F-1					
Appen	dix	G	-	IBM 1401, 1440 or 1446 Operating System, Computer Assisted Instruction Manual.	G-1					
Appen	dix	Н		IBM 1440-1448 Operating System, Computer Assisted Instruction, Student Manual	H-1					
Appen	dix	I	-	IBM 1440-1448 Operating System, Computer Assisted Instruction, Author and Proctor	1-1					



LIST OF TABLES

Table							Page
1	Techniques	Utilized	in	Course	Design.		43-44



ACKNOWLEDGEMENTS

The authors are indebted to Professor James B. Cowie for his inspiration and constructively critical review of this manuscript; to our wives for being so tolerant during this period of frustration; to Miss Molly Muhs and Mr. Daniel Green, Field Representatives of the IBM Corporation, for their cooperative assistance in the use of the equipment and in unsnarling some of the machine problems; and to the Computer Facility Staff of the U. S. Naval Postgraduate School for their cooperation in providing the equipment and material for this project.



CHAPTER I

STATEMENT OF THE PROBLEM

Introduction

The purpose of this study was to develop a program of instruction in arithmetic and geometric progressions to be used with the IBM Computer Assisted Instruction System currently installed at the U. S. Naval Postgraduate School. This program is designed to be utilized in determining the effectiveness of computer assisted instruction in the teaching of basic mathematics to graduate students in the management curriculum.

Problem |

The present day study of management principles at the graduate level requires a greater understanding of mathematics than is possessed by many of the officer students assigned to the twelve month Navy Management program. Consequently, the level of performance of the students with weaker backgrounds in mathematics must be raised to the required standards prior to the commencement of many of the graduate courses of instruction. A very limited amount of time and a small number of professors are available for the accomplishment of this task.

The incoming class to the Navy Management curriculum for the 1964-1965 academic year consisted of 106 students. As examples of the extreme variations of mathematical backgrounds: a few students had engineering degrees, had studied mathematics through differential equations, and had graduated from college as recently as 1961; one officer had studied computer programming at the University of Washington during the previous year; another

officer had just completed a four year assignment as an instructor in chemistry at the U. S. Coast Guard Academy. At the other extreme, some of the students had not completed college at all, and many of those who had, had graduated fifteen to twenty years ago and had taken very little or no college level mathematics courses. Two professors were assigned the task during the first term (a ten week period) of raising the level of mathematical ability of the entire group of 106 students to that required for the later courses.

This type of situation causes the following problems:

- Practically no time is available for individual instruction for stude ents having difficulty.
- 2. The progress of the class as a whole is hindered by the slower students at the expense of the more experienced ones, at the same time the more experienced students tend to draw the entire class along at a more rapid rate than the slower students can handle. The result is detrimental to practically all of the students.

Consequently, a better method of presenting the basic mathematics review course should be implemented.

An alternative solution to the above problem would be to require a knowledge of mathematics through advanced algebra as a precondition to assignment to the management program. However, for the purpose of this study, it has been assumed that in the foreseeable future this alternative will not be selected.

Assumptions

The following assumptions were made by the authors of this study:

The mathematical requirements for the Navy Management program at the
 U. S. Naval Postgraduate School will continue to dictate that students
 be familiar with advanced algebra (including arithmetic and geometric
 progressions).


2



- 2. Many of the officer students ordered to the Navy Management program in the future will not initially possess the mathematical abilities stated in assumption 1.
- 3. Because of the initial wide range of mathematical abilities and experience of the incoming students, the present method of teaching the basic mathematics course is unsatisfactory.
- 4. Because of the conditions assumed above, a course must be offered by the school to insure that all management students obtain the required basic mathematical abilities prior to commencing certain graduate level courses.
- 5. Programmed instruction methods are an effective means of teaching in certain situations.
- 6. Computer assisted instruction is a natural evolution of programmed instruction.
- 7. Computer assisted instruction <u>may</u> be more effective than the present method in the teaching of basic mathematics to management students.

Definitions

- <u>Programmed Instruction</u>—a learner-centered method of instruction which presents subject matter by means of a teaching aid, in small steps or increments, requires frequent responses from the students, and immediately informs him of the correctness of his response.
- Teaching Machine -- a device specifically built to present programmed instruction material to students.
- Computer Assisted Instruction (CAI) -- a method of presenting programmed instruction material by means of an electronic computer.



Statement of Social Purpose

This study represents one step in the configuring development of more effective teaching methods. With a computer assisted instructional system, each student, independent of all other students in the course, can be given the sequence of subject matter best suited to his individual needs. Consequently, the student with more experience or higher aptitude can be taken through the entire course with a minimum of delay. Conversely, the student who is slower or less expreienced will automatically receive as much supplementary instruction as is necessary to raise him to the required level of performance.

The programmed instruction material developed in this study can be employed to test the feasibility of using computer assisted instruction in teaching basic mathematics to management students.

Research Significance

Computer assisted instruction (CAI) is still in the development stages, with little or no operational use in schools or training centers. Up to the present time only a few controlled experiments have been conducted with computer assisted instruction systems. These studies have been of relatively brief duration and have, in most cases, provided little opportunity to isolate the effects of specific program or machine characteristics on learning.

It is believed that the programmed instruction material developed by this study is the first computer assisted instruction course written in the area of the arithmetic and geometric progressions. It is further believed that this is the first CAI course prepared for practical application in raising to a specified level the mathematical ability of a large group of middle-aged students with widely varying experience and abilities in the quantitative area.



Limitations

- 1. Knowledge of basic algebra is a prerequisite for the CAI course in arithmetic and geometric progressions developed by this study.
- 2. Although the course material can be understood by anyone with a knowledge of basic algebra, some nautical terminology is interspersed throughout the program in an effort to maintain student interest.
- 3. At the time of this writing, very few students other than the authors have completed this program. Further student testing and subsequent revision is required for program validation. (Supplementary work in this area is planned by the authors; comments on these efforts will be available through the Business Administration and Economics Department of the United States Naval Postgraduate School).



CHAPTER II

SUMMARY OF SELECTED RELATED STUDIES

Statement of Sources Searched

The source material for this chapter was drawn from published books and periodicals and unpublished research/professional papers obtained from the libraries at the following locations:

- 1. United States Naval Postgraduate School
- 2. Human Research Unit, Presidio of Monterey
- 3. Defense Documentation Center, Alexandria, Virginia
- 4. System Development Corporation, Santa Monica, California
- 5. International Business Machines Corporation, San Jose, California
- 6. Monterey Public Library

Material in the area of programmed instruction was selected from the above locations on the basis of copyright dates. No material copyrighted prior to 1954 was studied; the large majority of the publications utilized were copyrighted subsequent to 1959.

The largest percentage of research in the field of programmed instruction has been conducted since 1954; most of the work in computer assisted instruction, the area in which the study group was primarily interested, has been underetaken since 1959. Several summaries of pertinent studies made prior to 1954 have been written in recent years; these summaries were also studied in order to gain a knowledge of earlier work in the field.

. .

.....

- - - In

.

Background and Current Status of Programmed Instruction

Self-instruction devices or "teaching machines" have been available for many years. Considerable time and effort have been expended in determining the "best" device to be used in presenting programmed instruction material to students. However, recently a comparable amount of effort has been applied to the development of the programmed instruction itself—that is, the actual content and format of the material to be learned. 1

Therein lies the explanation of the current status of the field of programmed instruction. Given the present state of technology, it is no large problem to develop a "teaching machine"; the biggest single problem today in the field of programmed instruction is the "poor quality and limited quantity of programs available." In relatively few subject areas could a teacher find enough programmed materials to provide a major part of the instruction for a whole course. In addition, the great majority of commercially produced programs show a complete lack of imagination; they portray a "rigid, artificially restricted view of programmed instruction" which depends primarily on rote memorization for teaching. 3

Some work in the area of programmed instruction was done as early as 1866. However, the method of programmed instruction as it is now employed may be considered to derive from efforts begun in the 1920's. In 1926, Sydney L. Pressey, an Ohio State University psychologist, made public his pioneer studies on the first recognized teaching machine. Pressey's model originally was concrived as a testing machine that presented a series of questions to a student and then informed him immediately of the correctness of his answer. In most respects Pressey's machine had the same capabilities as the machines



now in use. Yet, this early device did not strike a responsive cord in the field of education.

Probably due to the depression, a surplus of teachers, and the war, it was not until 1954 that the interest in the possibilities and potentialities of automated instruction was rekindled. This revival was started by B. F. Skinner of Harvard University. Skinner, along with Norman Crowder, has devised auto-instructional methods which serve as the bases for the present day concept of programmed learning. 5-6

In reviving and redirecting thinking about automated instruction, Skinner, like Pressey before him, focuses attention on the "teaching machine" (the hardware); but unlike Pressey, he places greater emphasis on the "program" (the software). At the heart of any program lies the practice of what Skinner calls "reinforcement", an acknowledgment or reward of some sort to show that an organism has performed to satisfaction. (Programmed learning reinforces the learner primarily by acquainting him with the correctness of his learning effort).

The Skinner theory supplies the ingredient missing from Pressey's experiments; it provides the concept of programming instructional materials that Pressey's machines needed. Whereas Pressey looked upon the machine merely as a testing device, for Skinner the combination of machine and program is an instrument that teaches independently of other means of instruction. Consequently, Skinner places great emphasis upon the arrangement of the subject matter within the program. His programmed instruction courses are arranged in such a way that all students taking the course are led in a long series of very short steps through the entire program, receiving positive reinforcement each step of the way. Skinner's programs employ primarily completion type questions and are designed so that, ideally, no learner ever makes a mistake. 10

Doctor Crowder, an Air Force psychologist, like Skinner, has enlarged upon Pressey's "immediate knowledge" concept. However, in contrast to Skinner's programming method, Crowder believes that the questions should be more of a challenge to the learner. He advocates constructing a program so that the student is branched to different sections of the course depending on the correctness of his responses. The bright student who makes few errors follows the main track without detours, while the slower student who gives incorrect answers can obtain more detailed information from sidebranch sections. As soon as he has proven that he understands the subject matter, he is guided back to the main track and continues. The Crowder method uses multiple choice answers exclusively. 11

Regardless of the particular philosophy of program arrangement one follows, today's overall concept of programmed instruction embodies the following elements:

- a. Active response by the student.
- b. Small steps in which careful control of stimuli produces gradual increments in mastery of the subject.
- c. Immediate feedback for each response.
- d. Self-pacing, or individualization of the rate at which the learner masters the material.
- e. Low error rate for the individual learner, as a consequence of the effective operation of the first four principles. 12

The above principles incorporate teaching methods directed at the individual learner. A program that incorporates these principles requires the learner's active participation at each step. If the learner's response to a question is correct, he receives immediate reinforcement. If he is wrong, he is notified, and his error is corrected before he builds new knowledge on a shaky foundation. Because he actively participates in the course, the student is

continuously aware of his progress. In this way, errors and misunderstandings do not accumulate.

In a good program, the curriculum is designed in a rational and cumulative manner, with maximum utilization of the inherent organization of the subject. The student is neither held back by slower students nor penalized if he moves slowly through the program. 13

A relatively new method of instruction, with many of the advantages of a personal tutor, is called computer assisted instruction. ¹⁴ This method allows the instructor to use the computer as a means of disseminating instruction to a number of students individually.

Computer assisted instruction, still in the exploratory stage, has had little or no operational use. An ever-growing number of controlled experiments are being performed with this method. Up to the present time, the results, while encouraging, "have not yet conclusively demonstrated clear-cut superiority for this method of instruction over simpler, more orthodox teaching methods." 15

There is, however, considerable evidence that computer assisted instruction is technologically feasible, and that it can produce a high level of performance in a variety of subject areas. 16

The six or seven projects in this country presently making some substantial effort in the development and use of computer assisted instructional systems are oriented in two distinctly different ways: some projects take an equipment orientation, while others take a problem orientation. 17

Equipment oriented projects usually begin with an equipment design, rather than a specific problem to be solved by the equipment. While the investigators in this area may do some behavioral research themselves, their primary objective



is the design of a tool with which others in education and training fields can do research or solve applied instructional problems. 18

Problem oriented projects attempt to find better solutions to specific educational or training problems; they develop computer-based equipment only as it is needed to help solve these problems.

One of the more advanced problem oriented projects being conducted is one at the System Development Corporation called "CLASS", which stands for "Computer-Based Laboratory for Automated School Systems." As an example of the present state of the art, the following description of CLASS is quoted from a recent System Development Corporation professional paper:

CLASS provides instruction for up to 20 students, under the control of a large digital computer, the Philco 2000. It has control and display facilities for a wide variety of instructional modes, including individualized or group programmed instruction, televised or filmed presentations, "live" lectures, and conventional textbooks. These modes may be used independently or in combination.

In the individualized instructional mode, CLASS uses the same operational logic as the earlier single-station facility. At any particular time, different students may be on different parts of a program, or may even be studying different subject areas. The display and response equipment has been simplified in CLASS. The Philoc computer does not directly control the item presentation, but instead displays sequence instructions to the student who then turns to the designated item in a film viewer or in a programmed booklet. A five-button response box is used in CLASS in place of the earlier typewriter key-board. In addition, to the visual displays, every student in CLASS has his own tape recorder for individualized sound presentations.

In the group mode, CLASS presents a common display to all students through a closed-circuit television system. The students respond individually and receive individualized feedback, but the pace and sequence of the instruction are determined by a teacher on the basis of the entire group's performance.

Teacher consoles in CLASS permit teachers to monitor the progress of an individual student or of the entire class. A computer-generated alarm light at the console warns the teacher whenever a student is making too many errors or taking too long to respond. The teacher can then call up detailed, up-to-date displays showing the student's performance at this moment and in earlier work. He can also see the student's scores on aptitude and personality tests. These displays

appear on a television tube under computer control.

In addition to the study areas, CLASS provides space for a counselor and for administrators. The counselor can insert information into the computer about a student's performance on aptitude and personality tests, and he can request computer-generated displays giving detailed information about a student's classroom performance. An administrator can call up summary displays showing classroom attendance, personnel records and fiscal data. 19

The project conducted by this study group was of the problem oriented variety. The equipment used was the experimental IBM Computer Assisted Instruction System which utilizes the IBM Coursewriter programming language. The system will be more fully described in Chapters III and IV.



CHAPTER III

THE STUDY - A GENERAL DISCUSSION

The remainder of this paper is intended to thoroughly outline the entire group effort to date so that, should this project be continued by other individuals, some of the problems and "learning pains" of this group can be avoided.

This chapter is written for educators who are interested in the field of programmed instruction in general and computer assisted instruction in particular. It presents an overall view of the thoughts and efforts of the study group and is designed for both the academic administrator and the program author. The topics discussed in this chapter cover a basic description of the IBM Computer Assisted Instruction System utilized in this project, the techniques employed in designing the program, and the general procedures followed in applying the adopted techniques. More detailed information on these topics is contained in chapter IV, for the use of prospective program authors.

Thoughts on the Objectives

The original objective of this study was to determine whether the IBM Computer Assisted Instruction System provided a more effective method of teaching basic mathematics to management students than the present lecture system. However, it soon became apparent that this objective could not be accomplished within the alloted time period.

In order to attain this original goal, it was believed that it would have been necessary to conduct controlled experiments in order to evaluate the alternative teaching methods. Prior to the conduct of these experiments, a representative portion of the course would have to be programmed, tested by students, and subsequently revised in the light of their reactions. Even

then, the question could be raised as to whether the subject area chosen was "truly representative" of the entire mathematics course. (For example, one portion of the course, as presented during the fall term of 1964, covered graphic techniques; the visual presentations required to teach this topic pose difficulties not encountered in programming, for instance, algebraic manipulations). The time required to complete a project of this magnitude was not available.

Therefore, the original objective was modified; the group elected to construct a program of only one phase of the mathematics course and to test and revise that program as much as possible within the time available.

Arithmetic and geometric progressions were selected as the subject matter to be programmed.

Thus, the objective of this study was reached....to develop a program of instruction in arithmetic and geometric progressions to be utilized in determining the effectiveness of the IBM Computer Assisted Instruction System in the teaching of basic mathematics to Naval Management students at the U. S. Naval Postgraduate School.

Techniques of Program Design

During the conduct of this study, the group was considerably influenced by the work of Dr. Crowder, and that of Dr. Coulson and his associates at the System Development Corporation.

Dr. Crowder's programs start out with a paragraph which the student is asked to read. Then he gives the student some questions with two or more multiple choice type answers. If the student is wrong on any question, he goes off on a detour to be given some more information depending on the type of error he has made. If the answer is badly incorrect, the student can be

branched to a whole supplementary series of review questions before he comes back to the starting point. These basic concepts were incorporated into the construction of the program so as to make many of the questions difficult enough to challenge the superior student, while "allowing other students to make errors which are then corrected by digression to remedial sequences." The primary reason for the selection of this method was to take advantage of the flexible branching capability of the IBM Computer Assisted Instruction System.

Dr. Crowder recommends the use of multiple-choice answers in programmed instructions. However, this study group deviated from this technique and utilized, instead, constructed responses (a few, true/false questions were also used.). The selection of constructed responses was based on several factors: multiple choice answers do not lend themselves well to mathematical type problem solving (there are normally too few "seemingly logical", but incorrect alternative answers to list); "total recall", necessary in constructing responses, requires a more thorough subject knowledge than does simple "recognition", required in multiple-choice questions, and the probability of "guessing" the correct answer is less when constructed responses are used.

The branching technique of Dr. Crowder was combined with the following thoughts obtained from studying Dr. Coulson's work and applied to the task of constructing the program, Dr. Coulson stated that, because of poor programs, three out of four studies in the area of computer assisted instruction result in "no significant difference" between the CAI method and the classroom lecture method of teaching. He complained of the great "rigidity in the format and organization of programs". In addition, he stressed the importance of avoiding "gaps" (areas of instruction not sufficiently covered) in the program, eliminating "irrelevant" material (material not contributing to the final objective), not allowing the student to proceed to new topics




until he has demonstrated mastery of the present material, 23-24 and subjecting the program to continual testing and revision. 25-26 This study group attempted to keep all of these factors in mind during the construction of this program.

In order to avoid the "rigidity" of format and organization of which Dr. Coulson complained, the course presentation was divided between a textbook-like handout and the "teaching machine;" and an attempt was made to vary the format of question/comment presentation throughout the program. The use of humor and nautical terminology was employed in an attempt to maintain student interest.

Strictly intuitive methods were employed to avoid "gaps" and "irrelevant" material, and to prevent the student from proceeding prior to mastering his present section. The success of these intuitive efforts-indeed, the success of the entire study--is presently unknown because Dr. Coulson's final technique, continual testing and revision, has not yet been accomplished.

It is firmly believed that program revision based on comments resulting from student testing is probably the single most important ingredient in the development of a programmed instruction course. The group takes the position that whenever a willing student does not learn from a programmed instruction course, it is at least partly failing in its purpose, and the author must be alert to make improvements in the course that will help such a student.

While constructing a programmed instruction course, an author must attempt to anticipate all of the questions of all of the students who will take his course. When a student does not learn, it is partially because questions have been raised in his mind which the author failed to anticipate, and consequently, did not cover in his material. It is highly unlikely that, in the initial draft of a program, an author will successful anticipate "all questions of



all students." Hence the importance of student testing and consequent revision--of letting the program be contributed to "partly by students--not wholly by teachers." 27

Two methods have been utilized to date in gathering information for program revision. One method used was the analysis of the print-out of student responses which the system furnishes. The other method was the creation of a tutorial type situation between the author and student. During these tutorial sessions, evaluations were made based on the student's comments as he progressed through the program.

The IBM Computer Assisted Instruction System

The following description of the IBM Computer Assisted Instruction System used in this study is intended to sufficiently familiarize the reader with the equipment to enable him to understand the remainder of this chapter. Some system costs are also briefly discussed.

The CAI system presently installed at the Postgraduate School consists of an IBM 1401 Computer, random access memory devices, and a printer-keyboard (typewriter). The IBM programming language utilized with this system is called Coursewriter.

The IBM 1401 Computer controls the operation of the overall system by acting as a middleman between the student and the program stored in the memory. For example, the computer retrieves questions from the memory storage, presents them to the student via the printer-keyboard, compares the student's answers with all possible answers listed by the author, and then replies with appropriate comments such as "Correct" or "Try again". The 1401 has a limited "time-sharing" capability, that is, the ability to perform several different tasks at the same time. It can simultaneously handle up to



four terminal panels (or typewriter units) while still performing a few other unrelated operations.

The random access memory units used with this system store individual student performance records and other bookkeeping information in addition to the entire contents of the course material. For all practical purposes, these units can instantaneously retrieve any previously stored information requested by the system. The system used in this study contained two memory drive units. Each drive unit holds one easily removed and relatively inexpensive memory disk pack, and each disk pack can hold up to five separate courses. Thus the system, once installed, can readily be used to present many different courses.

The system component with which both the author and student will be primarily concerned is the printer-keyboard. This unit, essentially an electric typewriter with a few additional system control keys, is, to the student, the "teaching machine" of the system.

Using the printer-keyboard and the Coursewriter language, the author can type his course directly into the computer's memory. In addition, with this typewriter, he is able to continually and easily revise his course and have it printed out exactly as the student would see it.

The IBM Coursewriter language used with this system is relatively easy to master. It approaches the highly desirable feature of "plain language" programming; the bulk of the actual program is plain language. The Coursewriter simplicity permits the author to concentrate on his textual material without being unduly distracted by complicated programming requirements.

Coursewriter consists primarily of two parts: (1) a set of two-letter "operation codes" which the author uses to instruct the system how to handle his course material, and (2) a set of control words to aid the author in

writing his course (e.g., <u>delete</u>, <u>insert after</u>, <u>type</u>) and to assist the student while taking a course (e.g., <u>help</u>, <u>go to</u>). (The meanings of the control words will be explained later in the paper).

One of the more interesting features of the Coursewriter language is its ability to branch students to various remedial series of questions based on their performance in the course. In the IBM system, this branching may be accomplished by one of three methods:

- (1) The student's own evaluation as to whether he feels ready to continue,
- (2) The correctness of his response to a particular question, and
- (3) The number of errors accumulated on a "counter" over a given series of questions.

Under the first method, the student is asked whether he wants to proceed or review. If he replies the former, he will automatically continue in the program. However, if he wants to review, he will be branched accordingly. That is, the material can be programmed so that he is automatically branched to a particular area (see Appendix A, page A-15, label blob for example.); or, it can be designed so that the student can choose his own review area. (see Appendix A, page A-45 label d53 for example.).

In addition, at any time during the course, the student may branch himself to any chosen segment of the program by typing the control word "go to" followed by the label of the statement he wishes to review. (A list of subject areas and the associated labels should be provided to each student. (See Appendix B.)).

The student has no control over the second method of branching; he is branched automatically, hased on the correctness of his response, to a particular question.

The third method available utilizes a counter. The counter is a machine feature which counts correct and/or incorrect student responses. When "instructed", the computer checks the status of a counter, and based on the status, makes a programmed decision as to which branch of the program the student will follow. The printer-keyboard then automatically prints the question which the counter status indicates the student should see next. The use of the counter provides the author great flexibility in branching a student through his course.

This system also has the capability of recording and printing out a record of each student's response to each course question. (See Appendix C for example). This feature aids both in student record-keeping and as previously mentioned, in overall program evaluation. (From the print-out, it is easy to determine if errors are concentrated in any particular section of the program, which would indicate a necessity for revision).

Another Coursewriter feature which assists the student in his learning process is the control word "help". If the student becomes completely confused by any question, he can type this word, and the correct answer will be revealed to him. The system automatically records the action so that an instructor can readily detect an excessive use of this aid.

This system also has the capability of transferring any programmed course from the random access memory devices to either magnetic tape or punched cards. These tapes or cards (or for that matter, the actual memory disk packs) can be passed between similar systems at different locations (for instance, different schools).



Information of Related Costs

An economic analysis of the IBM-CAI System installed at the Postgraduate School was not conducted; however, for general information, some approximate monthly rental costs of the equipment are listed below.

The initial system installation required the procurement of the following equipment:

System Component	Approx. Monthly Rental
2 - Random access memory units and adapters	\$1375.00
l - Printer-Keyboard (including associated equipment)	225.00
<pre>1 - Transmission Control Unit (controls flow of messages between printer-keyboard and computer)</pre>	270.00
	\$1870.00
Less 20% educational discount	-374.00
Total approximate monthly rental for presently installed system components.	\$1496.00

Additional random access memory disks may be obtained at a rental cost of fifteen dollars per month. The installation of additional student terminal panels would require the acquisition of one printer-keyboard and transmission control unit for each new panel; the total marginal monthly rental cost would be approximately \$395.00 for each panel.

The IBM 1401 Computer had been purchased and installed at the computer facility prior to the installation of the CAI equipment; therefore, it is considered a sunk cost of the present system. However, since the computer is capable of handling only four printer-keyboards, the cost of an additional computer would have to be considered if the system were expanded beyond this number.

Initially, the cost of a computer assisted instruction system may be prohibitive. However, in organizations where computers are already being used for various data-processing and control functions, the cost might be reduced by time-sharing with existing equipment (as was done at the Postgraduate School). Development of small special purpose computers might reduce the cost substantially in the future. ²⁸ It is also important, when considering CAI system costs, to include the cost of programming---a very time consuming process.

Procedures

The field of inquiry of this study immediately confronted the group with several dilemmas. Only one member possessed any previous teaching experience; none of the members had any experience in the field of programmed instruction; no one was familiar with the IBM Computer Assisted Instruction System; and although all of the members were reasonably proficient in algebra, it was believed that further study of arithmetic and geometric progressions was warranted prior to writing the program.

In an effort to overcome these barriers, the group divided itself into two sections; one-half concentrated on the field of programmed instruction in general and computer assisted instruction in particular; the other members undertook the task of gathering sufficient information on arithmetic and geometric progressions to develop the course material. Simultaneously, all four members attempted to become familiar with the IBM Computer Assisted Instruction System and the Coursewriter language. The attainment of further knowledge or experience in the area of pedagogy was considered infeasible; however, it was felt that a successful program could be developed on the basis of the study group's recent experience as students.

After approximately two months of research and prior to the commencement of writing the program, an interview was obtained with Dr. Coulson. The information gathered during this session proved to be extremely valuable during the remainder of the study.

The next step was the establishment of the desired student terminal behavior. It was determined that upon completion of the program, a student should possess a working knowledge of the formulas and vocabulary in the subject area; in addition, he should be able to cope with "word problems" and relate his knowledge of progressions to such concepts as present value, interest rates, and depreciation. This determination was based on the authors' knowledge of concepts required in subsequent graduate level courses.

Rather than program all of the subject matter into the computer, a short text was prepared which included some definitions, formulas, and examples (see Appendix D). There were several reasons why it was considered appropriate to incorporate a text into the course. It was initially believed that programming the entire AP/GP course would take up too many characters of disk storage (this assumption was later found to be incorrect). The authors also felt that that some textual material was desirable to aid the student in making the transition from their usual "book learning" to "machine learning". Another importand consideration was that the printer-keyboard types messages at a slower rate than the average student reads; this could cause the student's interest to wander as soon as his initial fascination with the machine waned. Finally, the textbook material would provide a set of notes for the student to retain upon completion of the course.

In writing the text, particular emphasis was placed on the page by page, physical layout of the subject matter. Formulas were set apart from the general explanations and one or two examples of the use of each formula were

incorporated. Throughout the text, particular care was taken to insure that the subject matter was described in the most simplified manner possible.

A decision was made that the course should be completed in five "cycles", the subject matter to be covered in each cycle to conform to the "natural" breakdown of the course material. These five sections were:

Section A - Definitions,

Section B - Finding the nth term of an arithmetic progression,

Section C - Finding the sum of an arithmetic progression,

Section D - Finding the nth term of a geometric progression,

Section E - Finding the sum of a geometric progression. (This last section included the sum of an infinite geometric progression, repeating decimals, the interest rate formula, and a review, including arithmetic/geometric progression word problems).

The student, while taking the course, would read a particular section of the text and then utilize the typewriter to complete the programmed instruction covering the same topic. Upon completion of that cycle, he would return to the text and commence the subsequent cycle. This reading of the text, interspersed with sessions on the typewriter, was considered to provide a desirable break/in the study routine. In addition, the authors believed that completion of a cycle in one section of the course prior to reading a subsequent section would result in greater student retention than if the entire text were read before utilizing the programmed instruction in the computer.

A set of typing instructions (Appendix E) was devised to familiarize the student with system typing peculiarities. A copy of these instructions should be furnished to each student.

Thus, after approximately three months of research in the areas of programmed instruction, arithmetic and geometric progressions, and the IBM

Computer Assisted Instruction System, the problem of writing the actual program was undertaken.

Prior to the actual program construction, it was decided to use the Crowder branching technique and to incorporate the other techniques of program design previously discussed. In addition, the desired student terminal behavior was kept constantly in mind. Beyond these factors, the authors utilized relatively independent methods of program construction.

Probably due to similar backgrounds of organizational training, the authors approached the programming problem in a nearly identical manner. Drawing on information gathered from textbooks and that material which had been incorporated into the handout, each author outlined the material he wished to present in his section. He then constructed a rough, but detailed outline or flow chart, (see Appendix F) which included all of the questions, expected student responses, hints, etc., to be contained in the program. These flow charts aided in demonstrating the logic of the branching that each student would follow. A considerable amount of revision was conducted prior to completion of the initial, intuitively constructed program.

When the flow charts and programs were completed, the authors began to type the course material into the computer's memory. This turned into a tedious and disconcerting task. The difficulties encountered stemmed from several factors: the authors were only "average" typists; the physical layout of the course material, as it would be presented to the student, was considered wery important, and consequently much time was expended on its arrangement; the type of course material involved (mathematical symbols, equations, etc.) was inherently tedious to handle; absolute accuracy was mandatory; the time constraints did not permit adequate familiarization with the equipment prior to insertion of the actual program; and some haziness of explanations and lack

of examples in the IBM-CAI manuals caused some programming difficulties. Some of the above difficulties could have been precluded if the authors had become more familiar with system equipment and procedures prior to commencement of program insertion.

After the entire program had been loaded into the computer's memory, a print-out of the course was obtained on the printer-keyboard. This print-out was reviewed to detect typing, spelling, and programming errors and to improve the format of the student presentation.

Next, the authors reviewed each other scourse in a further attempt to detect remaining programming and typographical errors and to constructively criticize the textual material. Several programming errors were discovered which had to be eliminated. Again, most of these errors were due to the lack of complete understanding of many of the Coursewriter programming "operation codes". (In order to preclude these and other errors being repeated by future authors, it is strongly recommended that, in addition to thoroughly studying the IBM-CAI Manuals, and prior to writing their programs, they completely familiarize themselves with the actual equipment and its operation by practicing with sample problems).

Upon completion of these initial revisions, the authors began to subject the program to testing by students. At the time of this writing, an
insufficient number of students have tested the program to warrant comments
on this phase of the project. As previously iterated, subsequently generated
material will be available through the Business Administration and Economics
Department of this school.

The following chapter is intended for prospective authors and contains a more <u>detailed</u> discussion of some of the programming difficulties mentioned in this chapter.



CHAPTER IV

The Study - A Detailed Discussion

This chapter is written specifically for those authors who are interested in writing programs for the IBM Computer Assisted Instruction System. Academic administrators and educators who are concerned only with the more general aspects of programmed instruction and computer based instructional systems need not concern themselves with the contents of this chapter.

Programming the course in arithmetic and geometric progressions proved to be a difficult, time consuming, and often frustrating task. However, many of the problems encountered were due to the lack of programming experience on the part of the authors. In an effort to preclude the repetition of some of these difficulties by other authors, this chapter will give a more detailed discussion of the capabilities and limitations of the IBM 1401-1026 Computer Assisted Instruction System, the Coursewriter programming language, and specific problem areas encountered in programming.

The IBM Corporation offers three reference publications which describe their Computer Assisted Instruction System: The 1401 Operating System Manual, which contains a general description of their CAI System; a Student Manual which includes the information necessary for the student to use the printer-keyboard; and an Author and Proctor Manual, which describes some of the capabilities of and machine requirements for CAI, and includes some additional information for authors and proctors (operators of the computer portion of the system). These publications are included as appendices G, H, and I, respectively. All three manuals should be studied thoroughly by prospective authors prior to writing their programs.

In order to understand the remainder of this chapter, it is recommended that the first seventeen pages of the 1401 Operating System Manual (Appendix G....up to the sub-title "Proctor Control") be read prior to continuing.

The IBM 1401-1026 Computer Assisted Instruction Système

An understanding of the functions of the various components of the 1401-1026 Computer Assisted Instruction System provides the author of a program with a broader base of understanding from which to develop his course. In an effort to assist future authors in understanding this equipment, this section covers the IBM-CAI System presently installed at the U. S. Naval Postgraduate School. This system consists of two IBM 1311 "random access" Disk Storage Drives, an IBM 1401 Computer, one IBM 1026 Transmission Control Unit, and one IBM 1052 Printer-Keyboard.

The IBM 1311 Disk Storage Drives. As stated in chapter III, the IBM 1311 Disk Storage Drives retain on "disk packs," the course material and individual student performance records. Each section of storage on a disk pack contains an address so that course material can be retrieved from any area thereof. Each disk pack is capable of handling as many as five different courses (two million characters of information). The disk packs may be removed from the Disk Storage Drives and thus a library of courses may be maintained.

This study group utilized two disk packs continually: the systems pack, (commonly called Drive Zero), which contained the master instructions for the CAI system and the student performance records; and the disk pack (Drive Two) on which the arithmetic/geometric progressions course was located.

Initially, disk storage space was reserved for fifty students. When a

student completed the program, his name and records were removed from the system. (The procedure for removing students is contained in Appendix I, page 18). Space for considerably more students could have been reserved had it been needed. The course material programmed, originally required approximately 250,000 characters of disk storage space. However, when the program had been "reassembled" and the typing and programming errors removed, only 200,000 characters of storage space were consumed.

The IBM 1401 Computer. The 1401 is definitely not suited for a "large scale" computer assisted instruction system because of its limited "time-sharing" capability. The primary reason for this limited capability is the small capacity of this computer's memory---16,000 characters of information at any one time. (This memory is distinct from the two million character memory of the disk storage packs). These 16,000 spaces are currently allotted as follows: 12,500 are required for the CAI system, and the remaining 3,500 are taken up by the time-sharing "functions". (The school computer facility uses the 1401 primarily for card-to-tape and tape-to-print programs; the 3,500 characters are required so that these functions can be accomplished simultaneously with CAI).

The computer is often required for "other" school functions which can <u>not</u> be handled on a time-sharing basis. The computer facility presently schedules these "other" functions at times when the CAI system is not being utilized. Fortunately, this study was conducted during a slack period for the computer facility; if the CAI system were to be used on a regular basis, a schedule for the use of the 1401 would have to be devised.

Another (and probably more important) "time-sharing" limitation is the 1401 computer's inability to carry more than four student terminal panels simultaneously. Professors, attempting to use the system for a class of

students, would be faced with a rather difficult scheduling problem. In addition, <u>if</u> all four student terminal panels were operated simultaneously, the reaction time of the computer would be seriously reduced. A "queuing" problem would develop in which three students were required to wait while the computer assisted the fourth. <u>All</u> of these problems could be alleviated if a larger computer (such as the IBM 360) were used for CAI.

The IBM 1026 Transmission Control Unit. This unit furnishes the linkage between the student and the computer by controlling the flow of messages between them. Messages from the students (and authors) are temporarily stored in the Transmission Control Unit's (200 character) "buffer" memory. Upon completion of a message, the control unit transmits the entire "block of print" to the computer. The "buffer" memory in the Transmission Control Unit is the device that permits the computer to be used for time-sharing functions without disrupting the student or author who is working at the typewriter. One Transmission Control Unit is required for each Printer-Keyboard.

The IBM 1052 Printer-Keyboard. Perhaps the most important element of the system with which an author should become familiar prior to writing his program is the IBM 1052 Printer-Keyboard. It is essentially an electric typewriter with a few system control keys added; also, several of the usual typewriter keyboard characters have been replaced with certain mathematical symbols.

When using the printer-keyboard to type his course into the computer's memory, the author, at the completion of every "block of print" (a maximum of 150 characters), must type an End-of-Block (EOB) code. This code signals the computer to take the message that has just been typed and is being held in the Transmission Control Unit, and perform some function on it (such as store it on a Disk Storage Pack, compare it with a message already in



memory, etc.). The EOB code is transmitted by simultaneously pressing the ALTERNATE CODING key and the number five (5) key. If the author or student is typing in a message and he wishes to cancel it prior to pressing the EOB keys, he simultaneously presses the ALTERNATE CODING key and the number zero (0) key, and then presses the EOB keys. The computer will then type "please repeat" and the author can repeat his message. If the author wishes to cancel a message after the EOB keys have been pressed, he must utilize the "delete" function which is explained in Appendix G, page 16. The student, however, cannot delete or change his input after he pushes the EOB keys.

The actual typing of the program into the computer memory proved to be a rather tedious and frustrating task for the authors of this program, for although they had studied the IBM Computer Assisted Instruction Manual (Appendix G) and were average typists, they had a considerable amount of difficulty with lengthy equations due to the system limitation of 150 characters per block. An author would type in an entire equation only to be"informed" by the computer that he had used more than the 150 characters allotted. Consequently, he would then have to repeat the entire equation using several blocks of print. (See Appendix A, page 69, labels e50-39 through e50-42. The student print-out will, however, appear in proper equation form; not as an over print as illustrated in this example). The system provides no means for counting the number of characters that have been utilized. (There is a scale on the printer-keyboard, but it does not count back spaces and line feeds; unfortunately, the computer does). The 1401 is presently programmed to accept only 150 characters in one block of print. This number of characters could be increased by revising



the program (but not beyond 200 characters since the transmission control unit is designed for a 200 character capacity).

The other unusual feature of the typewriter is the "PROCEED" light located just above the typewriter keys. The PROCEED light is necessary to permit time-sharing among student terminal panels. The author or student can type a message to the computer only when this light is illuminated. When the author or student is not typing, the PROCEED light's cycle consists of "ON for approximately thirteen seconds, OFF for ten seconds"; this means that as soon as the light comes on, the typist has approximately thirteen seconds to begin typing his message before the light goes off again. Once the author begins to type, he may type as long as he wishes, unless he at any time waits longer than thirteen seconds between the typing of any two characters; if he does, then the light will go off, and everything that he has typed subsequent to the last EOB code will be lost. The typist must consequently follow the cancel procedure and start over. For this reason, the PROCEED light proved to be fairly bothersome. Frequently an author would type in a statement and while he was checking to see if the statement had been correctly typed prior to pressing the EOB keys, the light would go out and he would have to repeat the entire block.

A block diagram of the various components of the IBM 1401-1026 Computer
Assisted Instruction System may be found in Appendix G, page 9.

Coursewriter

The IBM Coursewriter programming language used with this system is relatively easy even for the non-computer oriented author to master. A complete description of the Coursewriter language may be found in Appendix G. This discussion will not attempt to repeat the descriptions contained in the

appendix but will concentrate on the specific areas in which the authors had difficulty interpreting the IBM 1401 CAI manual.

The descriptions of the <u>operation codes</u> are particularly difficult to interpret because the CAI manual provides no examples of their usage. Operation Codes not adequately described in Appendix G, are presented below in the order they appear in the manual and should be read in conjunction with the manual descriptions. It is hoped the following comments will be of assistance to future authors:

Operation Codes

Comments

- An "rd" operation code will cause the computer to print out on the typewriter (Printer-Keyboard) the course material which follows this code in the text section. The computer always waits for a response after it has printed the "rd" textual material, so it is recommended that the author include at the end of the message to the student (course material) "Press EOB"; otherwise the typewriter and the student will just sit and stare at each other. For an example of incorrect usage, see Appendix A, page 46, label number e0, which states:
 - "e0 1 rd Section E, Sn of a Geometric Progression". The computer will print out this heading and wait for the student to respond. Unfortunately the student will not know that he is supposed to do anything. To alleviate this, the instruction "Press EOB" can be inserted just under the statement.
- wa The text following this code is a specific incorrect answer. The author has anticipated that the student would make this response and can follow this code with a "ty" operation code providing

specific assistance to the student. For example, in Appendix A, page 8, question al8 uses the "wa" operation code for the incorrect answer "subscript". The author follows this instruction with a "ty" instruction (al8-8). "No, I didn!t ask you what 2 was called. I said a2. Try again." Thus, the author has provided specific assistance to the student. Note: the operation code "wa" causes the computer to wait for the student to respond again after the sequence has been completed, so if the author gives the correct answer to that particular question in the "ty" instruction, he must follow it with a branch instruction; otherwise the computer and student will again be staring at each other.

- It can be utilized by the author to tell the student, for example,

 "No, try again." or, if he wishes, the author may give the student
 a hint and then tell him to try again. There are ten "un" operation codes available for each question, providing the author a
 great amount of flexibility in helping students who are repeatedly
 missing the same question. It is important to remember, however,
 that after the last "un" code used, a branch instruction should
 be included; otherwise this last code will be repeated to the
 student each time he subsequently misses the question.
- nx This operation code was never utilized.
- ad This is one of the more important codes available to an author as it may be utilized to maintain a running status of correct or incorrect student responses, a function necessary when utilizing

the system's branching capabilities. There are ten three-digit counters per student per course. The last two counters (9 and 10) are utilized to automatically count the number of "help" and "go to" requests the student makes. Six counters were utilized in various segments of the program to keep track of incorrect and correct responses for branching purposes. The format used was:

ad + (constant) // + (counter)


For example in Appendix A, page 46, question el-5, the author utilizes counter number 6 (c6) to count correct responses:

This means: "Add minus 1 to counter 6 if the student answers question el correctly. (Negative numbers must be used in this case to make the branching sequences function properly. See the br section that follows.) In the same question, he also utilizes counter 5 for incorrect responses.

The author also may at any time reset his counters to zero by adding an equal and opposite amount to the counter. Thus:

means to the computer, add minus the contents of counter five to counter five. (Thus zeroing the counter).

br - This, of course, is the "branch" operation code. It has two forms, the <u>unconditional</u> and <u>conditional</u> branch; ("condition" referring to the condition or status of a counter). The <u>unconditional</u> branch is utilized to branch the student to a particular



question number without regard to counter condition. For example, in Appendix A, page 46, statement number el-17 reads:


This means that when the student has finished reading the material in statements e1-13 to e1-15, and the computer has added minus one to counter five (statement e1-16), the computer will branch the student to question e2.

The <u>conditional</u> branch allows the author to branch the student based on the condition or status of the student's counters. Note that there are three sections to this instruction. (e.g., br el5 // c5 // +4). The first section lists the question number to which the student is to be branched; the second section lists the counter that is being utilized; and the third section is a con\$tant. The contents of the counter are automatically added to the constant by the computer. If their sum is zero or negative, the student is branched to the question specified in the first section. If <u>not</u>, this instruction is ignored. Thus, the branch depends on the <u>condition</u> of the counter. For example, in Appendix A, page 46, statement numbers e2-8 and e2-9 read:

8. br e3
$$//$$
 c5 $//$ +3

9. br e6

This means that the author wishes to branch the student (conditionally) to question e3 if the sum of the contents of counter five (c5) and +3 is either zero or negative. As counter five in this section is being utilized to count the number of <u>incorrect</u> responses made by a student (by adding <u>minus 1</u> for each incorrect response), this instruction tells the computer to send the student



to question e3 if he has made 3 <u>or more</u> incorrect responses: otherwise send him on (br e6) to question e6 (an <u>unconditional</u> branch).

fn - This operation code was utilized to <u>edit</u> out certain characters from student responses. (In effect, it edits student typing errors). Thus, the statement:

fn edit ls // all

spaces, and carriage returns from the student's answer, and pack the remainder of the message together. After the student's answer is edited, it will then be compared with the previous "ca", inserted by the author. If the student response agrees exactly with that "ca", it is accepted as a correct answer. For example: The correct response (ca) to a particular question is the word "progression". If the student were to type the word "progression" and had inadvertantly placed spaces before or after "progression", prior to pressing the EOB, his answer would be incorrect. The course statement "edit 1s // all" corrects this answer by removing the spaces from the student's response prior to comparing it with the programmed "ca".

In the same manner the course statement "edit la // all" operat4s to remove up and down shifts, extra spaces and carriage returns from the author's programmed "ca" prior to comparing it with the student's response. For example: suppose the correct answer to a particular question was 3 1/2 and the author had programmed it as a "ca" in that format. If the statement "edit la // all" had not been used, and a student typed 31/2 (omitting the space between the 3 and the 1), the computer would not accept his response as a correct answer. Including the

"edit la // all" alleviates this problem by removing the space in the author's programmed "ca" before comparing it with the student's response. (It is conceivable that the student may have actually intended his answer to be 31/2 which would be an erroneous response, but it is not believed likely that such a gross error would be made).

Thus it is recommended that both "edit 1s // all"and the "edit 1a // all" codes be utilized following each "ca" operation code. It is important to realize, however, that although these operation codes are utilized as recommended and will alleviate possible spacing problems in student responses, the author must still anticipate all possible forms of correct answers which might be utilized by the student. (i.e. 3.5 vice 3 1/2).

The "fn" code may also be utilized to program the computer to accept mathematical responses within certain limits. For example: If the correct answer to a question is 1/3, using the "fn" code the author may program the computer to accept answers such as 0.3, 0.33, or 0.333 by simply placing the following course statement after the "ca":

fn limit 1c // .30 // .34


This means that any answer between .30 and .34, inclusive, will be acceptable to the computer.

Although each of the authors utilized the "Crowder method" of branching in the development of his program, it is interesting to note that there was a wide variance in the employment of the counters and branching capabilities of the IBM system. For example, the author of Sections A and B (Appendix A, pages A2-21, employed the counters for incorrect responses to questions

which he believed to be particularly important. If the student made more than one incorrect response to a question, he was only penalized once for that particular question. This author devised his course so that the better student followed the main track of the course and consequently received far fewer questions than the weaker student. Conversely, the weaker student (determined by the number of incorrect responses indicated on the counter) was branched to various remedial subroutines for extra instruction or, if the subroutine proved to be unsuccessful, was told to reread the textual material. Since his program included remedial subroutines for the weaker students, this author would only give one or two hints on any particular question before telling the student the correct answer.

The author of Section C used essentially the same system except that he attempted to keep all the students on the main track of the program as long as possible, until finally, again based on the number of incorrect responses indicated on the counter, he felt it necessary to branch the student to a remedial subroutine. This author averaged one hint per question prior to presenting the student with the correct answer. His segment of the course included two remedial subroutines, (the flow charts for this section are contained in Appendix F, pages 12-17) whereas the first author employed six remedial subroutines in Section A and seven in Section B.

Sections D and E were constructed utilizing the counters for both correct and incorrect responses. Using this approach, the brighter student would remain in the main program based on the total number of correct responses that he had accumulated. (Essentially, he would have to answer each question correctly the first time in order to keep on the main program). In this section the counter for incorrect responses was utilized for every




incorrect response that a student made to a question. This author generally utilized more hints than the other two authors and employed these hints primarily in the main stream of his program. Thus, the weaker student would, hopefully, eventually deduce the correct answer to the more difficult questions, but because his counter indicated that he had accumulated many errors, he, would be branched to remedial questions. In this manner the weaker student receives far more instruction than the average student, and the average student more than the better student.

In retrospect, it was determined that all three authors independently employed essentially the same "philosophy". Each author said to himself, "How do I teach a student this concept? If he can't answer this question correctly, how can I program the course material so that he eventually will be able to understand the concept... Should I branch him to an easier question, explain the concept to him in a different manner, or tell him to reread the text?"

Thus, the individual programs were essentially "intuitively" constructed, and the variances in branching can be attributed primarily to the author's subjective evaluation as to the complexity of the subject matter. The limited amount of testing that has been accomplished has not indicated that any one method was superior to the other two.

The remainder of the Coursewriter language explanations in the manual are self-explanatory. The computer is very good about not accepting statements containing incorrect procedures, and will advise the author immediately of his errors; so an author need not worry about inadvertently "destroying his program."

One might gather from reading the last two chapters that perhaps "programming" is too difficult and time consuming a process to be worth serious consideration by a teacher. The authors in describing the



capabilities and limitations of the system had <u>not</u> intended to convey this impression. Granted, it does require a lot of effort, but then again, a great deal of thought and effort is necessary in developing a "good" classroom lecture. Once properly constructed, a program can be utilized repeatedly and transferred between schools. Despite the difficulties encountered in this study, it is <u>still</u> believed that CAI has considerable potential in the field of education.



CHAPTER V

Summary of Study Results

The result of this study was the development of a programmed course of instruction in arithmetic and geometric progressions.

Table 1. presents a summary of the techniques utilized in designing this course. The table includes a brief synopsis of the current opinions of the study group regarding the various programming techniques employed and some unanswered questions which arose during the development of the program.

It is important to remember that the opinions and questions derived from this study are based on the <u>assumption</u>, that; Programmed Instruction methods are an effective means of teaching in certain situations.

An additional, and more basic, unanswered question than any of those

listed in Table 1., is the one which questions this basic assumption---
Is programmed instruction an effective means of teaching in certain situations?;

and a corollary to that question is... If so, what are these situations?

Table 1.

Techniques Utilized in Course Design

Unanswered Questions Posed	 Is branching helpful? When should a student be branched? What instruction should a student receive in a branch? When should the student be returned to the "main-stream"? Where should the student reenter the "main-stream"? 	1. What "information" should a student receive when he constructs an incorrect response? 2. How much of a hint should a student receive?	 How much course material should be included in the handout? Should a handout be used?
Current Group Opinions	1. Provides individualized instruc- tion. 2. Challenges all students. 3. Utilizes computer's decision-making capability. 4. Results in a complex program. 5	1. Requires "recall" vice "recogniation". 2. Easy to program. 3. Decreases chance of guessing correctly.	1. Assists students in transition- ing from books to CAI. 2. Easier to read than the type- writer print-out. 3. Provides student with a set of notes.
Techniques	BRANCHING	CONSTRUCTED TYPE RESPONSES	USE OF HANDOUT



	Table 1, (Continued)	
ALTERNATING BETWEEN HANDOUT AND "TEACH- ING MACHINE"	 Provides a desirable break in study routine. Ensures greater student retention. 	1. Is this "cycling" beneficial?
USE OF HUMOR	1. Assists in maintaining student interest in subject matter. 2. Might irritate some students. 3. Might overly amuse a student. 4. As a result of 2. and 3., student's learning processes might be adversly affected.	 Is humor "irrevelant" material? Does humor maintain student interest in subject matter? If so, how much and what type of humor is beneficial?
NON-UNIFORMITY OF PROGRAM CONSTRUCION METHODS	1. Individual experimentation provided broader group experience in time available. 2. This experience resulted in broader author understanding of alternative construction methods. 3. One "BEST" method should be determined and used through—out the entire course.	1. What is the "BEST" method?



CHAPTER VI

Conclusions and Recommendations

Conclusions

It is concluded that this study has increased, to some degree, the growth pattern of computer assisted instruction through the development of a programmed course of instruction in arithmetic and geometric progressions and that a necessary "working" program is now available.

Due to the inexperience of the authors in this field, further develoment and changes will be required to evaluate its further potential in the overall CAI program. It is finally concluded that the use and evaluation of the program will contribute to a more intelligent decision when the time for a final decision on the value of computer assisted instruction comes.

Recommendations

Recommendations resulting from this study can be subdivided into four areas:

- A. The use of the developed program in evaluating the IBM-CAI system at this school.
- B. The areas for further study at the U. S. Naval Postgraduate School.
- C. The recommended methods to be followed in conducting future similar studies.
- D. Recommendations for changes to the IBM-CAI System equipment.
- 1. The use of the developed program to evaluate the IBM-CAI System.

It is strongly recommended that:

- a. This program be tested and revised as necessary prior to being utilized in a final evaluation test.
- rangement in which the author unobtrusively observes the student's response/questions as he progresses through the program.
- c. A series of tests be conducted using control groups, to determine the validity of the program; some groups receiving the Arithmetic and Geometric Progressions course by using the CAI System, and some groups receiving the Arithmetic and Geometric Progressions course by the normal instructor-lecture method. The first control test could "highlight" areas for new authors to further develop this program.
- d. An unbiased examination be utilized as a criterion (test of preferredness).
- 2. The areas for further study at the U. S. Naval Postgraduate School. It is strongly recommended that:
 - a. Students who are interested in Computer Assisted Instruction programming, develop programs for other phases of the basic mathematics review course offered at the Postgraduate School.
- The recommended methods to be followed in conducting future similar studies.

It is strongly recommended that:

- a. Sufficient time be planned for when writing a program.
- b. A professor-student combination be used for program development.



- This would combine the professor's "teaching" experience with the student's current "learning" experience.
- c. The background literature in the areas of programmed instruction and computer assisted instruction be reviewed thoroughly prior to starting the project.
- d. Prospective CAI programmers talk to other known authors of "programmed instruction" courses, if possible.
- e. The IBM Computer Assisted Instruction System manuals be studied thoroughly.
- f. An author practice with the 1052 Printer-Keyboard using sample problems prior to programming his course.
- g. The desired student terminal behavior level be established.
- h. The Flow Charts and the program be constructed concurrently.
- i. The program be typed into the computer in sections and checked for programming accuracy at the completion of each section.
- j. The program be tested using students and revised in the light of their responses and comments.
- 4. Changes to the IBM-CAI System equipment. (These recommendations cover "nice-to-have" items from the standpoint of convenience, but are not considered essential for the use of this system).

It is recommended that:

- a. The PROCEED light be removed entirely or the OFF period be reduced considerably.
- b. The "blocks-of-print" that the computer will accept be lengthened as much as possible.
- c. The "EOB" and "Cancel" functions each be made a SINGLE key operation.

d. A "Student Comment" function be provided in the system. (This function would provide the student with the capability of typing comments about the course material into the computer; the author/instructor could then obtain these comments on a printout from the computer to aid in revising his program.

* * * * *

sign off
you have been signed off



FOOTNOTES

- Lawrence M. Stolurow and Daniel Davis, <u>Teaching Machines and Computer-Based Systems</u>, (Technical Report No., Revised Draft, Office of Naval Research Contract No. 3985(04), University of Illinois, Training Research Laboratory, 1964), p. 6.
- ² John E. Coulson, <u>Five Major Obstacles to the Growth of Programmed Instruction in Education</u>, (SP-1944), (Santa Monica: System Development Corporation, 1965), p. 4.
- 3 Ibid.
- ⁴ Jerome P. Lysaught and Clarence M. Williams, <u>A Guide to Programmed Instruction</u>, (New York: John Wiley and Sons, Inc., 1963), p. 5.
- ⁵<u>Ibid</u>., p. 6.
- Werner J. Koppitz, "The Computer and Programmed Instruction," <u>Datamation</u>, (November, 1963), p. 51.
- 7Stolurow, op. cit., p. 5.
- 8Lysaught, op. cit., p. 6.
- ⁹Ibid., p. 8.
- Arthur A. Lumsdaine, "Some Differences in Approach to the Programming of Instruction," <u>Programmed Learning</u>, <u>Evolving Principles and Industrial Applications</u>, (Ann Arbor, Michigan: The Foundation for Research on Human Behavior, 1961), pp. 39-45.
- 11 Koppitz, <u>op</u>. <u>cit</u>., p. 51.
- 12 Donald Cook and Francis Mechner, "Fundamentals of Programmed Instruction," Applied Programmed Instruction, Stuart Margulies and Lewis D. Eigen (ed.), (New York: John Wiley and Sons, Inc., 1962), p. 3.
- 13_{Ibid}.
- Computer Assisted Instructions: IBM 1401, 1440, or 1460 Operating System, (File No. 1401/1440-48, Form C24-3253-1. Endicott, New York: IBM Product Publication, 1964), p. 5.



- Coulson, Present Status and Future Prospects of Computer-Based Instruction, (SP-1629), p. 1.
- 16 Ibid.
- 17 Ibid.
- 18_{Ibid.}, p. 2.
- ¹⁹Ibid., pp. 7-10.
- Lumsdaine, op. cit., p. 44.
- 21 Statement by John E. Coulson, personal interview.
- Coulson, Five Major Obstacles to the Growth of Programmed Instruction in Education, (1965), p. 4, 5.
- Harry F. Silberman, John E. Coulson, et al., Final Report: Use of Exploratory Research and Individual Tutoring Techniques for the Development of Programming Methods and Theory, (TM-895/200/00), (Santa Monica: System Development Corp., 1964), p. 41.
- 24 Statement by John E. Coulson, personal interview.
- 25 Ibid.
- Coulson, Five Major Obstacles to the Growth of Programmed Instruction in Education, (1965), p. 5.
- 27 Lumsdaine, op.cit., p. 38.
- John E. Coulson, Don D. Bushnell, John E. Cogswell, "Computer-Based Instructional Systems," Applied Program Instruction, (1962), p. 109.



BIBLIOGRAPHY


A. BOOKS

- 1. Bettinger, Alvin K., and John A. Englund. Algebra and Trigonometry. Scranton: International Textbook Company, 1960.
- 2. Cissel, Robert, and Thomas J. Bruggeman. <u>Mathematics for Business</u> and Economics. Boston: Houghton Mifflin Company, 1962.
- 3. Chrystal, G. Algebra. New York: Chelsea Publishing Company, 1959.
- 4. Chrystal, G. Algebra, Part II. New York: Chelsea Publishing Company, 1959.
- 5. Dubiskh, Roy., Vernon E. Howes, and Steven J. Bryant. <u>Intermediate</u>
 Algebra. New York: John Wiley and Sons, Inc., 1962.
- 6. Durell, Clement V. Advanced Algebra, Volume I. London: G. Bell and Sons, Ltd., 1947.
- 7. Durell, Clement V., and A. Robson. Advanced Algebra, Volume II. London: G. Bell and Sons, Ltd., 1947.
- 8. Fine, Henry Burchard. A College Algebra. Boston: Ginn and Company, 1904.
- 9. Fry, Edward B. <u>Teaching Machines and Programmed Instruction</u>. New York: McGraw-Hill Book Company, Inc., 1963.
- 10. Graham, Palmer H., and F. Wallace John. Advanced Algebra. New York: Prentice-Hall, Inc., 1942.
- 11. Hall, J. A. P. (ed.). <u>Computers in Education</u>. New York: The Macmillan Company, 1962.
- 12. Johnson, Richard E., and Fred L. Kiokemeister. <u>Calculus with Analytic Geometry</u>. Boston: Allyn and Bacon, Inc., 1958.
- 13. Knebleman, Morris S., and Tracy Y. Thomas. <u>Principles of College Algebra</u>. New York: Printice-Hall, Inc., 1946.
- 14. Lysaught, Jerome P., and Clarence M. Williams. A Guide To Programmed Instruction. New York: John Wiley and Sons, Inc., 1963.
- 15. Margulies, Stuart, and Lewis D. Eigen. Applied Programmed Instruction. New York: John Wiley and Sons, Inc., 1962.
- 16. Meir, Robert C., and Stephen H. Archer. An Introduction to Mathematics for Business Analysis. New York: McGraw-Hill Book Company, Inc., 1960.
- 17. Miller, Fredric H. College Algebra and Trigonometry. New York: John Wiley and Sons, Inc., 1945.

- 18. Moore, Charles N. <u>Summable Series and Convergence Factors</u>. (American Mathematical Society Colloquium Publications, Volume XXII). New York: American Mathematical Society, 1938.
- 19. Rider, Paul R. <u>First-Year Mathematics for College</u>. New York: The Macmillan Company, 1962.
- 20. Rider, Paul R. College Algebra. New York: The Macmillan Company, 1940.
- 21. Rose, Israel H. Algebra. New York: John Wiley and Sons, Inc., 1963.
- 22. Smail, Lloyd L. <u>Elements of the Theory of Infinite Processes</u>. New York: McGraw-Hill Book Company, 1923.
- 23. Stones, John C., and Virgil S. Mallory. A Second Course in Algebra. Chicago: Benj. H. Sanborn and Company, 1939.
- 24. Van Voorhis, Walter R., and Chester W. Topp. <u>Fundamentals of Business</u>
 <u>Mathematics</u>. Englewood Cliffs, New Jersey: Prentice-Hall, Inc., 1955.
- 25. Whyburn, William M., and Paul H. Daus. Algebra for College Students. New York: Prentice-Hall, Inc. 1955.
- 26. Wilczynski, E. J. College Algebra with Applications. Boston: Allyn and Bacon, 1942.

B. PUBLICATIONS OF THE GOVERNMENT, LEARNED SOCIETIES, AND OTHER ORGANIZATIONS

- 27. Bushnell, Don D. Educational Data Processing and Public Education (SP-1400). Santa Monica: System Development Corp., 29 October 1963.
- 28. Bushnell, Don D. <u>The Computer in the Classroom</u> (SP-601). Santa Monica: System Development Corp., 14 November 1961.
- 29. Bushnell, Don D. The Effects of Electronic Data Processing in Future Instructional Systems (SP-1118/001/00). Santa Monica: System Development Corp., 27 March 1963.
- 30. Carter, Launor F. Computers: Their Impact on Instruction, on Educational Planning, and on the Curriculum (SP-1628). Santa Monica: System Development Corp., June 1, 1964.
- 31. Cogswell, John F., and John E. Coulson. Effects of Individualized Instruction on Testing (SP-1829). Santa Monica: System Development Corp., 1965.
- 32. Computer Assisted Instruction: IBM 1401, 1440, or 1460 Operating
 System. File Number 1401/1440-48, Form C24-3253-1, Endicott, New York:
 IBM Product Publication, March, 1965.



- 33. Coulson, John E. <u>Automation</u>, <u>Cybernetics</u>, <u>and Education</u> (SP-1964). Santa Monica: System Development Corp., 1965.
- 34. Coulson, John E., et al. <u>Effects of Branching in a Computer Control-led Auto Instructional Device</u> (TM-617). Santa Monica: System Development Corp., 1965.
- 35. Coulson, John E. <u>Five Major Obstacles to the Growth of Programmed Instruction in Education</u> (SP-1944). Santa Monica: System Development Corp., 1965.
- 36. Coulson, John E. Present Status and Future Prospects of Computer-Based Instruction (SP-1629). Santa Monica: System Development Corp., 1964.
- 37. Coulson, John E. <u>Programmed Decisions In Programmed Instruction</u> (SP-933/001/00). Santa Monica: System Development Corp., 1962.
- 38. Coulson, John E. <u>Responsiveness</u> as an <u>Organizing Principle in the Analysis and Design of Education</u> System (SP-1322). Santa Monica: System Development Corp., 1963.
- 39. Coulson, John E., and John Cogswell. <u>Systems Analysis In Education</u> (SP-1863). Santa Monica: System Development Corp. 1965.
- 40. Coulson, John E., and Harry F. Silberman. Results of Initial Experiment in Automated Teaching. (SP-73). Santa Monica: System Development Corp. 1959.
- 41. Egbert, Robert L. <u>The Computer in Education: Malifactor or Benefactor</u>. AFIPS-FJCC-Vol. 24. Santa Monica: System Development Corp., 1963.
- 42. Finn, James D., and Donald G. Perrin. <u>Teaching Machines and Programmed Learning</u>. United States Department of Health, Education, and Welfare, Office of Education, 1962.
- 43. Gruenberger, F. J. What Should We Compute? (P-2786). Santa Monica: The RAND Corp., 1963.
- 44. Lysaught, Jerome P. <u>Programmed Learning</u>. Ann Arbor: The Foundation for Research on Human Behavior, 1961.
- 45. Silberman, Harry F., John E. Coulson, et al. Final Report: Use of Exploratory Research and Individual Tutoring Techniques for the Development of Programming Methods and Theory (TM-895/200/00).

 Santa Monica: System Development Corp., 1964.
- 46. Stolurow, Lawrence M., and Daniel Davis. <u>Teaching Machines and Computer-Based Systems</u>. Technical Report No. 1, Revised Draft, Office of Naval Research Contract No. 3985(04), University of Illinois, Training Research Laboratory, 1964.

- 47. Strollo, Theodore R. A Generalized Teaching Machine Decision Structure with Application to Speed Reading. Technical Report No. 7, Air Force Systems Command Contract No. AF-19(628)2407, Massachusetts Institute of Technology, Operations Research Center, 1964.
- 48. Yens, David P., and Harris H. Shettel. Operational Specification for Computer-Directed Instruction in the Operational Training Capability Query Language for System 473L, United States Air Force Headquarters. Technical Documentary Report No. ESD-TDR-64-511, Air Force Systems Command Contract No. AF-19(628)-2935, Pittsburg: American Institutes for Research, 1964.

C. PERIODICALS

- 49. Buckley, Noel. "Learning: Return to Reality", <u>DUN'S REVIEW AND MODERN INDUSTRY</u>, May 1964.
- 50. Bushnell, Don D. "Computer-Mediated Instruction--A Survey of New Developments", <u>Computers and Automation</u>. 14, No. 3 (March, 1965), 18-20.
- 51. Coulson, John E., and Harry F. Silberman. "Effects of Three Variables in a Teaching Machine", <u>Journal of Applied Psychology</u>, 51. No. 4 (1960), 135-143.
- 52. Coulson, John E., et al. "Effects of Branching in a Computer Controlled Auto-Instructional Device", Journal of Applied Psychology, 46, No. 6, (December, 1962), 389-392.
- 53. Dennis, Jack B. "A Multiuser Computation Facility for Education and Research", Communications of the ACM, 7, No. 9 (September, 1964), 521-529.
- 54. Feurzeig, Wallace. "Towards More Versatile Teaching Machines", Computers and Automation, 14, No. 3, (March, 1965), 22-25.
- 55. Koppitz, Werner J. "The Computer and Programmed Instruction", <u>Datamation</u>, November, 1963, 50-56.
- 56. Rogers, James, and Donald Bullock. "The Application of Programmed Instruction in the Computer Field", Computers and Automation, XII, No. 4, (April, 1963), 22-25.
- 57. Silvern, Gloria M. "Programmed Instruction Materials for Computer Programming--A Survey", Computers and Automation, 14, No. 3 (March, 1965), 26-32.
- 58. Silvern, Leonard C. "An Examination of Programmed Learning in Data Processing", <u>Data Processing for Education</u>, Detroit: American Data Processing, Inc., November, 1964.



D. UNPUBLISHED MATERIALS

- 59. Regan, James D. "Computer Controlled Teaching Machines, A Survey."
 Unpublished term paper, The United States Naval Postgraduate School,
 Monterey, California, 1964.
- 60. Stogis, Peter D. "The Digital Computer As An Automatic Teaching Device." Unpublished Master's thesis, The United States Naval Postgraduate School, Monterey, California, 1965.

E. AN ANNOTATED BIBLIOGRAPHY

61. Schramm, Wilbur. The Research on Programmed Instruction. Institute of Communication Research, Stanford University, California, Contract with Office of Education, United States Department of Health, Education, and Welfare, National Defense Act, Title VII, Part B, OE-3-16-004, United States Government Printing Office, Washington: 1964.




APPENDIX A

Computer Assisted Instruction Course
in
Arithmetic and Geometric Progressions
(Computer Print-out)




```
start
Intro
                      UCLCOME ABOARD!
              rd
    2
                       You are about to set underway on one of the very latest modes of teaching.
                  I think you'll find this experience not only educational, but also most enjoyable.
     3
                 (Can any other professor make that statement?!)
    5
                       You may find that my tongue is a bit short .....but my patience is
                 very long. So don't let my comments rattle you. Take your time and enjoy yourself.
                       When you are ready to get underway, press the FOR buttons.
                       Glad to have you aboard:
a0
                                      ARITHMETIC AND GEOMETRIC PROGRESSIONS
                                                 INTRODUCTION AND DEFINITIONS
              QU A _
                            _ is a group or collection of definite distinct objects.
              ca set
fn editis //all
ty Correct. The order of arrangement is not important in a set.
              wa sequence
          wa sequence
wb progression
fn editis //all
ty No. A sequence is a set of numbers in some definite order, i'm looking for
a more general term. Try again.
   10
   11
              un Wrong. Try again.
              un No. The answer is set. A set is a group of definite distinct objects. You can
   12
                 have a set of birds, rocks, guns, numbers ---- anything. It is just a definite
   14
                 distinct group of some particular objects.
   15
a2
        \, qu A group or collection of numbers in no definite order of arrangement is called a \underline{\hspace{1cm}} of numbers.
    1
              ca set fn edit1s //ali ty Right. The clue here is that the numbers are <u>not</u> in any definite order.
     5
                 In order for a set to be a sequence it must be arranged in definite order.
             br a8 //c1//2
cb group
cb collection
cb bunch
cb wad
fn editls //all
ty Yeh. That's true enough, but the answer ! prefer is set.
```

12 2 8 1



```
br as //c1//2 was sequence who procression fin citis -//a11 ty Wrong. Note that the numbers in question are not in any definite order. Try again.
    14
15
16
17
    18
    19
    20
                un You must be kidding. Try again.
                un The Bureau must be kidding. The correct answer is set. A group of any definite
    21
                    distinct objects is called a set. A group of numbers is called a set of numbers.
    22
    23
                    Order of arrangement is not important in a set.
a 3
                qu A set of numbers in some definite order is called a _____.
                ca sequence
cb progression
cb sequence of numbers
cb progression of numbers
fn editis '//all
ty That's right. Good head work there, Charlie.
                ad c1//c2
ad -c1//c1
br a6
wa set
fn editls //all
ad c1//c2
ad -c1//c1
ty True, but that's not really too profound, Charles. Think and try again.
    9
10
11
12
13
14
15
16
    17
    18
         un No. Note that the set of numbers in question is arranged in some definite order. Try this one.  \\
                br a4
    20
                                ___ of numbers is a set of numbers in some definite order.
                qu A ____
                ca sequence cb progression fn edits //all ty Correct. Now try the first one again.
     5
     6
                br a3 wa set fn editis //all ty Less than profound, Charlle. Read the statement and try again.
    10
    11
    12
                un Negative, Charile, think about this and we'll try it from another ancie.
    13
 _ 14
                br a5
```



```
a 5
                        quil A progression or sequence of numbers is a ______ of numbers in some definite order.
                        ca set

to group

to collection


fn edits //all

ty Fantastic mind: Your powers of retention amaze me.
                7
                        br a3
un I'll forget you said that. Try again.
              10
                        un Check the doppler on your typewriter, buddy. I think it's stuck. We'll try this
              11
                     un Time's up. See you when you get back from Vietnam. The correct answer here is set.
              12
              13
                     br a5a
              14
                        rd I think you'd better go back and review the text again, and then we'll take another
                          stab at these questions.
a6
               3
               1
                        qu The individual numbers of the sequence or progression are called _____
                        ca terms
fn editis //all
ty Way to go, Dick Tracy. You got another one right.
                5
   111
  77 1 ...
                        br a7
cb elements
fn edit1s
                                     //a11
 10
                        ty Gee, I never thought of that. OK, but the preferred answer is terms.
 11
                        un Wrong. Think of what the individual numbers in the progression 1, 2, 3, 4, 5 are
              12
                           called. Try again.
 un When was the last time you stood a mid-watch? Be careful. I'm losing my patience. One more try.
              13
              14
                        un Aaaaaaaaahhhhhhhh!! Excuse me. The correct answer is terms. Each individual
              15
                           number in a sequence is a term.
              16
                1
                        qu A sequence of numbers is a set of numbers in some ____
                                                                                         _order.
                        cb distinct
cb particular
cb specific
-
                        to exact fn edits //all ty Beautiful. It takes a lot of order to make a set a sequence.
               10
11
                        br a8
cb defenite
```


A-4




```
wa random
fn editis //all
ty Random? You're not even supposed to know what that word means, and anyway it's wrong. Try again.
          un llow do you say wrong in Vietnamese? The order of arrangement is important in a
17
                sequence. Try again.
          un No, the correct answer is definite. The terms of a sequence must be arranged in a
19
20
              definite order. This is the key factor which makes a set a sequence. Order is not
              Important in a set --- It is important in a sequence.
22
           qu is 2, 4, 6, 8, 10 a set?
           ca yes
fn editls //all
ty Correct. Any definite group of numbers is a set.
          ad -cl//cl
br a9
wa no
fn editls //ail
ad -cl//cl
dd -l//cl
ty Wrong. This is a set. Any definite group of numbers is a set.
6
7
8
9
11
12
13
          br a8a un If you do that again, 1*11 shock you. Just say <u>yes</u> or <u>no</u>.
           qu is 40, 9, 18, 61, 50 a set?
          ca yes
fn editis //all
ty Right. I think you've got it.
          br a9 wa no fn editls //all ad -1//c1 ty Wrong again. I think we'd better go back and look at the definition again.
          br al un Knock it off, Charile. Just say yes or no.
           qu is 2, 4, 6, 8, 10 a sequence?
          ca yes
fn editis //all
ty Right, because all of the terms are in a definite order. Each term exceeds the
              preceding one by 2.
          wa no
fn editls
fn editla
ad -1//cl
ty Wrong.
 6
7
8
10
                       It is a sequence because the terms are arranged in a definite order.
11
```




```
12
13
                       br all un This is a yes or no question, Mort. Choose one.
          a10
                       qu is 1, 2, 3, 4, 5 a progression?
                       ca yes
fn editis //all
ty Rozer. The terms are in a definite order. Over.
               5
                       wa no
fn editis //ali
ad -1//cl
ty Sure it is. It's a progression (sequence) because the terms are arranged in a
              10
                             definite order. Each term exceeds the preceding one by 1. Let's try another one.
              11
                       br all un Come on, Judge, make a decision.....YES or NO?
                       qu is 1, 7, 3, 2, 9, a progression?
                       ca no fn edits //all ty Correct. The terms in this set are not arranged in any definite order. Well done.
 1-1-1-1
              5
br allb //cl//2
br al7
wa yes
fn edits //all
ad -1//cl
ty No, no. This set does not fill the bill for a progression or sequence
12
                            because the terms are not arranged in any definite order.
              13
                       br alla
                                    //c1//2
                       br al7 un Try yes or no, Charile. I aln't programmed for garbage.
a11a
                       rd You've missed at least two of the last three questions. I think we'd better
                          review the examples in the text. You go ahead and start. I'll be back in a
              2
                        minute. I'm going to the head.
              3
                       ad -c1//c1
br a12
                       rd Even though you got the last one right, you have missed at least two of the example
                          questions. Therefore, I think you'd better review the text, and then we'll look at
                          some more problems.
  a12
                       ad =cl//cl
br al2
                       qu OK, here we go again. Is 1, 7, 4, 2, 12 a set?
                       ca yes
fn edit 1s //all
ty Roger. Well done. Over.
                       un Wrong. This is a feet was a set regardless of their order.
```




```
ad =1//c2
br al3
    5
             qu 1s 15, 6, 20, 82, 4, 43 a procression?
             ca no fin edits -1/411 ty Correct. The terms are not in any definite order. Consequently this set is not
    5
                a sequence or progression.
             br al? un No, this is not a procression because the terms are not arranged in any definite order.
             ad -1//c2
                            //c2//2
             qu is 5, 10, 15, 20, 25 a progression? ca yes fn edits //all ad -c3//c3 ty Right. I think you're catching on?
             br alka un Wrong. This is a progression or sequence of numbers. The terms are arranged in a
    6
    R
                using the words progression and sequence synonomously.
   10
11
12
             ad -c3//c3
ad -1//c3
br al5
            qu Do you feel that you now basically understand the concept of sets and progressions? fn edits //all br al7 wa no fn edits //all br al5 .
a15
             qu is 10, 5, 0, -5, -10 a progression?
    1
             ca yes
fn edits //all
ty Correct. The terms of a progression may take on any value (positive, negative,
                or zero) as long as they are arranged in a definite order.
    5
             br al7 un Wrong. This is a progression. The terms of a progression may take on any value
    8
                (positive, negative, or zero) as long as they are arranged in a definite order.
             ad =1//c3
br al7
   10
                            //c3//2
a 16
    1
             qu 1s -10, -10 1/2, -11, -11 1/2, -12 a progression?
             ca yes
fn editis //all
br al7
un No, Charile, old buddy, you've missed the last two questions ----- That is a
    6
                 progression. Each term is 1/2 less than the preceding one. Man! I've got a headache.
    7
```



```
.17
             quits a, a, a, a, a, a, a, a non-resitor?
             ca yes
fn cittls //all
ad -c2//c2
ty Right. Fantastic perception: 92:
             un drons. It is a procression. The terms are in a definite or er, each being found
             by multiplying the preceding term by the constant a.
             ad -c2//c2
ad -1//c3
br al4
br al7a
                            //c3//2
             qu 1 think 1°11 ask you some new type questions ---- on second thought ---- Do you want
    2
                some more examples like the ones you've just had?
             ca no
fn editis //all
ad -c3//c3
br al8
wa yes
fn editis ·//all
ty OK, we'll go back and take a look at some of our previous examples.
  10
11
             ad -c3//c3
br a8
             qu in the sequence a_1, a_2, a_3, a_4, a_5, a_2 is called a ____
             ca term
cb terms
fn edit1s
br a20
                            //all
             br a20 wa subscript fr. editis //all ty No. 1 didn't ask you what 2 was called. 1 said a_2. Try arain.
             un No, no. a2 is called a term. All individual numbers in a sequence are called terms.
             br a19
   10
             qu in the progression 2, 4, 6, 8, 10, 12 the number 6 is called a _
             ca term
cb terms
fn edit1s //all
ty 1 think you've got 1t;
    2
             br a20
cb element
fn edit1s //all
ty Yeh, yeh, but the preferred word is term.
    6
7
             br a20 un No, Charlotte, honey, that's not correct. Let me explain it. 6 is a term.
   12
                All of the individual numbers are called terms. The progression 1, 2, 3, 4, 5
   13
                is a five term progression. I is the first term, 2 is the second term, etc..
   14
                1 do hope that clears up this little misunderstanding.
   15
             br a20
a20
             qu The number 2 in a_2 is called a \_
             br a22 un 1 think you just blew a transistor in my doppler box. Uuuuhhhhh!! Think and
```



```
un Wrong. It is a subscript, and it denotes the order in which the terms are arranged.
                That is, a, would be the second term in its progression.
a21
              qu The _____ denotes the order in which the terms are arranged.
             ca subscript
fn edit1s //all
ty Roger. Over.
             br a22
cb subscripts
fn editls //all
ty OK, but in the future please use singular subjects with singular verbs.
             un Wrong. Try again.
             un Wrong. The correct answer is <u>subscript</u>. For example, the numbers in the
   10
                sequence t_1, t_2, t_3, t_4 are subscripts and denote the order of arrangement
                of the terms, t_1 being the first term, t_2 the second term, etc.
   13
              qu in the sequence t_1, t_2, t_3, ---, t_n, ---, t_n is the ___
             ca nth
cb n
fn editls //all
ty Beautifui, Chariie, have a banana.
             br a24 un No. t_{\rm n} is the nth term as indicated by the subscript n. Let's try another one.
              qu in the sequence a1, a2, a3, a4, a5, ...a3 is the ____
             ca 3rd
cb 3
cb third
fn editis //all
ty Roger, Charles, and a<sub>k</sub> is the fourth term, etc., etc..
             br a24 cb 3th fn edits //all ty 3th???? OK, but the correct spelling is 3rd.
             br a24 un Charite, old buddy, you missed this one too. That does distress me a bit. The
   13
                correct answer is 3rd, a_x is the third term as indicated by the subscript 3.
               Zap my EOB button while I try to decide what to do with you.
   15
             br a23a
              rd After thinking it over, i've decided we should no back and look at some more questions
                 on terms and subscripts. Punch me, Charlie.
             br a18
```



rd That is the end of the introductory section on the Coursewriter. Great sport, ehi??

If you feel that you have the concept well in hand, then type sign off, and return to the text and study the section on finding the value of a particular term in an Arithmetic Progression.

If you would like to review one of the areas noted below, just type go to followed by the label following that particular area.

Problem Area Label

Set al


·		
8	Set	al
9	Sequence/Progression	а3
10	Term .	a6
11	Subscript	a20

12 If you do go back and review, then when you have completed the review,
 13 type go to a24. This will branch you back to here, from where we may press onward.

14 ad -c2//c2 15 ad -c3//c3



```
r f
                                                                                               unction "
 51
           1
                                                                      _ Is a sequence of numbers in which each term after the first is formed by a Mine
                                        a fixed quantity called the courson difference to the crecellar term.
                                 ca ap
cb a.p.
cb arithmetic progression
fn editis //all
ty You have arrived at the correct solution. Coody!
            3
                                 ad *c2//c2 un Wrong. The correct answer is arithmetic progression or AP. Think about it for a minute
           8
                                         and then let's try another one.
         10
        11
12
13
                                 ad -c2//c2
ad -1//c2
br b2
 ь2
                                 qu in an AP the fixed quantity added to each term to obtain the next term is called the _
                                 ca common difference fn edits //all ty You're right, and \underline{d} may be either + or -, but never 0. Next question comin' up.
                                 br b3
                                 the control of the co
                                br b3
wa difference
fn edit1s //all
ty That's only partially correct. The complete answer is common difference --- meaning
          9
        10
11
12
                                         that the difference is common (or the same) between all terms in the AP.
         13
                                 br b3 un No. The correct answer ls common difference.
        14
15
                                        d may be either + or -, but never 0.
         16
        17
18
                                ad -1//c2
br b3
63
                                 qu The common difference between each term in an AP is denoted by the letter _
                                 ca d
fn editls //a
ty Roger. Over.
            2 3 4
                                                                    //all
            5
                                un Wrong. Check your typing and try again.
                                 un wrong againg it has the new your typing. The letter in question is d, delta --- you dop.
                                        d may be either + or -, but never 0.
                                 ad -1//c2
 Ь4
                                 qu t or f. In an AP the common difference may be either a positive or a negative number.
           2
                                 ca t
cb true
fo eliti
```




```
br bha //c2//3
br b5
un Wrong. 4 may be either + or -, but never 0.
              ad -1//c2
br b4a
br b5
   9
10
                            //c2//3
   11
             rd You have missed at least 3 of the last 4 questions on Apris. I think that before we
    2
                start the problems we'd better go back and review the text. Let me know when you're
    3
                ready to go again.
              br b1
b 5
              qu The AP 3, 6, 9, 12, 15, 18 consists of _____ terms.
              ca 6
cb six
fn edit1s
ad -c2//c2
ty Correct
    2
                            //a11
              un No. There are 6 terms in the AP. Each individual number is a term. 3 is the first
               term, 6 the second term, etc..
9
10
11
55a
              ad -c2//c2
ad -1//c2
br b5a
              qu in the AP 6, 10, 14, 18, 22 what is the value of the fourth term?
              ca 18
fn edit1s //ali
ty Roger. I think you've got it.
              br b5b //c2//1 br b6 un No ---- the value of the fourth term ---- the fourth number in the series. What is it?
    8
              un it never occurred to me that anyone would miss this one twice, but then I didn't know
                 that you were taking the course. The correct answer is 18.
          abr b5b
   .10
b 5b
              qu How many terms are there in the AP 8, 6, 4, 2, 0?
              ca 5
              fn editis //all
ty Great! And you can type, too!
              br b6 //c2//1 br b5c un Gads! Here I'll help you. There are 1, 2, 3, 4, \underline{5} --- 5 --- \underline{5} terms in that stupid AP!
                Maybe It's the blg numbers that throw you???
              br b5c
    9
b5c
     1
              qu in the AP 2, 4, 6, 8, 10, 12 the value of the fourth term is 8. What is the value
                of the fourth term?
              ca 8 fn editls //all ty BZ, Dick Tracy. Now stand by for a ram.
              br b5 un Wha --- huh?!? --- Oh, you scared me! I never expected to see anyone way drivin here.
```


```
un foot infet --- Types a --- I mean road rieff fo, let's try tils one.
b5 J
             on in the 1 1, 2, 3 there are 3 terms. How many terms are there in the 4P 1, 2, 3?
             for clitic //mil
ty 'h spi louwe po to the first grade.
             br b5
un No. Charile, the answer is 3. Have you ever considered becoming a PC School
               drop-out? I'll be glad to sign your chit.
    3
b5e
             rd Go back and re-read the text, and then we'll start from scratch. You make me want to.
             br bl
             qu in the AP 4, 6, 8, 10, 12, 14, 4=
             ca 2
cb +2
fn editls //ail
ad -c2//c2
ty Right. 14-12 = 12-10 = 6-4 = 2, the <u>common</u> difference.
    7
             un Wrong, try again.
             ad -c2//c2 un Wrong. I'll give you a hint. The answer is 2. 14-12 = 12-10 = 8-6 = 2, the common
                difference. Remember, \underline{d} may be either + or -, but never 0.
   10
   11
b7
             qu in the AP a, a+d, a+2d, a+3d the value of the first term, t_1, is _____, and d= _
    2
                (Put a comma between your answers.)
             ca a,d
cb a,+d
fn edit1s  //all
ty That's right. Very good.
             un No, you blew it. Check your typing and try again.
             un Did you read the text? This is a verbatim example. Here ty=a and d=d. Simple, eh?!
   10
             qu in the AP -6, -7, -8, -9, -10, d= ___
             ca -1
fn editis //all
ty Roger. Now try this one.
             br b6
wa 1
fn editis //aii
ty No. Check your sign and try again.
```

for In the smith Hill you by refine and lever air! --- Seat the duestion, sonny, and try again.

un No. d=-1. -8-(-7) = -10-(-9) = -1. Try this one.



```
qu in t' o /2 0, -5, -1, -1', -1', '= ___
             on +4 for effects. //ill ty loods. Four hits try the first example again.
             br b:
un 4
ub 45
fn elltls //hll
ty do. Check your sion and try hondr.
             un No. The answer is -4, the common difference between each term in the AP.
b7c 11
             rd I think we'd better take another look at the text. Call me when you're ready.
               1º11 be in the head.
             br b5 .
   3
b8
             rd We can find any term in an AP if we know the --
                               1. first term (t<sub>1</sub>)
    2
                               2. common difference (d)
    3
                               3. number of the term for which we are looking (n)
              The expression to find the value of the nth term (t<sub>n</sub>) of an AP is ---
                               t_n = t_1 + (n-1)d
                 After you have digested this and are ready to proceed, punch me. Over.
             ad -c2//c2
69
             qu Find the fifteenth term (n=15) of an AP when t_1=2 and d=1.
             ca 16
cb +16
fn editls //ail
ty Roger. Bravo Zulu. Over.
    2 3 4 5
             br b11 un No. t_{15} = 2 + (15-1)(1). Try again.
             ad -1//c2 un Wrong again. The answer is 16. Try this one.
b10 10
             qu Find the fifteenth term of an AP whose first term is 2 and whose common difference is 1/2.
             ad +1//c2 br b11 un Ho. This is just like the last one. t_{1}\text{=-}2,~d\text{=-}1/2. Find t_{15}. Try lt.
             un No. t_{15} = 2 + (14)(1/2) = 2 + 7 = 1
```



```
br bloa
blea
              of You could should have cotten that one clobt, Charile. It'll give you a choice ---
                You may so back and review the text, or you may so on from here. Movever, If you
               go on and then also the next one I'm color to send you back anyway. heh, beh! "O" please.
             5r b10b
b10b
              qu Do you want to go back and review?
              ca yes fn editls \mbox{\ //all} ty OK, I think that's wise. Read the section on AP's before you attempt any more questions.
             br b8 un OK, but don't hesitate to stop and review if you over have any questions.
b11 1
              br b11
              qu Find t_{14} in the AP -6, 2, 10, 18, -----.
             br b12 un No. t_1=-6, d=8. Try again.
              ad -1//c2 un Wrong again. t_{14} = -6 + (14-1)(8) = 98.
10
11
b)la
             br blla
br bl2
                        //c2//3
              rd Charlie, old pal, I told you if you missed this one I'd send you away ------ So stand
                 by to get underway. Not only do I want you to read your text, but also THINK!!
b12 3
              br b5
              qu Find t_1 when t_n = t_5 = 19 and d=4.
              ca 3
cb +3
fn editls //all
ty Correct. Very good.
              ad -c2//c2 br b14 un No. Rearrange the \boldsymbol{t}_n formula, and solve for \boldsymbol{t}_1.
              ad -c2//c2
                                  t_1 = t_n = (n-1)d
                                      = 19 - (5-1)4
    13
                                      = 3
14
b13
              qu Find t_1 when t_6=-13 and d=-2.
              ca +3
fn editls //all
ty Fine. I think you've sot it now.
```

```
5
               un drong again. This is the same type problem as the last one --- n=0, t_n=-13, d=2.
     7
                                       t_1 = t_n - (n-1)d
     S
                  Solve for t<sub>1</sub>. Do It now!!!
              un * \omega \sigma \pi \epsilon \delta \Sigma f = **? \Delta \sigma Excuse \pi c, Charlotte. Once again you have arrived at an incorrect answer.
     9
    10
                 The correct solution here is +3. And if you and I don't get together soon, that's going to
                  be your grade for this course!!! I think we'll review a bit.
    11
    12
ь14
               qu Find d when n=5, t_n=19, and t_1=3.
              ca 4
cb +4
fn editls //all
ty That's right! You're doing great;
                             d = \frac{t_n - t_1}{n-1}
               un No.
                                                     Try again.
               ad -1//c2
un Incorrect. d=4.
b15
               qu Find d when t_6=10 1/2 and t_1=-7.
               br b16 un Incorrect. Think! n=6 Solve for d.
              ad -1//c2 un Wrong again. d = \frac{t_n - t_1}{n - 1}
    10
                                     = \frac{10.1/2 - (-7)}{6 - 1}
                                      = \frac{17 \cdot 1/2}{5} = 3 1/2 or 7/2
    11
                              //c2//2 -
b15a
               rd You've missed the last two questions, Charles. I think we'd better fall back and regroup.
                  Massage the formula a bit, and try to visualize the different uses for it. EOB please.
               br b8
               qu Given the following information, find t_1. t_q=35 and t_{10}=40.
               ca -5
fn editls //all
ad -c2//c2
ty Excellent! You are thinking. We do like that.
              wa -85 fn editls //all ad -c2//c2 ty No. Check the sign of \underline{d}, and try again.
               un incorrect. d=5. Try again.
    11
               un No. You have a choice here. Either n=9 or n=10. Solve for t1.
```


```
un Charile, I have the Impression that this problem has you snowed.
                                         t_1 = t_n = Cn-1)d
     13
                                              = 40 - (10-1)5
    15
     15
                                              = 40 - 45
     16
                       The formula will fit all of these problems. Take your time and think then through.
     17
b17<sup>18</sup>
                   qu Glven an AP where t_1=56 and t_{17}=32, find t_{10}.
                  ca 85/2
cb 42 1/2
in editis //all
lim Impressed:
       2 3 4 5
                  un No. Using the given info, solve for \underline{d}. Then, using that \underline{d}, find t_{10}.
                  \cdots So 1*ve finally stumped you, eh?? d=-3/2, n=10. Find t_{10}.
                  ad -1//c2
un Gads!!
                                                        t_{10} = 56 + (10-1)(-3/2)
     10
                                                               = 56 - 13 1/2
                                                       t<sub>10</sub> = 42 1/2 or 85/2
                   qu Glven an AP where t_4=9 and t_{15}= 31, find t_2.
                  ca 5
fn editis //all
ty Oh, goodle! You got another one right.
      3 4
                  br b18a //c2//2 ad -c2//c2 br b19 un No, first solve for \underline{d}. Then go from there.
                  ad -1//c^2 un No. There are several ways to find \underline{d}.
     9
10
     11
                          = \frac{31 - 8}{15 - 4} = \frac{{\overset{t}{\underbrace{15}}} - {\overset{t}{\underbrace{15}}}}{{\overset{t}{\underbrace{11}}}} = \frac{{\overset{t}{\underbrace{15}}} - {\overset{t}{\underbrace{14}}}}{{\overset{t}{\underbrace{11}}}}
     12
                                       t_1 + 14d = t_{15} = 31
     17
                                                          =22
     18
                                                                                          Whew! Now find t2.
     19
                   un No, Charles, that's incorrect again. From the last bint I gave you you can see that ty=3.
```

12


20

Then solving the standard equation, we see that t_2 =5.


```
b18a
1
             br 518a
              quicken that the first term of an AP is 50 and the seventeenth term is 32, find d.
             co - 1.
cb -. 1/2
fn rdltls //all
t: :, that's better.
             br b19 un No, Charlle, you should have potten that one correct. \rm\,t_1^{=56},\,\,t_{17}^{=32},\,\,n^{=17}. Try again.
              un Again I must report that you have furnished me with an unrecognizable response.
                 d=-3/2. I think it best that we go back and review again.
b19<sup>10</sup>
              qu Here's a ''thinker''. Beginning with 2, find the 100th even number.
              ca 200 fn edit1s .//all ty Outstanding, Charlle. Good head work.
              br b20 un Sorry, old man, that is incorrect. This problem can be set up as an AP where t_1=2, n=100,
                 and d=2. Solve for t<sub>n</sub>. Try It.
              un Hmmmmmm? You've missed it again. I was so sure that you'd get it that I wasn't paying any
     8
                 attention. Do that again please.
              un Good grief! I'm sorry I was watching that time. You've given me a transistor ache.
   10
                 t<sub>100</sub>=200, Charlotte.
   11
              br b19a
              qu I'll give you a choice --- and suggest an answer. I think you should go back and review a bit,
              but if you prefer to go on, I'll let you. Do you want to review?
    2
              ca yes
fn editis //all
br b8
un OK, but If you are confused about any concepts here, don't hesitate to ask for help.
              ad -1//c2
br b20
     8
b20
              qu Careful. Is 2, 2, 2, 2, ..... an AP?
              ca no fn editis //all ty Correct, because <u>d</u> can never equal zero.
              br b21 un Wrong. Here d=0. In an AP, \underline{d} can be either + or -, but never 0.
              ad -1//c2
br b20a
br b21
                            //c2//2
b20a
              rd Charlle, I told you you should review before proceeding. Let's do.
b21 <sup>2</sup>
              br 68
              qu OK, now let's review a bit before we knock off.
                 When using the formula t_n = t_1 + (n-1)d to find the tenth term in a twenty term AP, n=
```



```
ca 10
fn editis //all
ad =c2//c2
ty Good, that's correct.
             br 522 un Wrong. n=10, the number of the term for which we are looking.
             ad -c2//c2
ad -1//c2
br b21a
              qu When using the formula t_n = t_1 + (n-1)d to find the value of the sixth term of an AP, n = \pm
             ca 6
fn editls
ty Roger.
                            //all
              un Gads! How did you get this far in the course? No, n=6 because we are looking for the 6th term, t
             ad -1//c2
br b21b
             qu When using the ''term'' formula, p is simply the number of the term for which we are looking.
                 If we are looking for the 13th term, n=13 and t_n=t_{13}. If we are looking for the 40th term,
                 n=40 and t<sub>n</sub>=t<sub>40</sub>. Do you understand this now?
             ca yes
fn editis //all
br b22
un This is pretty basic. I think we'd better take another look at the text, and then hit some
                 more of the problems before pushing ahead.
             ad -c2//c2
br b5
   10
              qu t or f. 46, 48, 50, 32, 34, 36 is an AP.
                            The common difference must apply to all terms in an AP. Here it does not.
             un Wrong. This is not an AP because d does not apply to all terms. In an AP, the common
                 difference must truly be common to all terms.
b23
              qu The number 9 in X_9 is called a .
              ca subscript
fn editis ' //all
ty Roger. Press onward regardless.
             br b25 un Negats, Charlle. 9 Is a subscript, and denotes the order of arrangement of the terms.
                 X_q would be the 9th term in its sequence.
             ad -1//c2
br b24
             ca nth
cb n
fn editls
br b25
              un No, It is the nth term as denoted by the subscript n. This is the same concept as the previous
                 question where X_q meant that that was the 9th term.
```



```
ad -1//c2
br b24a
              rd I must admit that I'm a bit concerned that these review questions are bothering you. Let's
    2
                  take a look at a couple of more concepts, and then we'll go back and look at the problem areas.
                  Punch me when you're ready to get underway.
b25 4
              qu A set of numbers in some definite order is called a _
              ca sequence
cb sequence of numbers
cb progression
cb progression of numbers
fn editis //all
ty Tremendous memory. BZ:
              br b26
              ty True, but that doesn't make a very good sentence. You were supposed to say <u>sequence</u> or
   13
                 progression (of numbers).
   14
15
              un Wow! You shouldn't have missed that one! Maybe you should get out of the numbers game, and take
    16
                  up poker. --- The answer here is sequence or progression. Remember those words???
   17
18
              qu In the AP x, x+y, x+2y, x+3y, t<sub>3=</sub>
                                                                  _ and d= __
              ca x+2y,y
cb x+2y,+y
fn editls · //all
ty Roger. Very good.
              br b26a //c2//2 br b27 un That's not right. \rm t_3, the 3rd term, is x+2y, and d=y.
              ad -1//c2
br b26a
br b27
                             //c2//2
              rd Charlle, you have missed at least 2 of these 7 review questions. .You've done pretty well on
    2
                 the t<sub>n</sub> bit, but i'm afraid you're forgetting some of the basic building blocks.
                  I think you'd better go back and review the introductory/definition section of the text, and
                  then we'll run through these 7 questions again.
b27 5
              br b21
```



rd Congratulations, Charlie, you've just reached another milestone on the rocky road to admiral.

This is the end of the section on finding term values of AP's. 2

If you feel comfortable in this area, type sirn off, and return to the text to study the formula for finding the sum of a number of terms of an AP.

However, if you have any misgivings about one of the areas noted below, type go to, and then the label listed next to that problem area.

7	Problem Area	Label
8	Set	al
9	Sequence/Progression	a3
10	Term	a6
1	Subscript	a 2 0
12	AP/Common difference	b1 or b6
13	Number/Value of terms	b5
l u	t formula	ь8
15	t _n problems	b8 or b16
16	Introductory review	b21

If you do go back and review, then upon completion of the review, type go to b27. This will bring you back to this point, and we may continue from here.

17


A-21



```
c0
```


rd

```
c1
             qui The sum of an Arithmetic Progression is equal to the number of terms
    2
                 being added times the sum of the first and last term being added
    3
                 divided by 2. True or False?
             ca true
             cb t
fn editls
fn editla
ty Correct
                            //all
//all
    8
   10
             br c2
un Incorrect
   11
             br cla
cla
             rd Read pages 8 and 9 of your handout. Understand the meaning of each
                 symbol in the formula. Push eob after reading the material.
C2
             qu in the formula for summing the first ten terms of a twenty
   . 2
                 term A.P. the n refers to 10, the number of terms below
                 added. True or False?
    3
    4
             ca true
             cb t
fn editls
fn editla
ty Correct
                            //all
//all
    8
    9
   10
             un incorrect
   11
             br c2a
c2a
             rd Read pages 8 and 9 of your handout. Consentrate on the meaning of in
    2
                 In the SUM formula. Push eob key after reading the material
             ad -1//c3
c3
             qu in the formula for the Sum of an 4.P. the last term (t_n) refers
    2
                 to the last term being added. True or False?
             ca true
             cb t
             fn editls
                            //all
//all
             ty Correct, but remember in this case it also happens to
    8
                 be the last term of the A.P.
    9
             un No. It is the last term being added, however, in this case
   10
                It is also the last term of the A.P. because we will add
   11
                all terms in the A.P.
             ad -1//c3
br c4
   13
C4
    1
             qu The sum of the A.P. 5, 10, 15, 20, 25, 30, 35, 40, 45, 50 is __
    2
                ( Use the sum formula )
    3
             ca 275
             fn editls //all
fn editla //all
ty Very Good. Try this one.
    6
    7
             un Urong. n=10 , t_1=5, t_n=50 . Try again.
    8
             un Wrong. The answer is 275.
             ad =1//c3
br c0
br c0
ad =1//c3
    9
   10
                            //c3//+3
   11
   12
c5
             qu The sun of the A.P. 11,29,30,40,60,70,00,101,101,100 is _
    2
                ( Use the sun formula )
    3
             ca 100 n
```



```
fn editls //all
fn editla //all
ty Very Good. Now let's try a slimhtly different problem.
              fn editis
             br c7 un Wrong. n=10, t_1=12 , t_n( last term)=120. Try again.
    9
             un Wrong. The answer is 660. Let's go Charile, Get A Glove.
   10
              qu The sum of the A.P. 2,4,6,8,10,12 is __
    2
                ( Please use the formula. It may help to understand it's use.)
    3
             ca 42
              fn edit1s
                            //all
             fn editla //all ty Correct. The first term (t_1) is 2, the last term (t_n) is12
                 and the number of terms being added (n) is 6. Putting these
    7
    8
                 figures into the formula
                                 S_n = \frac{n(t_1 + t_n)}{2}
   10
                 we will obtain the correct answer.
             br c6d un Wrong. The first term (t_1) is 2, the last term (t_n)
   13
                 is 12 and the number of terms being added is 6.
                 Putting these figures into the sum formula
   14
                                 s_n = n(t_1 + t_n)
   15
                                          2
                 we will find
   17
                 the correct
                 answer which is 42.
   18
   19
             qu The sum of the A.P. 260, 268, 276, 284, 292 ls
             fn editis
fn editia
    5
             ty Correct. Now we are getting somewhere.
             un Wrong. n= 5, t_1= 260, t_n (last term) = 292. Try Again.
             un Wrong . Sign Off. Review your algebra and check your orders.
c6b
             qu The sum of the A.P. 50,43,36,29,22,15 is __
    2
                 ( Please use the formula.)
             ca 195
fn edit1s
                            //all
             fn editla //all
ty Very Good. You seem to be catching on.
             un No. Try again.
    8
             un No. Sign off and reread the handout.
             br cl
chc
             qu The sum of the A.P. 8,3,-2,-7,-12,-17 is _
             ca -27
fn edit1s
             fn editla //all
ty Very Good. Let's look at some other problems.
    5
    6
             br c7
             wa 27
fn edit1s
                            //all
             fn editla //all
ty What about the minus sign? It should be -27.
   10
             br c7
un Jronr. Ever hear of s_n = n(t_1 + t_n)
   16
             un drong. I give up. Sion Off and rereal the bundout.
   15
             qu The sui of the A.P. 1/5, 1/2, 2/3, 5/ , 1, 1 1/7, 1 1/3, 1 1/2 f _____.
```


```
ca 7 1/3
fn edit1s
fn edit1a
cb 7.33
fn limit1c
          2
                                   //all
//all
fn limitle //7.2//7.4
ty Excellent. That was a rough one.
          8
                    un Wrong. Try Again.
                    un Wrong . The answer is 7 1/3.
                    br c6a
         10
     c7
          1
                    qu The sum of the first six terms of the A.P. 4,8,12, . . . . Is ___
                    ca 84
fn edit1s
fn edit1a
                                   //ali
//all
                    ty Correct.
                    un Wrong. Solve for the sixth term using t_n = t_1 + (n-1)d and try again.
          8
                    un Wrong. The sixth term is 24. Try Again.
         9
10
                    ad ~c5//c5
un Wrong.
         11
                    br c7a
     c7a
                    rd Read pages 6 and 7 in the handout. Push eob after reading the material.
          2
                    ad -1//c4
     c8
                    qu The sum of the first eight terms in the A.P. 25,30,35, . . . . . . . is _
                    ca 340 fn editls //all fn editla //all ty Very Good. Now let's review some of the basic material we covered
          2
          6
                       earlier in the course.
                    br c10
un Wrong. The eighth term is 60. Try again.
                    un No. The answer is 340.
                    ad =1//c4
br c9d
         10
                                   //c4//+1
         11
     c9
                    qu The sum of the first ten terms of the A.P. 2,4,6,8, . . . . . is __
                    ca 110
                    fn editls
fn editla
ty Correct.
                                   //ali
//all
          4 5
                    un No. The tenth term (t<sub>10</sub>) is 20, the number of terms being added (n)
                    is 10. Try again.
un No. The answer is 110.
         10
                    br c9a
     c9a
          1
                    qu The sum of the first twenty terms of the A.P. 1,2,3, . . . . is __
                    ca 210
          2
                    fn editls
fn editla
                    ty Correct.
                    un Wrong. The twentieth term is twenty. The number of terms being added
           7
                       is twenty. Try again.
           8
                    un Wrong.
                                   s_n = n(t_1 + t_n)
                                                             TRY AGAIN.
                    un Wrong. Are you sure you signed up for this course?
         10
                    br c9b
      c9b
          1
                    qu The sum of the first ten terms of the A.P. 1/2, 1/3, 1/6, . . . Is ___
                    ca -5/2
                    cb -2 1/2
fn edit1s
                    fn editla
ty Excellent
                    br c10
wa -2.5
```



```
fn limitic //-2.5//2.6
ty Correct. Excellent.
   9
10
            br c10 un Wrong. The tenth term is -1. Iry again,
   13
             un Wrong, The answer is - 5/2.
c9 c
             qu The sum of the first ten terms of the A.P. .3, .7, 1.1, . . .
    2
             cb 21.0
fn editls //ali
fn editla //ali
ty Very Good.
             br c10 un Wrong. The tenth term ( \rm t_{10}) is 3.9 . Try again.
             un Wrong. The answer is 21,0
             qu The sum of the first ten terms of the A.P. 1/3, 1/2, 2/3, . . . . is .
            ca 1 5/6
cb 11/6
fn edits //aii
fn edita //aii
fn edita //aii
ty Correct. Very Good. Let's take a quick review of some fundamentals we
                should have mastered by now.
             10
   11
                have mastered by now.
             un Wrong. The common difference (d) is' + 1/6 . Try again.
             un Wrong. The answer is 1 5/6 .
c10
             qu The common difference (d) in the A.P. 8,16,24,32 is
    6
             fn editls //aii
fn editla //aii
ty Come on now. You know you don't have to put in plus signs.
   10
                Remember, however, always put in minus signs when you have one in your answer.
             un Wrong. Try Agaln.
   11
   12
            .un Hrong. You must be joking. If you are I'll have the last laugh,
             qu The tenth term (t_{10}) in the A.P. 5,8,11,14, . . . . is _
             ca 32
fn edit1s
fn edit1a
ty Correct.
             un Wrong. d = 3. Try again.
             un Wrong. The answer is 32.
             ad -1//c5
br b6
                           //c5//+2
c12
             qu The common difference in the A.P. 30,26,22, . . . Is \_
             wa 4
fn editis //all
fn editia //all
fn editia //all
ty The minus sien is important. Ponit leave it OUT.
```



```
10
            un Wrong. The answer is -4.
   11
12
             ad -1//c5
br b6
                           //c5//+2
c13
             qu The sum of the twenty term A.P. 6,17,28, . . . is _
             fn editls
fn editla
ty Correct.
    4 5
    6
            un Wrong, d = 11, n = 20. Try again.
    7
             un Wrong. The answer is 2210
c14
             qu The sum of the ten term A.P. 35,42,49, . . . _
             ca 665
fn edit1s
             fn editls //all
ty Very Good.
    4 5
             un Wrong, d=7, n= 10. Try again. (HINT-- First solve for the tenth term.)
    6
             un Wrong. The last term (t<sub>n</sub>) we are adding is 98. ( in this case
    R
                to is the tenth term tio .) Try again.
             un Wrong. The answer is 665
             br c15
   10
c15
    1
             rd Let's look at something new.
                The sum of the first three terms of the A.P. 2,8,14, . . . . is 24.
    2
    3
                The sum of the first five terms of the same A.P. is 70. If we
                subtract the sum of the first three terms from the sum of the
                first five terms we will have found the sum of the fourth (t,)
                thru fifth (t<sub>s</sub>) terms in the A.P. ( in this case the answer would be 46.)
                NOTE that in solving for the sum of the 4th thru 5th term of the A.P. we
                actually subtracted the sum of the 1<sup>St</sup> t h r e e terms from the sum of
    9
                the first five terms. Now let's try some problems. Push coh.
             qu The sum of the eleventh thru fifteenth term of the A.P. 2,4,6,. . . is _
   10
                (Hint. Remember now , we are interested in solving for the 11<sup>th</sup> thru 15<sup>th</sup>
   11
                so we will solve for the sum of the 1st 10 terms instead of the first eleven.)
   12
             ca 130
fn edit1s
   13
   15
             fn editla
ty Excellent.
   17
18
             ad -c6//c6
br c17
            un Wrong.
             br cl7a
br cl6
   20
                           //c5//+2
   21
c16
             rd To find the sum of the eleventh term (t_{11}) thru the fifteenth (t_{16})
    2
                term in the A.P. 2, 4, 6, . . . first find the sum of the
    3
                first fifteen terms, then the sun of the first ten terms.
    4
                 Subtrot the sun of the first ten torus (312) from the win of
    5
                the first fifteen torm (), ). This is the sen of the eleverth
                thru fifteenth tora of the t.c.
                                                          driven's trenting.
```




```
8
9
10
11
      12
                un Wrong. Hint - - The tenth term (t_{10}) is 20 and the fifteenth term
     13
                   (t<sub>15</sub>) is 30. Try Again.
      14
                un Wrong. The sum of the first ten terms (s<sub>10</sub>) is 110. Try again.
                un Wrong. The sum of the first fifteen terms (t<sub>15</sub>) is240. Try again.
     15
                un Wrong. The answer is 130. You know, 240 - 110.
      16
                ad -1//c6
br c17
                qu The sum of the ninth term (t_q) thru twelfth term (t_{12}) in the
                   A.P. 5, 10, 15, . . . Is _____.
      2
               ca 210
fn edit1s
fn edit1a
ty Excellent.
                br cl8 un The eighth term is 40 and the twelfth term is 60. Try again.
                un Wrong. The sum of the first twelve terms (S_{12}) is 390. Try again.
                un Wrong. The sum of the first eight terms (s_g) is 180.
     10
                ad -1//c6
br c15
br c18
                               //c6//+2
c17a
              rd Sign off. Read pages 8 and 9 of your hanlout. Sign on and press FOR after
                 reading the material.
              br c13
c18
              qu The sum of a ten term A.P. with the first term (t_1) equal to
                 4 and a common difference (d) of 4 is ___
     2
                 (Hint. Solve for the last term first.)
     3
              ca 220
fn editis
fn editia
ty Very Good.
              un Wrong. The last term is the tenth term (tin) which is 40.
     8
     9
                 Try Again. Solve for s<sub>10</sub> .
              un Wrong. The answer is 220. We first found the last term to using
    10
    11
                  the formula t_n = t_1 + (n-1)d
    12
                         where d=4
                                 n=10
    13
                                  t,=4
    14
                            tn= t10= h +(10-1)4
    15
                                    = 4 + 30 = 40
    16
                  de then found the sum of the first ten terms (sin) isles the sorbula.
    17
                                  n(t_1 + t_p)
    18
                       where t<sub>1</sub>= 4
    10
```

qu The sum of the eleventh thru fifteenth terms of the A.P. 2,4,6, Is _



```
20
                                   t<sub>10</sub>= 40
21
                                   n=10
        22
                              s_n = s_{10} = 10(4 + 40)
                                     = 220
        23
                      Note in the sum formula that the last term being added (t_) is the
                      tenth term (t<sub>10</sub>) In this problem.
        25
     c19
                  qu The sum of a ten term A.P. with a first term of 3 and a common difference
                     of 2 1s _____.
          2
                  ca 120
fn edit15 //all
ty Excellent. Read this next one carefully.
         67
                  br c21 un Wrong. The last term (t_n) is 21. Try again.
                  un Wrong. Come on now. How did you ever get this far? All we've done
         g
         9
                      In this problem was to find the tenth term (t_{10}) ( in this case the
        10
                      last term of the A.P.) and then sum the ten terms of the A.P.
                     Memorize these: 1) tn= tn(n-1)d
        11
                                             any term = 1<sup>5 t</sup> term +(term number +1) common diff.
        12
        13
                                            s_n = \frac{n(t_1 + t_n)}{2}
                                              sum= no. terms added (1<sup>5t</sup>term + last term added)/ 2
        14
        15
                     Try again.
                  un Wrong. The answer is 120. Sign off. Read page
        16
                                                                            of your handout. Press eob
        17
                      key when you have finished reading the material.
        18
     c20
         1
                  gu The sum of a five term A.P. with a first term of 5 and a common
                     difference of -1/2 is _____.
         2
          3
                  fn editis //all
fn editia //all
ty Very Good. Read this next one very carefully.
          7
                  un Wrong. Check your signs and try again.
         8
                  un Wrong. The fifth term ( in this case the last term) is 3.
         9
                     Try again.
        10
                  un Wrong. The answer is 20. Sign off and come back tomorrow.
        11
     c21
                  quilibrium the sum of a ten term A.P. as 145 and the first term
         2
                     equal to 1, the sam of the first five terms is _____.
                  ca 35
fn editls //all
fn editla //all
ty Excellent. That was a bard one.
          3
         7
                  un drong. Pint- First solve for the tenth term using the SPH formula.
         8
                     Try arain
         9
                  to Mrone. The tenth term (t<sub>1.</sub>) is 20. Mor solv. For Austin the
                      TERM formula and Try Achin.
        11
                  un No. des. Solve for the fifth time (t) i for the form for min
```



and Try Again. 12 un No. Using n=5, d=3 in the term formula, the fifth term is 13. 14 Now, using the sum formula we have : s₅= 5(1 + 13) 15 2 which gives us the answer 35. 16 ad -c3//c3 ad -c4//c4 ad -c5//c5 ad -c6//c6 br c22 18 19 20 21 c22 rd You have now finished the arithmetic progression section. Stop work on 1 the machine and go back to the handout. You should be on page 10. 2 Please Sign Off. ns 3 ----

A - 29



```
Section by to of conference processions
 d1
              quils a geometric progression a sequence?
              a sequence (or progression) as a set of numbers arranged in some definite order, so that
                 each number of the sequence may be obtained from one or more of the preceding numbers by
                 some fixed law. Remember when you studied AP's, the fixed law told you to use the common
                 difference to find the next term. In a geometric progression, each term after the first
      8
                 can be found by multiplying it by a fixed quantity called the common ratio.
              ad -1//c4
br d9
     10
11
              wa no
fn editis //all
ty Yes it is. The words are synonomous. A progression or sequence is a set of numbers in some
     12
                 definite order. A GP has order because each term may be obtained from the preceding by
     15
     16
                 multiplying by the common ratio.
              br d2
un Don't give me any static. Just answer yes or no.
d2
              qu A geometric progression is a set of numbers arranged in some definite order. (t or f)
              true
fn editls //all
ty Correct. A geometric progression (GP) is a set because each of its terms are separate,
      5
      6
                 distinct numbers. The terms of a GP are arranged in some definite order by definition.
                 Each term is obtained from the preceding term by multiplying it by a common ratio (r).
             wa f
wb false
fn editis //all
ty | should make you go back and reread the handout. All progressions (sequences) are sets
     11
     12
                 of numbers arranged in some definite order.
             br d3
un Just punch the i or f. Don't get fancy!
              qu in the following GP, what is the value of the common ratio (r)?
                                 2, 6, 18, 54
      2
              ca 3
fn edit1s  //all
ty Correct. 6/2 = 18/6 = 54/18 = 3 = r
             br d6
wa 1/3
fn editis //all
ty You have found the reciprocal of r. Try again.
     10
              un No. The value of the common ratio, r=3. It is found by dividing each term of the progression
                 Into the term that follows.
     11
     12
                                     6 divided by 2 = 3
     13
                                     8 divided by 6 = 3
     14
                                     54 divided by 18= 3
```


15

br d4




```
gu What Is the fifth tora of the followine no?
                        1, 2, 4, 8, ?
             ca 2
fn edltls //all
ty Correct. The fifth term is 1, and the common ratio is 2.
             wa 16
fn editis - //ali
ty Correct. Now, what is the value of the common ratio, r? You ha! to find this value in order
                to calculate the fifth term (t_s=16).
   10
             un No. You should have been able to determine that t_5=16, and r=2.
   11
   12
                            2/1 = 4/1 = 8/4 = 16/8 = 2, the common ratio.
             br d5
   13
             qu What is the fifth term of the following GP?
    2
                               16, 8, 4, 2, ?
             br d6 wa 1 fn editis //ail ty Correct. Much better. Now, what is the value of r, the common ratio?
    6
   10
             un No. t_5=1, r=1/2
   11
             br d5a
d5a
             rd Sorry, Pal. I'm afraid I'm going to have to cut you off for awhile. Reread the handout
               section on finding to of a CP. When you are ready to proceed again, press the EOB buttons.
    2
             br dl
             qu What 1s the value of r in the following GP?
    2
                            1, 2, 4, 8, 16
             ca 2
fn editls //all
ty Correct. Just checkl...
             br d7
un No. r=2
             rd You apparently don't quite have the idea yet. Reread the handout section on finding t_{\rm n}
                of a GP. When you have studied the material thoroughly, press the EOB button and we will
    3
                press onward.
d7
             qu What is the value of r in the following GP?
    2
                           9, 3, 1, 1/3
             ca 1/3
fn edit1s
cb .33
fn limit1c
ty Crazy!
                           //all
             br d10
wa 3
```

J4



```
ty You found the recipror d. Try with,
           ur ho. All our live to do Is fivile the first term into the second term, or the second term
   13
             into the third term, (tc. (1)) = 1/3 = r)
             Here is another similar type problem. Let's give this one all you've got.
  14
  15
           br d8
           quality the value of the common ratio in the following GP?
                        8, 4, 2, I
           ca 1/2
cb.5
fn editls //all
ry Much better. 4/8 = 2/4 = 1/2 = r.
           br d10
un NO:
           br d8a
d8a
           rd Have you ever seen a computer with an epileptic fit? The correct answer was r=4/8=2/4=1/2.
             Let's take a break. You read the section on geometric progressions again while ! unwind.
             When you are ready to press onward, punch me in the EOB.
           qu in the following GP, what is the value of r (the common ratio)?
             16, 24, 36, 54
   2
           ca 3/2
cb 1 1/2
cb 1 5
fn edit1s
ty Correct.
                      //ail
24/16 = 36/24 = 54/36 = 3/2 = r.
           ad \sim 1//ch un No, remember the common ratio is found by dividing any term in the progression into the term
   8
  10
             that follows. In this case, r=3/2.
  11
                        24 divided by 16 = 3/2
  12
                      or 36 divided by 24 = 3/2
  13
                       or 54 divided by 36 = 3/2
  14
dIO
           gu in the following GP, what is the value of r?
   2
                        2, -1/2, 1/8, -1/32
           8
9
10
11
           br dll un No. In a GP each term after the first may be found by multiplying the preceding term by the
   14
              common ratio. In this problem the common ratio was r=-1/4.
                       (-1/4) = -1/2
```

49




```
17
                           (1/8) \times (-1/4) = -1/32
            br dll
  18
d11
             quilhat is the common ratio between any two terms in the following GP?
                              24, -12, 6, -3, 3/2
            ca -1/2
cb -.5
cb -0.5
fn editis //all
ty By George, I think she's got it!
            br d13 un The correct answer was r=(-1/2)= -12/24, -6/12, -3/6. If III pive you one more chance before
    8
                I zap you with about 220 volts.
   10
            br d12
  11
d12
             qu in the following GP, find the value of the common ratio (r). (Hint...Watch your signs.)
                                1, -3, 9, -27
    2
            ca =3
fn edit1s //all
ty Rog! r=3. You are now batting .333.
            br d13 un l give up. r = -3 = -3/1 = -9/3 = -27/9.
            br dl2a
            rd I can't make It any plainer. Try rereading the handout section on geometric progressions,
               and we'll start over from the beginning. When you are ready to continue, press the EOB
               button.
            br dl
             qu in the following geometric progression, what are the values of ---
                             (t_1) the first term = ?
                           (t_n) the last term = ?
                           (n ) the number of terms = ?
                           3/4, 7/8, 49/48, 343/288
                (Put commas between your answers.)
            ca 3/4, 343/288, 4
cb 3/4,343/288,4
fn editls //all
ty Correct. By the way, the value of r in this GP was 7/6.
    7
   10
            un I'm sorry. I wasn't paying any attention. Did you say????
   12
                               t_1 = 3/4
   13
                               t_n = 343/288
                               n = 4
   14
                                                ??????
                This was just a brief review of terminology before proceeding on to find the nth term of a
   15
   16
                GP. I think the common ratio of this GP was 7/6.
   17
             rd As you remember from your reading, the value of the oth tor
    1
```

 $(-1/2) \times (-1/4) = 1/8$


2

Is found by using the formula --




```
t_n = t_1 r^{n-1}
                      I'd like to give you a few problems on finding t_{\rm p}. Are you ready? If so, press the FOB.
                   br d20
                                 1/04//5
      d15
                   qu Using the formula for finding t<sub>n</sub> of a GP, find the value of the 4th term of a GP in which
          2
                      t,=9 and r=2.
                   ca 72 fn editis //all ty Correct. The progression was 9 + 18 + 36 + 72.
                   b. d20 un You shouldn't have missed that one. If you had used the formula \neg \neg
                                                t_n = t_1 r^{n-1}
          8
                                                  = 9x2<sup>3</sup>
          9
         10
         11
                       The correct answer was t_n = 72. Let's try another one.
         13
                   qu Find the fifth term of a geometric progression whose common ratio is 2 and first term is 9.
                   ca 144 fn editls //all ty Much better. This is the same progression as you had in the question only this time you are
                       looking for the fifth term instead of the fourth.
                   br d20 un No. The correct answer to this problem was \rm t_5 = 144.
                      Using the formula t_n = t_1 r^{n-1} you should have gotten --
                                          t_5 = 9x2^{5-1}
          9
                                             = 9x24
         10
         11
                                             = 9×16
                                             = 144
         12
                      This progression was 9, 18, 36, 72, 144. As you can see this is the same progression you
         13
         14
                      had the last time only in this case you were looking for the fifth term instead of the fourth. '
d17<sup>15</sup>
                   br d17
                   qu if t_1=9 and r=2, find the value of t_5 if the subsequent terms are in geometric progression.
                   ca 144
fn edit1s
ty Correct.
                                  //ail
                                 Same question. Just wanted to see if you were paying attention.
                   un For some reason you and I aren't communicating too well. This is the exact same question
                      I just gave you.
                                                     t_5 = t_1 r^{n-1}
         10
         11
                      I'm going to send you back five glant steps for review. Good luck!
```

___ br d13



```
ilf s -3 o relog by, lift first rinf H T.
              c 3
fr edit1. (al)
ty Just checking.
              u Real to u stion! t_1 = t of first t ru.
              un No, no. t_1 = 0. Come on now.
              br d19
d19
              qu Given that t_1=3 and r=3, find the value of the third term if the progression is a GP.
              ca 27
fn edit1s
ty Correct.
                             //all
                                           t_3 = t_1 r^{n-1}
                                              = 3 \times 3^{3-1}
    5
                                              = 27
    6
              br d16
              fn editls //all
ty That's the second term. Try again.
                                   t_3 = t_1 e^{n-1}
   11
                                       = 3×3<sup>3-1</sup>
   12
                                       = 3x3^{2}
   13
   15
d20
              qu find the fifth term of a GP in which t_1=64 and r=1/2.
              ca 4
fn editis
ad -1//c4
ty Correct.
                            //all
                                        t_5 = t_1 r^{n-1}
                                            = 64 x (1/2)4
                                            = 64 x (1/16)
                 The first five terms of this progression were 64, 32, 16, 8, 4.
              br d26 //c4//4
br d23
un Apparently you are not a USNA ''formula plugger''.
   10
                                   t_n = t_1 r^{n-1}
   13
   14
                                   t_5 = 64 \times (1/2)^{5-1}
                                       = 64 \times (1/2)^4
   15
   16
                                       = 64 x (1/16)
   17
                 The progression was 64, 32, 16, 8, \pm. I'll give you some more similar problems.
   18
19
d21
              qu Find the fourth term of the GP in which t_1=32 and r=1/2. (Hint..You should know from this
                 that n=4. Plug the formula,)
              ca 4
fn edit1s
                           //all
```




```
t<sub>4</sub> = 32 x (1/2)3 = h
         un l'in roine to send you back for some revieu. You should be bed.....
                                   t_h = 32 \times (1/2)^7
                                      = 32 x 1/8
         br d16
10
         qu What is the fifth term of the geometric progression in which r=1/5 and t_1=625.
         ca 1
fn edit1s
ty Good.
                                 t_5 = 625 \times (1/5)^4 = 625 \times 1/625 = 1
         t_5 = 625 \times (1/5)^4
                                   = 625 x 1/625
         qu in a GP, given that t_4=81, t_1=3, find the value of r.
         ca 3
fn editls //all
ty Bravo Zulu!
                                       t_4 = t_1 r^{n-1}
                                       81 = 3r^3
                                       27 = r^3
13
         un in order to find the correct answer, you again use the formula...
                               t_{k} = t_{1}r^{n-1} (n=4)
                               81 = 3r^{4-1}
                 The GP was 3, 9, 27, 81. Here's an easier one.
         qu Given a geometric progression with t_k=16 and t_1=2, find the value of r, the common ratio.
         ca 2
fn edit1s
ty Right.
                       //all
                                   16 = 2r^3
                                    .8 = r^3
```

d22


d24

The progression is 16, 8, 4, 2.

```
on 1/2 for editis -1/111 ty No. I think you siltered ( and t_{\rm p} ) is -2i .
                            \text{Mint....} \ \mathbf{t}_{q} = \mathbf{t}_{q} e^{\mathbf{t}_{q} + \mathbf{1}}
   11
                                        10 - 2r 3
   12
   13
                                                                  Try aralm.
              un NO! r=2.
              br d25
   15
d25
               qu The value of the third term of a GP is 64. The value of the first term is 4.
                What is the value of r, the common ratio?
              ca 4
cb <4
cb ~4
fn edit1s
ty Rlghto.
     8
                                          (+ or -) 4 = r
    9
                                      There were two possible GP's.....
   10
                                                    4, 16, 64
                                                        or
   11
   12
                                                    4, -16, 64
              wa 2
wb 8
fn editis //all
ty No. Try again.
   13
14
15
16
                                       You want the square root of 16.
                                 t_3 = t_1 r^{n-1}
               un No.
   17
                                  64 = 4r3
    18
                                                            Try again.
    19
               un No. r = + or + 4.
   20
               br d20
d26
               qu 1f t_1 of a GP is ~27 and t_4=1, what is the value of r?
               ca -1/3
fn edit1s //all
cb .33
fn limit1c //.30//.34
               ad =1//c4
ty Very good.
                                       1 = -27r^3
                                          -1/27 = r^3
     9
                                       -1/3 = r
               br d30 //c4//5 wa 1/3 fn edlts //all ty No. Your sign is incorrect. Note that t_1=-27. Try again.
    10
11
12
13
                                                        t4 = t1 r n-1
    14
               un Using the formula...
                                                        1 = (-27)r^3
    15
                                                   -1/27 = r^3
    16
                                                    -1/3 = r
    17
 2718
               qu Find the common ratio in a GP in which the fourth term is equal to minus two and the first
                  term is equal to 128.
               ca =1/4
cb =.25
```




```
5
6
7
                   wa =4
fn edit1s
ty No. i
                               //all think you switched \mathbf{t}_{i_{j}} and \mathbf{t}_{j} around. Try again.
                                    -2 = 128r^3
        11
                                                     Try again.
                                  -1/64 = r^3
        12
                   un Nope.
                                   -1/4 = r
                   br d28
        14
99110
                   qu The seventh term of a GP is 192 and r=2. Find the first term.
                   ca 3 fn edit1s //all ty Correct. The progression was 3, 6, 12, 24, 96, 192.
                   br d30 un No. Try again. 2^6 = 64.
                   un Wrong. You should have gotten, using the formula.....
                                        192 = t_1(2^6)
                                        192/64 = t<sub>1</sub>
                                              3 = t<sub>1</sub>
                   br d29
                   qu Given t_4= 405 and r=-3, find t_1.
                   ca -15
cb -405/27
fn edit1s
ty Crazy.
         4 5
                                                 405 = t_1 \times (-3)^3
                                                 -15 = t<sub>1</sub>
         6
          7
                                    The progression was -15, 45, -135, 405.
                   br d30
un Wrong.
                                            405 = t_1 \times (-3)^3. Try again.
                   un No. t<sub>1</sub> is a negative number. Try again.
        11
                                             t_1 = -(405/27) = -15
                   un No.
        12
                   br d29b
                   rd You are either careless in your arithmetic, or you aren't with me. Take a short break.
         2
                      Reread the manual and we'll try again. When you are ready, press the EOB button.
    d30
                   qu The sixth term of a GP is -(1/512) and r=-(1/4). Find the value of t_1.
                   ca 2
fn editls
ad -1//c4
ty Good.
br d32
                                  //a11
                   wa -2
ty Check your signs, and try again.
                                                     t_6 = t_1 r^{n-1}
         9
                   un No.
        10
                                              -(1/512) = t_1(-1/1024)
        11
                                                 \frac{-1024}{-512} = t_1
```




```
2 = t<sub>1</sub>
   12
   13
             5r 331
131
             gu The tile' term of a CD is 3/10% and remit. Fin' the first term.
             ca 3 fm c'itls //all ty Much better. The procression was 3, -3/10, 3/110.
             wa =3
fn editis //all
ty Check your signs. Try again.
             un Nope. t_1=3 t_3=t_1r^{n+1}
    8
                                        3/100 = t_1(-1/10)^2
    9
                              (3/100)(100/1) = t_1
                                            3 = t_1
   11
             rd The next few problems are a little more difficult, but you should be able to handle them.
                You will be given the values of t_1, t_n, and r in a geometric progression, and asked to find
    2
                the value of n.
                         For example, given t_1=-15, t_n=405, and r=3, find the value of n.
                         To solve for n, just plug the formula...
                                       t_n = t_1 r^{n-1}
                                       405 = -15 (-3)=-1
                                       -27 = (-3)^{n-1}
                                      (-3)^3 = (-3)^{n-1}
    9
                             Therefore, 3 = n-1
   10
   11
                Okay. You try one. Press the EOB button.
d33
             qu Given t_1=2, t_n=-1/32, and r=-1/4, find the value of n if the terms are in
                geometric progression.
             ca 4
fn editls
ty Marvelous.
                           //all
             br d37
un Nope.
    6
                                         t_n = t_1 r^{n-1}
                                    (-1/32) = 2 \times (-1/4)^{n-1}
   . 8
                                    (-1/64) = (-1/4)^{n-1}
                                     (-1/4)^3 = (-1/4)^{n-1}
   10
   11
                                           3 = n-1
   12
   13
                                   Let's try one more.
```

br d34



```
d34
             qu Given t_1=2, t_n=18, and r+3. Find the value of a (the number of term) in the connettic
                 progression.
             ca 3
fn editls //all
ty Very good.
             br d36 un No. Plug the formula. Remember 9 = 3^2. Try again.
                                  t_n = t_1 r^{n-1}
   10
                                 18 = 2(30<sup>n-1</sup>
   12
                                ' 9 = 3n=1
                                                             Try again.
             un You work for the National Teacher's Association?
   13
                                    9 = 3<sup>n-1</sup>
   14
                                   3^2 = 3^{n-1}
   15
   16
                                    2 = n-1
   17
                       The progression was 2, 6, 18.
   19
             br d35
             qu Find the number of terms in the GP whose first term is two, nth term is sixteen, and
                 common ratio is two.
             ca 4
fn edit1s //aii
ty Finally. The progression was 2, 4, 8, 16.
             un No. The answer was n=4.
                                   16 = 2 \times 2^{n-1}
                                    8 = 2<sup>n-1</sup>
                                   2^3 = 2^{n-1}
                 What do you say we reread the example and start over.
   13
             qu The first term of a geometric progression is 8 and the common ratio is -3/2. Which term
                is equal to (-243/4)?
             ca 6
fn edit1s
ty Correct.
             br d38
un No.
                                      -243/4 = 8 \times (-3/2)^{n-1}
                                      -243/32 = (-3/2)^{n-1}
                                                                               Try again.
                                      -243/32 = (-3/2)<sup>n-1</sup>
              un No.
                                        -(3^{5}/2^{5}) = (-3/2)^{n-1}
   10
                                       (-3/2)^5 = (-3/2)^{n-1}
```



```
15
                                        ύ = n
                                                                  Inthe start nuce.
14
         quilf the nth term of a GP is equal to 720 and the first term is equal to 94, what is the value
 2
            of n? The ratio between each of the terms is 3/2.
         ca 7
fn editls
ty Correct.
                     //all
         un No. This one is fairly difficult. Let me start you off.
                                 729 = 64 \times (3/2)^{n-1}
                               729/64 = (3/2)n-1
                                                                      Try again.
                              729/64 = (3/2)^{n-1}
9
         un No.
                              (3/2)^6 = (3/2)^{n-1}
10
11
                                   6 = n-1
         rd We are now going to review what you have hopefully learned. This is not a test,
            so don't sweat it. The problems are all slightly different from what you've had, so read
            them carefully. Press the EOB button...NOW!
         qu The first and second terms of a geometric progression are a and \underline{b}, respectively.
            What is the third term of the progression?
         br d44 $//c4//6$ un No. Find the value of r, then multiply the second term by this value
            to find t3. Try again.
                                  r = b/a
11
                                  t3 = t2 x r
12
                                     = b x b/a
         qu is the sequence 5, 10, 15, 20, 25, 30 a geometric progression?
         ca no
fn editis //all
ty That's right. It is an AP with a common difference of 5.
                             It is an AP with a common difference of 5.
         un Just answer yes or no.
```


5 = r_i-1

10


qu is the sequence 2, 4, 8, 12, 15 a geometric progression?

```
ca no fin editis //all ty Correct. t_{ij} does not equal t_{ij} \times r.
             wa yes
fn editis //all
ty Wrong. In order for a sequence to be a 60, each term after the first bist
                differ from the preceding term by a common ratio. There is not a common ratio in this
                progression.
10
d42
             hr d42
           • qu is the sequence 1/(2), 1/(2)^2, 1/(2)^3, 1/(2)^4, a GP?
             wa no
ty What do you mean no? It sure is! r = 1/2.
             br d43
             qu How about the progression 1/b, -a/h, a<sup>2</sup>/b, -a<sup>3</sup>/b? Is It a GP?
             wa no fin editis //all ty Close. Try again.
             un Yes or no, please.
             qu is the following progression a GP?
             un Yes
             rd Suppose I deposited 100 dollars in a savings account at 4 percent interest compounded annually.
                At the end of the first year, I would have accumulated 104 dollars.
                At the end of the second year, my total savings would be 104 + 104(0.4) = 108.16, and so on.
                Notice that a geometric progression is being formed.
                PERIOD
                                     100(1+.04) 100(1+.04)2 100(1+.04)3 100(
                1+.04)4
                                                    P(1+1)2
                                                                  P(1+1)3
                                       P(1+1)
                P(1+1)4
   10
                Any term in this progression may be found by the formula....
   11
                                    A = P(1+1)"
```

```
1 = amount dur at the ent of no elois
                      a = a wound initially invested to the product with the account of a
             You can see that this is quite similar to our formula for finding to of a CP....
15
16
                                           t_n = \Lambda
                                           r = 1+1
17
18
                                           A = t_1
                   t_n = t_1 r^{n-1}
                                                             A = P(1+1)^{n}
19
             Note it is not exactly the same
because interest is paid at the end of the year.
22
             (if it doesn't make sense, just memorize the formula A = P(1+1)<sup>n</sup>).
             Press the EOB buttons, and we will continue.
          qu Now.....You try one. Suppose you were to invest 100 dollars in a savings bank at 3 percent
             interest compounded annually. How much money would you have at the end of 2 years?
             (Hint...Use the formula A = P(1+i)^{n}).
          ca 106.09
fn editls //all
ty Very good. You'll see more of this formula next term in ''Accounting''. heh, heh...
          un No. The correct answer was 106.09 dollars.
                     A = 100(1+.03)^2
                       = 106.09
             Don't worry about it. You will see this many times again before you are through here.
          br d47
11
          qu A chain letter is started, and each person who receives a letter writes one to five
             friends at the end of one week. If the originator sends out five letters, how many
2
             letters of the chain would have to be carried by the mails at the end of six weeks?
          ea 15625
cb 15,625
EB 58
fn editls //all
ty Very good.
10
          un No.
                      5<sup>5</sup> = 3, 125.
                                         Try again.
                          tn = t1rn-1
          un No.
11
                             = 5 x 5<sup>5</sup>
12
13
                             = 15,625
14
          qu is the following sequence a GP?
                   1/2, 1/3, 1/4, 1/5
          ca no
fn edit1s //all
ty Correct. There 1s no common ratio.
```



```
d49
                qu is it an AP7
                ca no
fn editis //all
ty Correct. It is melther an AP nor a CP. It is what is known as a harmonic procession
                   In which each term is found from the preceding by the addition of a common difference
                   to the reciprocals of the terms. This is actually extraneous knowledge....and i'm sure
                   you can safely forget It.
               wa yes fn edit1s \mbox{//aii} ty No, this is neither an AP nor a GP. It has no common difference and no common ratio.
  d50
                rd if you were given the values of the second term (t_2) and the fifth term (t_5) of a GP,
                   could you find the fourth term (t_{\mu})? Although you do not know the values of t_{1} and r_{r}
                   these values can be found by solving simultaneous equations. Once you have t_1 and r_\ell
                   finding t, (or any other term in the progression) is relatively simple.
                        For example...Given t_2=3 and t_5=81/8 in a GP, find the value of t_b.
                        From the information given you know that...
                                           3 = t_1 r^{(2-1)}
                                (1)
                                           81/8 = t_1 r^{(5-1)}
                                (2)
      10
                        Equation (1) can be written....
                                                                                    (3/r) = t_1
                                                                                   (81/8) = (3/r)r4
                         Substituting for t_1 in equation (2)....
      11
                                                                                    81/24 = r^3
                                                                                     27/8 = r^3
                                                                                      3/2 = r
                         If r=3/2, then t_1=2 and t_4 can easily be found...
                                     t, = t, rn=1
                                        = 2 \times (3/2)^3
                                        = 27/4
                   OK. Your turn. When you are ready, press the EOB button.
      19
d51
                qu Given (in a GP) t2=5, and t5=-625. Find tb.
                ca 125 fn editis //all ty Correct. t_1==1, r==5, and t_4=125
                wa -125
fn edit1s //all
ty Check your signs, and try again.
                un Wrong. Try again.
                un No.
                                           (1)
```




```
(2) -upr = + r 1
                       Substitution for t, in Co...
                                              - " = ( /r) x r
                                               -125 = r^3
                                                -5 = c
                       and from (1)..... t_1 = (5/-5) = -1
                                                 t_n = t_1 r^{n-1}
                                                    = (-1) \times (-5)^3
   17
                                                    = (-1) x (-125)
   19
20
d52
            qu if t_5 of a GP equals 4/3 and t_2=36, find the value of t_3.
            ca 12 fn edit1s //all ty Very good. The progression was 108, 36, 12, 4, 4/3.
            un Wrong. Try again.
            un Wrong again. (Hint...r=1/3)
            un No. 1111 give you one more chance. If you get this answer correct, you are through the
                section of finding t<sub>n</sub> of a GP.
                        Remember
                                          (1) t_5 = 4/3 = t_1 r^4
                                          (2) t_2 = 36 = t_1 r
   10
               Good luck, Charlie. Find tg.
   11
            un No. t = 12.
   13
            rd Congratulations! You are now a semi-expert on geometric progressions. If you wish
                further instruction in a particular area, included below is a list of review segments.
                Type go to and then the label listed beside the problem area.
                          Problem Area
                                                                 Label
                          Finding to
                                                                   d14
                          Finding r (the common ratio)
                                                                  d23
                          Finding t<sub>1</sub>
                                                                   d28
                          Finding n
                                                                   d 32
                          Word problems
                                                                   d38
```

When you feel you've had enough review, type go to 153 and you will be sent back to here.

10

12

if you feel you have had enough review and are ready to continue, take a break and reread the handout section on finding S_n of a GP. When you have finished your reading and are ready for more problems, press the EOB buttons, and we'll have at it.



```
еI
               quality the same of the first time to make the Mountain provessed in 1, 2, 2, . . .
              ca 31
     2
              fn editis //all
fn editia //ill
ad -1//c6
ty Correct. I don't know how you not your answer, but note that you could have just
     3
                  added 1+5+25=31 or used the formula:
                               s<sub>n</sub>= t<sub>1</sub> × (1-r<sup>n</sup>)
              . (This is the long way around, but use the formula anyway. It's good for practice.)
     9
               un No. You want to find the sum of the first three terms.
   10
                                  s_3 = t_1 + t_2 + t_3 = 1 + 5 + 15 = ?
   11
                                                                          How try again.
              ad -1//c5
un No. s_3 = 1 + 5 + 25 = 31 \dots or .....
                               s_n^2 = t_1 \frac{x(1-r^n)}{1-r}
   15
   16
17
              ad -1//c5
br e2
e2
               qu Find the sum of the first four terms of the geometric progression 1, 5, 25, . . . .
               ca 156
fn edit1s
fn edit1a
ty Correct.
              ad -1//c6
br e3 //c5//+3
br e6
un No. S_k = t_1 \times (1-r)
                          S_4 = t_1 \times (1-r^4)
                           TRY AGAIN.
   11
               ad -1//c5
un No. (Hint: 54= 625) TRY AGAIN.
    14
15
                           S_4 = 1 \times (1-5^4)
    16
                               = 1-625
                                             = 156
```


-time F t

10 br o


17




```
e3
                qui The sum of the first five terms of the C.P. 1, 2, 4, 8, 1, . . . . is__
                ca 31
fn editls //all
fn editls //all
ty Good work.
                wa -31
fn editis //all
fn editia //all
ty Your sign is incorrect. Try again.
                ad -1//c5 un No. Using the formula to find s_5 you should have -t_1\text{=}1,\ r\text{=}2 and n=5.
    10
    12
                    (Actually the easiest way is S_5 = 1+2+4+8+10=? Try again using the formula.
    13
                    Check your answers by adding the terms.)
                ad -1//c5
un No. S<sub>5</sub>= 31
    16
    17
                ad -1//c5
br e5a
                qu find the sum of the first four terms of the G.P. 2, 6, 18, 54, . . . . .
                ca 80
fn editls //all
fn editla //all
ty Very Good. S<sub>4</sub>= 2 x(1-3<sup>4</sup>)
                    = 80
     6
                br e5a //c5//+5
wa -80
ty Watch your signs. Try again.
    9
                ad -1//c5 un You can just add the four terms. S_{i_{\downarrow}}= 2+6+18+54 =80 or
                                                          t_{1}x(1-r^n)
    13
                    use the formula
                                              S4=
                                                         2 x(1-34)
    14
    15
                                                                -2
    16
    17
                 qu Find the sum of the first four terms of the G.P. 1,3,9, . . .
                ca 40
fn editls //ail
fn editla //ail
ty Bo-o-tiful.
               ad +3//c5 br e6 wa -40 ty That isn't logical is it? You mean to tell me that 1+3+9+27=-40?
    9
    11
                    Type the correct answer.
```




ad *1//cs un You aren't listeming to o Carrie, its corr to relation to $S_4 = 1 \times (1 - 3^4)$ 14 15 = 1 ×(1-81) 16 ÷ 40 17 Rather than send you to mast admiral fin roing to rive you a little extra 18 Instruction. 20 br e5a e5a rd By now you should know that you can find the sum of a number of terms in a recometric 2 progression by simply adding the terms (if you know them all). You should also know 3 that the same answer can be obtained by using the formula: $S_n = t_1 \times (1-r^n)$ 5 For example in the progression 1, 2, 4, 8, 16, 32, . . . $S_h = 1 + 2 + 4 + 8 = 15$ $t_1 \times (1-r^4)$ $= 1 \times (1-2^{\frac{1}{4}})$ 10 $= 1 \times (1-16)$ 11 = 15 12 13 You probably also have found, if you have been trying to "iplug" the formula, that you have to pay very close attention to signs. Most of your errors will be because of simple arithmetic mistakes. DON'T LET THE TYPFWRITER FORCE YOU INTO WORKING TOO FAST. 16 If you want to check your answer before typing it in, you can always reconstruct 17 the progression, and add the terms as a check. 18 Enough of this jazz. You'll learn faster if you try the problems yourself. 19 Press the EOB button, and we'll continue. 20 21 22 e 56 qu <u>Using the formula</u> for S of a RP, find the sum of the first five terms of the progression... 3 1, 3, 9, 27, 81 ca 121 fn edit1s //all ty Correct.



```
= 1 × (1-293)
                                           = 121
10
11
          un No. You should know from looking at the progression that t_1=1, n=5, and r=3.
              Putting these values into the formula for \mathbf{S}_{\mathbf{n}} you have.....
                                s_n = \frac{1 \times (1-3^5)}{1-3}
13
              3^5 = 243. Try again. (You can also check your answer by adding 1 + 3 + 9 + 27 + 81 = S_5.)
                           s_5 = \frac{1 \times (1-243)}{1-3}
                                                       or, to check....1 + 3 + 9 + 27 + 81 = 121
18
          qu Using the formula for S_n, find the sum of the first <u>five</u> terms of the GP in which
              t_1=1, n=5, and r=3.
          ca 121
fn edit1s //all
ty Well done, Martha. Same problem as the last one.
          un Now listen, Isabel. You just finished doing this same problem. Try one more time.
                                  s_5 = \frac{1 \times (1-243)}{1-3} = ?
12
          un They always told me that education was a painful process, but I have the feeling that
              this hurts me more than it does you. No, your answer was not right. S<sub>5</sub>=121.
13
                            S<sub>5</sub> = 1 + 3 + 9 + 27 + 81 = 121
          rd Anyway, Mazel, what I'm trying to say is that this ain't ''Mome Fe''.
             Try rereading the handout section on finding \boldsymbol{S}_{\boldsymbol{n}} of a CP one more time, and
             we'll start from scratch. When you've done your homework, press the FOR hutton and we'll
             have at 1t.
```



```
rd So far you should have learned that all you have to do to find the sum of a number of terms of a CP
              (or an AP for that matter) is to <u>add the terms</u>. Powever, in most cases you will
              only be given the values of the first term, the common ratio, and the number of terms.
 6
              When ''they'' try that jazz, just plus the formula....
                                      s_n = \frac{t_1(1-r^n)}{1-r}
              The following questions are designed to make a "formula plugger" out of you.
 9
              You can use the formula any time you know three of the four values in the
              equation (t<sub>1</sub>, r, n, S<sub>2</sub>). <u>Remember</u>, McNamara needs number boys.
10
12
               (Hell of an Incentive!) Press the EOB button.
14
          ad -c5//c5
           qu Using the formula S_n = t_1(1-r^n), find the <u>sum</u> of the first four terms of the GP...
 1
                        -1, +5, -25
                                                 (Note that r is a negative number.)
 2
           ca 104
fn edit1s //al
ad -1//c6
ty \frac{(-3)(1-(-3))^{4}}{104^{-(-5)}}
= 104^{-(-5)}
 3456
 9
10
11
12
           br c8 //c5//+1
br e12 //c6//+3
un Wrong. Try again.
           ad ~1//c5 un No. (Remember you can check your answer finding t_{\rm h} and adding the four terms.)
15
               Try again Charles.
           ad ~1//c5
un Sorry about that Charles.
                   s_{u}=(-1)\times(1-(-5)^{4})
18
                             1-(-5)
19
                    = (~1)x(1~625)
                            6
20
                        104
21
22
23
          .ad -1//c5
br e8
           gu Find the sum of the first five terms of the C.P. 1, -2, 4, . . . . .
 1
```



```
_ -11-5
                        = = 1 x(1-(-,))
                                1-(-2)
                            = 1 x 33
                            = 11
                           check. = 1+(-2)+4+(-8)+1 =11
            -1//c5
             go Using the formula for S_{\rm p} find the sum of the flast four terms of the C.P.
               -1, +5, -25, +125, . . . . .
             ca 104
fr. edit1s
fr. edit1a
ty Correct.
    7
             un Come on now even a home economics major should be able to add -1,+5,-25,+125. But
    8
    9
                try using the formula anyway (and check by adding the first four terms).
             un No. s_h = 104. RELAX. Think about what you are doing . I'm soing to give you
   10
   11
                a little remedial work.
   12
   13
             br el0a
e10
             qu Find the sum of the first five terms of the G.P. -3, 6, -12, . . . .
             ca -33
fn editis //all
fn editia //all
ty ROCER. Way to hang in there Charlie.
    6
             br e10a //c5//c0 br c7 un No. t_1= -3, r= -2, and n=5. Try arain.
             ad -1//c5 un Ro. Hint.-- {\bf S}_5 is a negative number. Check your arithmetic Martha and Try again.
   10
11
             ad -1//c5
un Nope.
   12
13
                      S<sub>5</sub> =(-3) x(1-(-2)5)
   15
                         = (-3) x(1-(-32))
   16
```



 $r^+\Lambda^-$ or -thy you to it quits understant how to find S $_n$ of a segmetric procession when r is a normalize number. Note that when r is a negative every second term in the progression is negative, but the formula still glyes the correct answer. For example: In the progression -1, 2, -4, 8, -16, . . . $s_5 = t_1 + t_2 + t_3 + t_4 + t_5$ = (-1)+ (2) + (-4) + (8) + (-16) or using the formula for Sn $t_1 \times (1-r^n)$ $= (-1) \times (1-(-2)5)$ 10 1-(-2) 11

13 = -11

14 The important thing to remember from all this gibberish is that the formula for S will give you the correct answer even if r is negative, a fraction or a decimal. Again, most of your mistakes are because of simple math errors. Be more careful. 17 Press the eob button and you can try some more problems.

ĝ

12

19 20 qu Find Sn for the first three terms of the following GP. Use the formula. -16, 8, -4 (Note that r = -1/2.)


un No. Using the formula for S_n (r=-1/2, t₁=-16, n=3)....

 $S_3 = (-16) \times (1 - (-1/2)^3)$


19

12 un No, Gertrude. You know you could have just added +16+8-4 = -12 = 53. 13


But by the formula you have....




```
(3/2) = -1, S_3 = (-1)x(1/1)
                 dan more chance. I neev you wan jory chance.
    17
18
e10c
             br el0c
              qu Find S_5 in the following GP.....1, -2, 4, .......
             un No. No. No. S<sub>5</sub> is a positive number. Try again.
             un No, and I'm not going to help you.
             un No. S<sub>5</sub>=11.
e10d
             qu Find S_5 in the following geometric progression.... 3, -6, 12, ....
             ca 33
fn edit1s //all
ty Splendid.
             br e7 un No. Try again. (r=-2, n=5, t_1=3)
             un No. No. Last chance to beat the other couples. Try again.
             un No. S<sub>5</sub>=33.
    9
e11
             rd Fortunately, I don't get emotional about hiese things. Take a five minute break,
                 and reread the handout section on finding \boldsymbol{S}_n of a geometric progression.
                 When you are ready to proceed again, press the EOB button.
e12
             qu Find the sum of the first six terms of the progression 32, 16, 8.
             ca 63
fn editls //all
ty Correct.
             ad -1//c6
br e16 //c6//4
un No. Try again. (r=1/2, n=6, t<sub>1</sub>=32)
             ad -1//c5 un No. \rm S_6=63. You're not a Home Economics major, you're a Marine!
             ad -1//c5
br el3
             qu Find the sum of the first five terms of the following GP..... 16, 8, 4, ......
             ca 31
fn edit1s //all
ty Marvelous, Honry.
```




```
br e1 //-c5//-3 un Nope. Try analn. (r=1/2, n=2, t_1=1c)
               ad =1//c5 un drong achin, Hazel. Give it the oil college try one wore time.
               ad =1//c5
un Bloc try, Hazel, but you blew it.
    9
                                         s<sub>5</sub> = 16(1-(1/2)<sup>5</sup>)
    11
                    1-(1/2)
    13
                                              =\frac{10(31/32)}{(1/2)}=?
                ad -1//c5 un One thing I'll say about you.....You're consistent. No, Mazel, the correct answer
                  was $5=31. Let's try another.
    16
   17
18
               ad =1//c5
br el4
e14
                qu in a GP, given that t_1=16, r=1/2, and n=5. Find S_5.
                ca 31 fn edit1s ^{\prime\prime}//a11 ty That is correct. Same problem as last time.
                un No, Cynthia, try again. What's the difference between this problem and the one
     5
                 you just did? That's right. NONE!!
     6
                ad =1//c5
un Wrong, Cynthia.
                                                  s_5 = \frac{16(1-(1/2)^5)}{}
   18
                1-(1/2) = 31
                ad -1//c5
br el5
                qu What is S_{ij} in the following GP? 16, 8, 4, 2, .....
               ca 30
fn editls //all
ty Correct. S_{4_{30}} = 16(1-(1/2)^{4_{3}})
               br e5a //-c5//-6
ad 3//c5
br e12
un No, Cynthia. Just add the terms. Come on now:
                ad -1//c5 un No, Cynthia. Who balances your check book? The correct answer was \rm S_{ij} = 30_{\odot}
    10
11
                ad =c5//c5
br e5a
   12
13
e16
                qu in a C.P. in which t_1= 54, r= -2/3 and n=4, find S<sub>n</sub>.
                ca 26
fn editls //ell
fn editla //all
ad -c5//c5
ad -l//c6
ty Correct.
                br e20 //c6//+5
va =26
fn editls //all
fn editla //all
ty Close. Check your signs. Try Again.
    8
9
10
    11
12
                ad -1//c5
un No, try again.
```



```
ad =1//n3
un to. S<sub>4</sub>=2..
                qu filven t_1= 5%, r= - 1/3 and n=%. Find the six of the C.P.
                ca 40 fn editis //ali fn editia //ali ty Very rood. The progression was 54, =18, 6, -2 . S_{ij}= 40
      6
                br e19 //-c5//-2
un No.Try again.
                    S_h = 54 \times (1-(-1/3)^{4})
     9
                              1-(-1/3)
                ad -1//c5
un No. captain. (Hint. (-1/3)4 = +81
    10
11
                ad -1//c5 un No,S_4=40 commander.
    14
15
16
e18
                ad -1//c5
br e18
                qu Find S_n of a G.P. in which t_1 = -81, r = -2/3 and n=5
                ca -55
fn editls //all
fn editla //all
ty Nice work admiral.
                10
11
                ad +1//c5
un Nope. Check your arithmetic.
    12
                   $5= (-81) x(1-(- 2/3)5)
                          1-(- 2/3)
               ad =1//c5
un No. $5= -55
    13
14
    15
    16
e 19
                rd in the next few problems you will be given three of the four values
     2
                    in the equation:
                                    s_n = \frac{t_1(1-r^n)}{1-r}
                                and asked to find the value of the missing quantity. For
                   example . Given that S =2, r=2 and n=2, you can solve the equation for \hat{t}_1. (In this case \hat{t}_1=1). As in the other
                   problems pay very close attention to your simms. Ready to continue? Tickle my eah.
```



```
al -r5//c5
e20
                gu Given a C.P. with \mathbb{T}_h= 51/32 , r= -1/h and r=h. Finf the value of \mathbf{t}_1.
                ca 2 fn efft1s //oll fn efft1a //oll ad -1//co ty like Yeah ian. t_1=2.
     7
                br e24  //cu//+6  un No. Try again. !!Int=-(-1/4)^4=+1/256
                _{\rm ad} =1//c5 _{\rm un} No. The correct answer was t_1\text{=}2\text{.}
    10
11
                    s_n = t_1(1-r^n)
    12
                             1-r
    13
                    51/32=t<sub>1</sub> ×(1-1/256)
                                  1-(-1/4)
                    t_1 = 256/255 \times 5/4 \times 51/32
    15
                      = 2
                    The progression was 2, - 1/8, 1/8, -1/32 . i'll give you an easier one.
    16
    17
   18
19
                ad -1//c5
br e21
e21
                qu in a G.P. in which S_5= 363, r= 1/3 and n=5. Find the value of t_1.
                ca 243
fn editls //all
fn editla //all
ty Very Good Admiral. The progression was 243, 81, 27, 9, 3
     2 3 4 5
     6
                br e24 //-c5//-1
un No. Try again. (1/3)<sup>5</sup> = 1/243
                ad -1//c5
un No lieutenant.
    9
10
    11
                    S_5 = 363 = t_1(1 - 1/243)
                                       2/3
    12
                    Try again.
                ad -1//c5
un No chief.
    15
                    363 \times 2/3 = t_1 \times (242/243)
    16
                    243 = t_1
    17
    18
19
e22
                qu if the sum of the first five terms of a C.P. is 183, the corner ratio is \pm 1/3
                    and n=5, find t_1 of the progression.
     3
                ca 243
                fn editls //all fn editla //all ty Give that can ten shares of Cousat. Picht, t_1^{\pm 2h \tau}.
```




```
The groom win 2 ,-11,17,- ,3.
             br e24 //-c5//-3
un No Hazel. Try acalm.
    9
10
             ad -1//c5
uo No Hazel. Urong again.
                 183 = t_1 \times (1 - (-1/243))
    13
                            1-(-1/3)
    14
                 Try arain.
              un Nope. Three strikes your out.
    15
                 183 x 4/3 x 243/244 = t<sub>1</sub>
    16
                243=t,
    17
    18
19
20
e23
              qu if S_5 of a G.P. equals 122, n=5 and r= - 1/3 , find the value of t_1.
              ca 162
fn editls //all
fn editla //all
ty Now you're thinking. The progression was 162 +(-54)+ 18+(-6) +2.
              un No. One more chance Hoyle. If you blow this one, not only will I send you
                 back for some review , but I will also zapp you with about 110 voits on the way.
     9
              un Would you prefer DC or AC ? t<sub>1</sub>= 162,
                 S_5=122=t_1(1-(-1/3)^5)
    10
                            1-(-1/3)
    11
                 122 x 4/3 = t_1(1-(-1/243))
    12
                 122 x 4/3 x 243/244 = t<sub>1</sub>
    13
    14
              br e5a
    15
 e24
              qu in the series 1, 2, 4, . . . . . how many terms must be added together so that
                 s<sub>n</sub>= 255
     2
              ca 8
fn editls //all
fn editla //all
ty Correct. Brilliant work honey..
              12
                 t,=1, r=2 and 3_=255 line in the value per control the formula
```


12




```
13
                and solve for n.
              ad -c5//c5
un No.
                                                                                                                                   13
                    255 = 1 \times (1-2^n)
                                1-2
                     255 x (-1) = 1 -2<sup>n</sup>
   16
                     -256 = -2<sup>n</sup>
   17
                                         What is the answer?
              un No Hazel.
                            2<sup>n</sup> = 256
                            ^{2}n = 2^{8}
   19
                             n = 8
   20
   21
   22
              br e25
              "d in the next few problems you will be asked several questions concerning
    2
                 infinite geometric progressions. Solving these problems should not be too
                 difficult, but I would like you to go back and reread the last section
                 In the handout, '' Finding S_n for an infinite Geometric Progression '',
                 before proceding. When you have finished your reading and are ready to
                 continue, press my eob's ( Gently, I'm getting sore.)
              \operatorname{\mathsf{qu}} As you read in the handout the formula for finding \operatorname{\mathsf{S}}_n of an infinite
    2
                 geometric series is
    3
                 Use this formula to find S_m of the infinite geometric progression in which
                 t_1 = 1 and r = 1/5.
             ca 5/4 fn editls //all fn editla //all ty Correct. Note that the sum of the progression 1,5, 1/25, 1/125, 1/1625, . .
    9
               gets closer and closer to but never quite reaches the value (or limit) 5/4.
   10
             ad =1//c6
br e30 //
un No, Charlie.
= 5/4
                             //c6//+8
             ad -1//c5
br e27
   15
   16
e27
              qu Find the sum of an infinite number of terms of the progression 1, 2/5, 4/25, . .
              ca 5/3
fn editls
fn editla
ty Correct.
```




```
1-r
                          where r= 2/5. Try amain
           ad -1//c5
un No Harriet.
           ad -1//c5
un Harriet you clod. S<sub>w</sub>= 5/3
          ad -1//c5
br e28
           qu Find S_n as n approaches infinity of the following G.P.:
                                      5, 25/8, 125/64, . . . .
          ca 40/3
fn editis //all
fn editia //all
ty Give that man one ''ATTABOY''
          br e28    //c5//+6 br e30    //-c5//-2 br e29    un No. Remember in an infinite G.P. all you need do to find S_\infty is to plug ^\circ
12
               the values of t_1 and r into the formula
13
              Try again.
          ad ~1//c5 un Come on Hazel, r=5/8, t_1=5. Try again.
          un No Hazel. S<sub>w</sub>= 5
1-5/8 = 40/3
17
          br e28a
          rd i'd like you to reread the handout section on infinite geometric progressions
              before we continue. Remember the only differnce between finding Sp of a regular
              G.P. and S_\infty for a G.P. Is that In the latter case we are looking for the sum
              of an infinite number of terms rather than a finite number of terms such as S_{S}
              or S<sub>6</sub>. Because we are looking for the sum of an infinite number of terms
               the formula changes from:
                            s_n = \frac{t_1 \times (1-r^n)}{1 + r^n}
                               -1-r
 9
              1-r
10
11
               S. = t<sub>1</sub>
12
              When you have reread the handout hit my eob and we'll try it one more time.
13
```




```
ad =c5//c5
br e25
               qu find the sum of an infinite number of terms of the followine G.P.
     2
                               8, 4, 2, 1, 1/2, 1/4, 1/8, 1/16, . . . . .
               ca 10 fn editls //all fn editla //all fn editla //all ty Correct. S_n = 10. Note that if you add the terms shown in the question,
     3 4
     7
                   their sum is 15 15/16. Thus the sum of this progression is approaching
     8
                   16 as the number of terms increases.
     q
    10
11
               br e28a //c5//+7
un No. r= 1/2. Try again.
               ad -1//c5
un No.
                      s_{+} = \frac{t_1}{1-r}
    15
               ad -1//c5 un No. \mathbf{S}_{n} = 16. Note that if you had added 8 + 4 + . . . 1/16 , you would have
    16
17
                   gotten 15 15/16.
Thus the sum is apparently 16 as the number of terms increases.
    20
    21
               br e28a
e30
     1
               qu Find the sum of an infinite number of terms of the following geometric progression.
                                    8, -4, 2, -1,.....
               ca 16/3 fn editis //all ad -1//c6 ad -c5//c5 ty Correct, Charlie. Note that the formula works even though r is a negative number.
               br e33 $//{\rm c6}//{\rm 9}$ un No. Note r is negative. Use the formula for S _{\rm m}. Try again.
    10
               un No. r=-1/2, t<sub>1</sub>=8. Try again.
               un Comegon now, Harriet. S_n = \frac{8}{1-(-1/2)}
    11
12
e31
                qu find the sum of an infinite number of terms of the following GP.
                               16, -8, 4,.....
     2
               ca 32/3
fn editls //all
ad -c5//c5
ty Correct. Crazy!
                un Wrong. Try arain.
      7
               un No. s_{\gamma} = \frac{16}{1 - (-1/2)}
```



```
g fl ___ ( t'= pll) fre ..... 1, - , 1, -1/3, 1/4, -1/27, .....
              ca 27/4
fn riitls //ail
ty Atta boy!
              un No. If you a'll t' torns 1, -3,....., -1/27, the sun of these numbers is 6 20/27.
                 From this you can assume that the sum of an infinite number of terms is very close
                  to this number. Using the formula......
                                                             S_w = \frac{t_1}{1-r}
                          .....you should get an answer which is close to 6 20/27. Try again.
    9
   10
              un No. The correct answer was 27/4.
e33
              qu The common ratio of an infinite GP equals 1/4. What must the first term be in order
                 that the sum of an infinite number of terms shall be 80?
    2
              ca 60
fn editls //al
ad -c5//c5
ad -1//c6
ty Roger. t<sub>1</sub>=60
                              //all
              br e36 //c6//10 un Wrong. S_n=80, r=1/4, t_1=? Try again.
              ad -c5//c5
un Wrong. S<sub>n</sub>=60
e34
              br e34
               qu in an infinite geometric progression s_n=72/5, r=-2/3. What is the value of t_1?
               ca 24
fn edit1s //all
ty Correct.
              br e36 //-c5//-1
wa 24/5
fn edit1s //ail
ty No. r=-2/3. Try again.
     5
              ad -1//c5 un No. Remember to find \boldsymbol{t_{1}}\text{,} use the formula.....
    9
                                S_{n} = \frac{t_{1}}{s_{n}(1-F)} = t_{1}
    11
    12
    13
                  Try again.
              ad =1//c5
un No, Hazel.
                                       t_1 = S_{\infty}(1-r)
                                            = 72/5 x (1-(-2/3))
    16
                                            = 72/5 x 5/3
    17
    18
                                        t<sub>1</sub> = 24
```



```
ad ~1//c5
br e35
    19
e35
              quiThe sum of an infinite number of terms of a GP is 40/3, and the common matteris 5/8.
     2
                 What Is the value of the first term?
              ca 5
fn editis //all
ty Correct. Way to go there, Warriet.
     6
7
              br e28a //c5//4
un Wrong. Try again.
              ad =1//c5
un No.
     8
                                           S_{\infty}(1-5) = t_1
    10
                                       40/3 x 3/8 = t<sub>1</sub>
    11
                  5 = t<sub>1</sub>
    12
13
e36
              br e28a
     1
               qu in a GP in which the first term is equal to 5 and the sum of an <u>infinite</u> number of terms
     2
                  is 50/11, what is the value of the common ratio?
              ca =1/10
fn edit1s //all
ad =1//c6
ad =c5//c5
ty Now you're with me, Charlie.
              br e38 //c6//11 un No, Hazel. Try again. Use the formula for \mbox{S}_{\mbox{\tiny a}}.
              ad -c5//c5
un No, Hazel, you blew it again.
    10
11
                                               50/11 = 5/(1-r)
    12
                                                  1-r = 5 \times 11/50
    13
                                                  1-r = 11/10
    14
    15
                                                   -r = 1/10
                                                    r = -1/10
    16
e37
              br e37
               qu t<sub>1</sub> of an infinite GP = 27, S_{\infty} = 81/4. What is the value of r?
               5
               un No, Hazel.
                                                81/6 = \frac{27}{1-r}
                  Try again.
     7
              un Nope.
                                         1-r = 27 X 4/01
```



```
-r = 1/3
                                     r = -1/3
10
11
          rd Another form of an infinite geometric progression is the <u>repeating</u> <u>decimal</u>.
             Thus the repeating decimal 0.3333...... is an <u>infinite</u> geometric progression
             of the following form.....
                     0.3 + 0.03 + 0.003 + 0.0003 + \dots (in which t_1 = 0.3 and r = 0.1)
 6
             The limiting value of a repeating decimal may be found by determining t_1 and r_2
             and substituting these values in the formula for S_. Thus in the first
             example, the limiting value is 1/3.
             1-0.1 = \frac{0.3}{0.9} = 1/3 S<sub>2</sub> = \frac{0.3}{0.9}
11
             Suppose you wanted to find the limiting value of the decimal 0.74343434343.......
             This problem is slightly different. The number 0.74343.... is composed of 0.7 and
12
             the infinite geometric progression ....
                   .043 + .00043 + ..... (in which t_1=.043 (not 0.7
16
                   S_{-} = 7/10 + t_{1}/(1-r) = 7/10 + 43/990 = 368/495
             i'd like to have you try a few short problems. When you've digested this garbage,
18
             press the EOB, and i'll see how well you regurgitate.
          rd Another form of an infinite geometric progression is the repeating
             Thus the repeating decimal 0.3333..... is an <u>infinite</u> geometric progression
             of the following form......
                     0.3 + 0.03 + 0.003 + 0.0003 + \dots (in which t_1 = 0.3 and r = 0.1)
             The limiting value of a repeating decimal may be found by determining t, and r,
             and substituting these values in the formula for S_{\infty}. Thus in the first
             example, the limiting value is 1/3.
             1-0.1 = \frac{0.3}{0.9} = 1/3 S_{-} = \frac{-0.3}{0.3}
11
             Suppose you wanted to find the Himiting value of the decimal 0.74343434343......
             This problem is slightly different. The number 0.74343.... is composed of 0.7 and
             the infinite geometric prorression....
                   __) and r=0.013 + .000%5 + ..... (in which t<sub>1</sub>=.0%7 (not 0.7
14
```



```
1
```


```
17
                  I'd like to have you try a few short problems. Then you've digested this garbage,
    18
                  press the ECE, and I'll see how well you regurgitate.
e39
               qu Find the limiting value of the following repeating decimal:
                                                                       0.88888 . . . . .
     2
               ca 8/9
              fn editis //al
fn editia //al
ad -1//c6
ty Crazy. S<sub>od</sub> = 8/9
    7
              br e41
un Nope.
                         . //c6//+11
                             1-0.1
    10
                 = <u>0.8</u>
0.9
                              ± 8/9
   11
12
e40
              br e40
    1
              qu Find the limiting value of the following repeating decimal: 0.66666 ... . .
              ca 2/3
cb 6/9
fn editls //all
fn editla //all
ty Atta Boy. S<sub>w</sub>= 6/9 =2/3
                                      0.6
              In No. 6 = ? S. = 0.6
    7
    8
                   0.9
              Try again,
un No. S<sub>w</sub> = 2/3
   9
   11
              br e41
              qu Find the limiting value of the following repeating decimal: 0.16666
              ca 1/6
fn editls //all
fn editla //all
ty Roger. S<sub>w</sub>= 15/90 = 1/6
                                                      0.06 = 7
              un No. You should have S_= 0.1 +
                                                      1-0.1
    7
                What's the answer ?
    8
              un No Hoyle.
                                 S_= 1/10 + 6/90
                  15/90
    9
   10
                                    = 1/6
   12
              br e42
e42
               rd O.K. Harriet. Now the hard part. The following questions are designed to
```



```
bring together all your knowledge of A.P.'s and
                will be word problets so read then carefully. Only r the
                sequence is an A.P. or a G.P. ( or an infinite C. )
                 "To I want to find the sun of this progression, or the last term,
                etc. 11 From this information you can determine which formula (or formulas) apply
                and hopefully solve the problem.
                    Before you squeeze my eob take a break and briefly review the handout.
    9
                 if you are having trouble with any particular problem, type in any old
   10
                number and I'll give you a hint.
                       Dh.
   11
                               By the way. Pick up some more scratch paper. -
   12
e43
             qu A certain ball has the property that when it is dropped from any height (h)
                to the ground, it rebounds to the height 2/3 h.
                Suppose the ball is thrown to a height of 9 feet. How far will it travel
                before coming to rest? include the first nine feet that the ball is thrown
    5
                in your answer.
    6
             ca 54
             cb 54 feet
cb 54'
fn editls //all
fn editla //all
ty Very Good Hazel.
   8
9
10
11
   12
   13
14
15
16
             br e44 //-c5//-1 ad -1//c6 br e46 //c6//+12 un The ball will travel 9 feet up and 9 feet down, then 6 feet up and 6 feet down, etc.
                The distance traveled thus becomes an infinite G.P. ( Theoretically the ball never
   17
                stops completely.) with a common ratio of 2/3. You are looking for S. Try again.
             ad -1//c5 un No Hazel. Remember the first 9 feet count. t_1= 18, r= 2/3. Try again.
   19
20
   21
             ad -1//c5
un No Hazel. S_{a}= 18/(1- 2/3) = 54
   23
   24
25
             ad -1//c5
br e44
e44
             qu A rotating wheel coming to rest makes 125 revolutions the first second.
    3
                In any second after the first it makes 4/5 as many revolutions as it did in
    4
                the preceding second. How many revolutions does it make before coming to rest?
    5
6
7
             ca 625
fn editls //all
fn editla //all
ty That's right.
    9
```



```
1)
              un This is just like the last problet. Try amain.
              ad -1//c5 un No. Let's look at it another way. If the wheel inhes 125 revolutions the
    13
                  first second, it will make 100 revolutions the next second (4/5 of 125),
                 80 revolutions the third second, and so on. Thus It is an infinite C.P.
    15
                 with r=4/5 and t,= 125. What is the correct answer?
              ad -1//c5 un No. S_a^{=625}. I'm poing to send you back to review infinite GP's.
    18
              br e28a
              qu What distance will an elastic bra traverse before coming to rest
                 If it is pulled out to a distance of 15 feet and after each time
                 It hits "'home" it rebounds 2/3 the distance?
                 (Include the first 15 feet.)
              ca 90
cb 90 feet
cb 90'
              fn editls //ail
ty Rog. (If you could ever pull one of those things out 15 feet.)
                      You've got to concentrate on the mathematical solution to this problem
    12
                 and disregard other irrelevant aspects. t_1=30, r=2/3. Find S_.
              ad -1//c5
un No.
                                 s_ = 30
                 1-2/\overline{3} = 90
    15
    16
17
              ad -1//c5
br e25
              qu Find the first term of an <u>infinite</u> GP whose sum is 243
                 and whose second term is 54.
              ca 162
cb 81
              cb 81
cb 81,162
              cb 162,81
fn edit1s
ad -1//c6
                            //a11
              ty Very good. (There were actually two answers to this problem, t, = 162 or 81.)
    10
              un No. To solve this problem you will have to use two equations....
                    and 243 = \frac{t_1}{\frac{1}{2} t_1} F(n-1)
                 Solve these two equations for ti. Try arain.
              ad =1//c5 un No. \rm t_1^{\pm 162}~or~t_1^{\pm 81}~are~correct~answers.
16
17
e47
              ad -1//c5
br e47
              qu Each Individual has two parents (I'm told.) and these in turn each had two parents, and so on.
                 Assuming that these ancestors were all different individuals, how many ancestors does one
                 have going back six generations?
              ca 126
fn editls //all
ty Correct, Charile. Very good.
```



```
ad =1//c6 un No. People multiply. This is a CP, and you want S_{\tilde{b}^{\pm}} Try healn.
   9
10
              af =1//c5
un No. S<sub>b</sub>=126
              ad -1//c5
br e48
   11
   12
e48
    1
              qu The second term of a GP is 3 and the fifth term is 5 1/8. Find the fourth term.
              ca 27/4
cb 6 3/4
fn editla
fn editls
ty Correct.
                              ad -1//c6 un No. From the formula for finding \boldsymbol{t}_{n} of a GP, you can derive two equations which can be solved
     7
8
    9
                  simultaneously for r and t_1. Knowing these values, you can easily find t_h. Try again.
   10
11
              ad =1//c5
un Nope.
                                 81/8 = t_1 r^{i_1}
                                                  and \ 3 = t<sub>1</sub>r.
   12
                  Solve these equations for t<sub>1</sub>. Try again.
              ad -1//c5
un No.
                                       81/8 = t_1 \times (3/t_1)^4
                                       81/8 = t_1 \times 81/(t_1)^4
   15
                                        1/8 = 1/(t_1)^3
   16
                                        (t_1)^3 = 8
   17
                                         t_1 = 2
                                                              r = 3/2
                                                     and
                                         t_{ij} = t_1 r^{(ij-1)}
                                             = 2 \times (3/2)^3
   20
                                                             The progression was 2, 3, 9/2, 27/4, 81/8.
                                             = 27/4
   21
    22
e49
               qu The market for playboy magazine is now 500,000 subscribers and the number
                  of subscribers has been increasing at the rate of 5 percent per year.
     2
                  If this rate of growth continues, how many subscribers will Playboy
     3
                  have at the end of three years?
     Į,
              ca 578810
cb 578,810
fn edit1s //all
fn edit1a //all
ad -1//c6
ty Correct. Very Good.
     5
6
7
   8
9
10
    11
```


21

un No. The problem requires finding t_{i_1} of a C.P. in which t_{i_2} 500,000

and release. Choice you want to lot to a



```
in the state of th
                                                                t_h \sim t_1 r^n
        10
                                                                   = 500,000 \times (1.05)^3
        17
                                                                  = 578,810
        18
        19
       20
21
                                  ad -1//c5
br e50
e50
                                  qu O.K. Now for a few really hard ones. Remember if you get stuck press the
                                          eob and I'll give you a hint.
                                                   There are four numbers of which the first three are in arithmetic progres-
                                          sion and the last three are in geometric progression. Their sum is 105
                                          and the fourth number divided by the second = 9/4.
                                                                               Find the first term of the A.P.
                                 ca 10
cb 70
cb 10,70
cb 70,10
fn editls //all
fn editla //all
ad -1//c6
ty By Jove Mabel, he did it. Excellent Admiral. There were actually two
        7
8
9
10
11
12
13
14
        15
                                          progressions that will fit these conditions.
        16
                                                                  10, 20, 30, 45
                                                                                                                          and 70, 20, -30, 45
        17
                                  un No. This problem takes quite a long time and requires using a lot of equations.
                                                                                    1) t_1 + t_2 + t_3 + t_6 = 105
                                                                                                                                                                                        In terms of G.P.'s
        20
                                           In terms of A.P. 's
                                            2) t<sub>2</sub>=t<sub>1</sub> +d
                                            3) t_3 = t_2 + 2d
                                          Using these equations, you can solve for t<sub>1</sub>. ( You've still fot quite
                                           a ways to go. Try putting everything in terms of t<sub>1</sub> and d.
         26
                                   ad -1//c5
un No. Wrong again.
         27
                                                                   (1) t_1 + t_2 + t_3 + t_4 = 105
                                            substituting (2), (3), (4)....t_1 + (t_1+d) + (t_1+2d) + (9t_1/4 + 9d/4) = 105
         30
                                                                             (21/4)t_1 + (21/4)d = 105
         31
                                                                                                                  t_1 + d = 20 (or d = 20 - t_1)
                                                                   (3)
         32
         33
                                                                      (7)
                                                                                                                       t_3/t_2 = t_1/t_3
```




```
35
36
                 3/4 x (t, + 1)
                 t<sub>1</sub> + 2.1
   37
                 Substituting for 4 from (5)......
   38
   39
                 9/4+x(50++,20=- t1)
   43
                 t<sub>1</sub> + 2(20 - t<sub>1</sub>)
   42
                   ang (9)
                 40 - t<sub>1</sub>
                 Study this process carefully. The next two problems are solved the same way.
   45
                 To solve for t_1, use equation (9). What's the answer?
   46
             ad -1//c5
un No. I'm afrald you'll never be a math star.
                               \frac{40-t_1}{20} =
   49
50
                 45
              40-t1
                               (t_1)^2 - 80t_1 + 700 = 0
   51
   52
                                   (t_1-70)(t_1-10) = 0
                                     t_1 = 70 \text{ or } 10
                 There were two progressions which fit these conditions....
                              70, 20, -30, 45 and
                                                           10, 20, 30, 45
   56
57
             ad -1//c5
br e51
e51
             qu Three numbers whose sum is 21 are in geometric progression. If 1 is
                 subtracted from the first, 2 from the second and 6 from the third, the
                 the remaining numbers are in arithmetic progression. Find the second term of
    3
                 the G.P.
             ca 6 fn editls //all fn editla //all ty Correct. The numbers were 3,6,12, Not many students solve this croblem.
    9
                 Very Cood work.
   10
             ad +1//cG
un do. This problem is quite similar to the last one.
   13
                                        1) t_1 + t_2 + t_3 = 21
```

Substitution (2), (2), (a) by (2)......

34

14

In tri 1




```
16
                                                                   4) (t<sub>2</sub> -2) +d= (t<sub>3</sub> -6)
   17
                                                                   5) (t<sub>3</sub> =1) +2d = (t<sub>3</sub> =6)
   18
                 Hint put everything II terms of to and d. Try again.
              ad =1//c5
un Nope.
   19
20
                                    t;+t;+t;=21
   21
                              (t2=d-1)+ t2+(t2+d+4)=21
   22
                                      3t,+3=21
   23
                                      3t2=18
                                       t<sub>2</sub>= 6
   24
   25
                     (Note. You didn't even have to worry about the G.P.)
                        The terms were 3,6,12.
   27
e52
              qu Find the second term of the A.P. whose first term is 2 and whose second
                 term , fourth term and eight term form a geometric progression.
              ca 16
fn editis //all
fn editia //all
ty Outstanding. The progression was 2,4,6,8,10,12,14,16.
    7
              ad -1//c6 un Some people are lucky and can solve this problem intuitively, but
   10
                  If you can't see it right away, you have to set up several equations
   11
                  and solve them simultaneously ( same jazz as the last two problems).
   12
                 O.K. You say to yourself. What equations can I get?
                                                                    In terms of G.P.'s you know that
   13
                 in Terms of A.P.'s you know that
                                                                       tn= t1rn=1
   14
                  tn=t1+(n-1)d
                  t<sub>2</sub>= 2+(2-1)d
   15
                                                                      t2r= t4
                  t<sub>h</sub>= 2+(4-1)d
   16
                                                                       tur= tg
   17 6
                  t<sub>8</sub>= 2+(8-1)d
   18
                                                                      t_4/t_2 = t_8/t_4
   19
                  Solve these for d and you can easily find \mathbf{t}_2. Try again.
              ad =1//c5 un No. d=2 and \rm t_2=4. The progression was 2,4,6,8,10,12,14,16.
   22
   23
24
              ad -1//c5
br e53
```

15


The state of the s

5) (t₁ -1) + (± (t₂ -2)



```
e53
                       qu The sum of three numbers in genmetric progression 18 5%, if 8 is added
              2
                           to the middle term , the other two being left unchanged, an arithmetic
              3
                           progression is formed. Find the first term of the genmetric progression.
                       ca 4
cb 36
fn editls //all
fn editla //all
ty Excellent. One more question and you can so home. You now should
              9
                           understand the theory of A.P.'s and G.P.'s.
             10
             11
                          un No. And I won't help you. You should be able to do this on your nwn.
                       ad -1//c5
un Nope.
             12
13
                       ad -1//c5 un Sorry. The G.P. was 4,12,36. I'll give you one more chance to pass the
             16
                           course. Read the next question carefully.
             17
e54
             18
                       br e54
              1
                       qu As I was going to Saint Ives , I met a man with seven wives. Every wife
                           had seven sacks, every sack had seven kits, kits, cats, sacks and wives
              3
                           how many were going to St. lves?
                       ca 1
fn editis //all
fn editia //all
ad *1//c6
ty Nice work Hazel you passed the course.
              4 5
              6 7 8
              9
                       wa 2403
fn editis //all
fn editia //all
ty You multiply well but can't read worth a damn. There was only one person
             10
11
12
13
             14
                           going to St. Ives. I Was. My four year old son knows the answer to that.
             15
                       'un No. Read the question. My snn knows the answer and be's only four.
             16
                       un No stupid. Only one . Mc.
             17
```

18 br e55



rd You have now successfully (I Hope) completed the course in arithmetic and geometric progressions. If there are any particular areas you would like to 2 review, included below is a list of review segments. Type go to and the label listed beside the problem area. Problem Area Label Finding S_n of a G.P.e1 Infinite G.P.'s e25 Repeating decimals e38 Word problems e42 10 If you do some review , type GO TO e54 when you are ready to quit and 11 you will be returned to this point. 12 Those of you who are ready to retire right now, just sign off and 1'll 13 see you around the campus. Good Luck.

A I

__ ns 5



APPENDIX B

Listing of
Subject Areas and Associated Labels




APPENDIX B

LISTING OF SUBJECT AREAS AND ASSOCIATED LABELS

This listing is designed to be used as a "ready-reference" for the student who desires to review a particular area of the course material. In order to go to the subject area desired, simply type "go to" followed by the associated label and then press the "EOB".

Section	Section Area	Label			
A	Introduction and Definitions				
	Set	al			
	Sequence/Progression	a3			
	Term	a6			
	Subscript	a20			
В	t _n of Arithmetic Progressions				
	AP/Common difference	bl or b6			
	Number/Value of terms	b5			
	t _n formula	ъ8			
	t _n problems	b8 or b16			
	Introductory review	ь21			
С	S _n of Arithmetic Progressions				
	S _n of Arithmetic Progressions	c1			
	Sum of 1st n terms	c7			
	Sum of t ₁₁ thru t ₁₅	c16			
	Sum word problems	c18			
D	t of Geometric Progressions				
	finding t	d14			
	Finding r (the common ratio)	d23			
	Finding t ₁	d28			
	Finding n	d32			
	Word problems	d38			



E	S of Geometric Progressions	of Geometric Progressions							
	Finding S of a G.P.	el							
	Infinite G.P.'s	e2							
	Repeating decimals	e3							
	Word problems/Review	مار							



APPENDIX C

Sample Print-out

of

Student Response Record



	SEQ	2	2	2	2	2	N)	~	6	7	7	2	2	2	N)	Ŋ	2	М	м	
	LABEL	640	150	052	ê Î	E2	E7	E12	E12	E13	E16	E17	E20	E21	E24	E26	E27	E30	E31	
	9	-	-	-	· -	-	-	-	-	_	-	_	-	-	_	-	-	-	-	
	6	-	-	-	-	-	-	. →	-	-	-	_	_	-	-	-	-	-	-	
	80																			
	~																			
	۰					-	2	m	m	M	M	22	#	S	S	•	1	7	80	
	S								-	2	2									
	#	2	8	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
	м																			
	COUNTERS 1																			
	RESP.	CA	CA	CA	CA	CA	CA	S	S S	Q Q	CA									
+	DPT.	~	~	7	~	~	h=	<i>t</i> ~	7	~	~	~	<u> </u>	7	I ~	<u> </u>	~	7	~	
	DATE REC. RESP. COUNTERS HO/DA/VR OPT. TYPE 1	ANIEC 07/12/65	ANTEC 07/12/65	ANIEL 07/12/65	ANIEC 07/12/65															
APGP		7	7	7	7	-	7	~η	7	~	.J	~~	dely.	****	٦	٦	ī	**1	7	
CDURSE.	STUDENT	\$9905	\$0665	\$9905	59905	50665	50665	50665	50665	50668	59905	\$9905	50668	\$9905	\$9905	50668	50665	\$9905	50668	
PRINT	STUDENT RESPONSE	*ON	125 *	12#	31\$	156#	104*	*09	631/2*	#÷ FO	26*	* 0 *	* 2	2434	# 80	\$17\$	5/3*	16/3*	32/3#	27/4#



APPENDIX D

Text Book

for

Programmed Instruction Course

in

Arithmetic and Geometric Progressions



ARITHMETIC AND GEOMETRIC PROGRESSIONS

Text material to be used in conjunction with Computer Assisted Instruction



CAN TEACHERS BE REPLACED BY A COMPUTER?

Probably not, but we'd like to find out if it is possible. Hopefully, using the following textual material, and a typewriter which is controlled by a computer, you can learn all about arithmetic and geometric progressions without the aid of a teacher.

The course is specifically designed for students with widely varying backgrounds in mathematics. Each of you will progress according to your individual capabilities. If you have studied progressions before, you should proceed quite rapidly. If you have never heard of progressions, you will be given extra practice. As you begin to understand the material, you will be able to move more rapidly.

You say you can't type? No sweat! The course is designed for the "hunt and peck" man. About the longest thing you will have to type will be your name. There are instructions on how to use the typewriter posted on the wall beside you. Read them once and you should have no problems.

You are afraid of ruining the machine? Don't worry about that either.

The computer can handle almost anything short of physical violence.

The course is designed so that you <u>alternate</u> between <u>reading small</u>

<u>sections</u> of the handout material and <u>answering questions</u> on what you've

read. The questions are stored in the computer's "memory" and automatically presented to you via the typewriter.

If you are ready to proceed, read the first section of the handout entitled "Definitions." When you have finished reading this section, read the instructions on how to operate the typewriter. If you have any questions, ask one of the operators in the next room.

GOOD LUCK!



ARITHMETIC AND GEOMETRIC PROGRESSIONS


I. DEFINITIONS

Often in mathematical work, groups of three or more numbers are arranged in some definite order, or sequence. Such grouping or sequence of numbers is called a <u>progression</u>. The individual numbers are called the <u>terms</u> of the progression and are named from the left to the right, first term, second term, etc. For example the terms 2, 4, 6, 8, 10,.....form a progression.

There are many kinds of progressions. We shall discuss in this unit only two of the simpler ones. These are called <u>arithmetic</u> and <u>geometric</u> progressions.

Before proceeding with the discussion of these progressions, it will be necessary to have an understanding of some of the terminology used in this course. Some essential definitions follow:

- Set--A group or collection of definite, distinct
 objects (such as people, birds, ships, books,
 numbers, etc.).
- <u>Sequence/progression</u> (of numbers) -- A set of numbers in some definite order. The terms progression and sequence are used synonomously.
- <u>Terms</u>--The individual numbers of the sequence or progression.



Examples: 4,1,9,7,16,19 is a set of numbers, It is simply a group of numbers in no definite order. Because this set has no definite order, it is <u>not</u> a sequence. 2,4,6,8,10 is a set of numbers in some definite order and therefore <u>is</u> a <u>sequence</u> of numbers.

The number 4 is a term in that sequence; in this example it is the second term; 8 is the fourth term.

 $a_1, a_2, a_3, a_4, \dots, a_n, \dots$ is a sequence. a_1 is the first term. a_2 is the second term, and a_n is the nth term.

The number 1 in a_1 is called a <u>subscript</u>. The subscript denotes the order in which the terms are arranged (1 before 2, etc.).

Hence, $a_1, a_2, a_3, a_4, \ldots, a_n, \ldots$ is a sequence of terms in the order indicated by the subscripts.

4,6,8,10,12 is a finite sequence (series); it contains a finite number of terms, in this instance, 5.

4,6,8,10,12,.... is an <u>infinite</u> sequence (series); that is, it contains an infinite number of terms since it continues expanding ad infinitum.

You are now ready to "tackle the machine." Read the instructions posted beside the typewriter. Don't worry about typing errors or wrong answers. You are <u>not</u> being graded: This is a teaching device, not a test.




II. ARITHMETIC PROGRESSIONS

A. Finding t_n of an Arithmetic Progression

An <u>Arithmetic Progression</u> (A.P.) is a sequence of numbers in which each term after the first is formed by adding a <u>constant</u> quantity called the common difference to the preceding term. The common difference may be either a positive or negative value, but never zero. Thus, the set 1,2,3,4,5 is an arithmetic progression consisting of five terms where the first term is 1, and the common difference is plus 1. The set 5,4,3,2,1 is an arithmetic progression consisting of five terms where the first term is 5, and the common difference is minus 1. Some further examples are:

<u>A.P.</u>	No. of TERMS	1 st TERM	COMMON DIFFERENCE
3,7,11,15,19	5	3	+ 4
30,28,26,24	4	30	-2
a,a+d,a+2d,a+3d	4	а	+ d
-3,-5,-7,-9,-11,-13	6	-3	-2
$-7, -3\frac{1}{2}, 0, 3\frac{1}{2}, 7, 10\frac{1}{2}$	6	- 7	+3½

The <u>common difference</u> may be found by substracting any term of the sequence from the term that follows it. For example, in the A. P. 2,5,8,11,14,17 we can determine that the common difference equals 3 by subtracting any term from the term immediately following (5-2 = 3, 8-5 = 3, 17-14 = 3, etc.).



We can write a general expression for finding any term in an A.P. if we know the first term (t_1) , the common difference (d), and the number of the term for which we are looking (n). (For example, if we are trying to find the fifth term, n would be equal to 5.).

The expression to find the nth term of an A.P. is:

$$t_n = t_1 + (n-1)d$$

 $t_n = the \underline{value}$ of the term we are trying to find.

 t_1 = the <u>value</u> of the first term of the progression.

n = the number of the term for which we are looking.

d = the common difference.

For example, let us look at the A.P. 3,7,11,15,19,...

Assume that the fifth term, 19, is unknown to us. We can use the formula to find it.

$$t_n = t_1 + (n-1)d$$
 $n = 5$
 $t_n = t_5$
 $t_1 = 3$
 $d = 4$
 $t_5 = 3 + (5-1)4$
 $= 3 + (4)(4)$

19 is therefore the fifth term of the given sequence.

= 19



If we were told the progression used previously $(3,7,11,15,19,\ldots,t_{50})$ consisted of fifty terms and we were asked to find the value of the thirty-fifth term, we would utilize the same formula.

In this problem
$$t_1 = 3$$
, $d = 4$, and $n = 35$.

$$t_{35} = t_1 + (n-1)d$$

$$= 3 + (35-1)4$$

$$= 3 + (34)(4)$$

$$= 139$$

We can alos, of course, solve the formula $(t_n = t_1 + (n-1)d)$ for t_1 , n, or d, should any one of these values be the unknown quantity in a problem.

(Though not required for the successful completion of this program, those students interested will find the derivation of the formula for finding any term of an arithmetic progression on page 260, para. 15-3 of "ALGEBRA and TRIGONOMETRY" by Alvin K. Bettinger and John A. Englund. Scranton: International Textbook Company, 1960).

B. Finding S_n of an Arithmetic Progression

We can also determine the sum (S_n) of a praticular number of terms of any A. P. if we know the first term (t_1) , the last term (t_n) , the common difference (d), and the total number of terms being added (n). (For example, if we are trying to find the sum of the first five terms, n would be equal to 5.) Note the slight difference in usage between "n" here as opposed to the previous formula; before we were talking about the <u>number of the specific term in question</u> whereas now "n" refers to the <u>total number of terms being added</u>.

The formula used to find the sum of n terms in an A.P. is:


$$S_{n} = \frac{n(t_1 + t_n)}{2}$$

 $S_n =$ the sum of n terms.

n = the total number of terms being added.

 t_1 = the <u>value</u> of the first term.

• $t_n = the value of the <u>last</u> term being added.$



Another useful form of this expression can be found by substituting $t_1+(n-1)d$ for t_n . The new equation is:

$$S_n = \frac{n}{2} \left[2t_1 + (n-1)d \right]$$

This form is particularly useful when the value of t_n is unknown.

EXAMPLE

Using the A.P. 3,7,11,15,19 to illustrate the first formula's use:

$$S_{n} = \frac{n(t_{1}+t_{n})}{2}$$
Check: 3
7
11
15
15
19
55

$$t_{1} = 3$$

$$t_{n} = 19$$

$$S_{n} = \frac{5(3+19)}{2}$$

$$= \frac{5(22)}{2}$$

≈ 55

(Those students interested will find the derivation of the formula for finding S_n , and the alternate expression of S_n , on page 261, para. 15-4 of "ALGEBRA and TRIGONOMETRY", by Bettinger and Englund.)

III. GEOMETRIC PROGRESSIONS

A. Finding t_n of a Geometric Progression

A <u>Geometric Progression</u> (G. P.) is a sequence of numbers in which each term after the first is the result of <u>multiplying</u> the preceding term by a constant called the <u>common ratio</u>. The common ratio may take on any positive or negative value except + or - 1 or zero. For example, the set 4,8,16,32,64 is a geometric progression consisting of five terms; the first term is 4, and the common ratio is + 2. The set 32,-16,8,-4,2 is a geometric progression consisting of five terms with a first term of 32 and a common ratio of $-\frac{1}{2}$. Some further examples are:

<u>G. P.</u>	No. of TERMS	1st TERM	COMMON RATIO
1,2,4,8,16	5	1	2
a,ar,ar ² ,ar ³	4	a	r
1,(1+i),(1+i) ² ,(1+i) ³	4	1	(1 + i)
1,-4,16,-64	4	1	-4

The common ratio may be found by dividing any term of the progression into the term that follows. For example, in the G. P. 1,2,4,8,16 we can determine that the common ratio equals 2 by dividing any term into the term immediately following (2 + 1 = 2, 8 + 4 = 2, etc.). (Caution.... This common ratio must apply to <u>all</u> terms).



We can write a general expression for finding any term in a G. P. if we know the first term (t_1) , the common ratio (r), and the number of the term for which we are looking (n).

The expression to find the value of the nth term in a G.P. is:

$$\begin{bmatrix} t_n = t_1 r^{n-1} \end{bmatrix}$$

t = the value of the term we are trying to find.

 t_1 = the <u>value</u> of the first term.

r = the common ratio.

n = the number of the term for which we are looking.

For example, let us find the fifth term of the G.P. 1,2,4,8,....

$$t_n = t_1 r^{n-1}$$
 $t_1 = 1$
 $r = 2$
 $n = 5$
 $t_5 = (1)(2)^{5-1}$
 $= (1)(2)^4$

Therefore, 16 is the value of the fifth term of the given G.P.

(Those students interested will find the derivation of the formula for any term of a geometric progression on page 265, para. 15-8 of "ALGEBRA and TRIGONOMETRY" by Bettinger and Englund.)

= 16

B. Finding S_n of a Geometric Progression

In order to find the sum of n terms in a G.P. we must know the first term (t_1) , the common ratio (r), and the total number of terms we are adding (n).

The expression to find the sum of n terms in a G.P. is:

$$S_n = \frac{t_1(1-r^n)}{1-r}$$

 $S_n =$ the sum of n terms of the G.P.

 t_1 = the <u>value</u> of the first term.

r= the common ratio.

n= the total number of terms being added.

Again, as in A.P.'s, note the slight difference in the meaning of n between the two formulas.

To illustrate let us find the sum of the G.P. 1,2,4,8,16. Using the formula to find:

$$S_{n} = \frac{t_{1}(1-r^{n})}{1-r}$$

$$n = 5$$

$$S_5 = \frac{1(1-2^5)}{1-2}$$
 Check: 1
$$= \frac{1(1-32)}{-1}$$

$$= \frac{-31}{-1}$$

$$= 31$$



(Those students interested will find the derivation of the formula for finding $S_{\rm n}$ on page 266, para. 15-9 of "ALGEBRA and TRIGONOMETRY" by Bettinger and Englund.)

C. Findings S_n for an Infinite Geometric Progression.

In a Geometric Progression such as 1,2,4,8,..., in which the common ratio is greater than 1, each term is greater than the preceding term.

Eventually, if the number of terms is increased without limit, their sum will become infinitely large.

But in a geometric progression such as $1, \frac{1}{2}, \frac{1}{4}, 1/8, \ldots$ in which the common ratio is less than 1 in absolute value (r can be positive or negative), each term is less than the preceding term, and as the number of terms becomes very great, each term becomes progressively smaller.

In such a series, as the number of terms increases without limit, the sum of the terms does not increase without limit, but approaches some definite number. (WarningThis is only true for geometric progressions).

For example, in the series $1,\frac{1}{2},\frac{1}{4},1/8,\ldots$ the sum of four terms is $1^{-7}/8$, the sum of eight terms is $1^{-127}/128$, the sum of 16 terms is $\frac{32767}{32768}$, etc. As the number of terms is increased, the sum approaches nearer and nearer to (but never quite reaches) 2. Mathematicians would say "as n (the number of terms) approaches infinity, S_n approaches 2."



As you know, the formula for the sum of a G.P. is:

$$S_n = \frac{t_1(1-r^n)}{1-r}$$

Now, if the absolute value of r lies between 0 and 1, r^n is smaller than r, and when n increases without limit, r^n approaches zero $(r^n \rightarrow 0)$. For example in a series in which $r = \frac{1}{2}$:

If
$$n = 2$$
, $r^n = \frac{1}{2}$
If $n = 8$, $r^n = \frac{1}{256}$
If $n = 16$, $r^n = \frac{1}{65,536}$

You can see that as n increases, r^n gets smaller and smaller, approaching zero. When r^n approaches zero, (i.e...as n becomes very large) the formula for finding S_n tends to.....

$$\frac{t_1(1-0)}{1-r} = \frac{t_1}{1-r}$$

This equation is written in mathematical terms:

$$\lim_{n \to \infty} S_n \to \frac{t_1}{1-r} \quad \text{or} \quad S_{\infty} = \frac{t_1}{1-r}$$

(where S_{∞} stands for the sum of an infinite geometric progression). (Remember, this formula is valid only when the absolute value of r lies between 0 and 1.)



Perhaps a few problems will help you to understand this formula.

Example 1: Find the sum of an infinite number of terms of the progression $8,4,2,1,\frac{1}{2},...$

Note: $r = \frac{1}{2}$

$$S_{\infty} = \frac{t_1}{1-r}$$

$$= \frac{8}{\frac{1}{2}}$$

$$= 16$$

Example 2: In a geometric progression in which the common ratio is $-\frac{1}{2}$, what must the first term be in order that the sum of an <u>infinite</u> number of terms is equal to 80?

$$S_{\infty} = \frac{t_1}{1-r}$$
 $80 = \frac{t_1}{1-(-\frac{1}{4})}$

$$80 \times 5/4 = t_1$$

$$100 = t_1$$

Note: The progression was $100,-25,+6\frac{1}{2}, \frac{-25}{8}, \frac{+25}{16}, \dots$ The sum of these terms approaches 80.

(Those students interested will find the derivation of the formula for finding S_{∞} on page 269, para. 15-11 of "ALGEBRA and TRIGONOMETRY" by Alvin K. Bettinger and John A. Englund. Scranton: International Textbook Company, 1960.

17. 20-1-7 - W

.

APPENDIX E

Student Typing Instructions for use with the IBM 1052 Printer-Keyboard

STUDENT TYPING INSTRUCTIONS

for use with

the

IBM 1052 Printer-Keyboard

10.

COMPUTER ASSISTED INSTRUCTION AND YOU

Some people talk to horses, some people talk to themselves, and some people talk to computers. If you would like to become a member of the latter group (probably the sanest of the lot!), press onward.

The enclosed instructions are designed to simplify your conversations with the IBM 1401 (that's the computer). It'll probably take a few minutes before you feel comfortable on the keyboard. (Some people never do feel comfortable on keyboards!).

Above all --- relax and enjoy yourself!

The latest control of the latest

HOW TO TALK TO THE COMPUTER

.....You will already have been registered as a student in this course before you first meet the computer.

.... The name of the course is "appp" (arithmetic progressions, geometric progressions).

.....You will be assigned a particular number (for example, s1234).

Now, when you are ready to "sign on" the machine, follow the procedure below:

- 1. Check with the operator to ensure that the computer is ready.
- 2. Wait for the typewriter's green PROCEED light to come on (You can never type unless it is), and then
- 3. Engage in the following exchange:

You : sign on (EOB)*

Computer: type course name

You : apgp (EOB)

Computer: type your number

You : s1234 (EOB) (for example)

Computer: your name is John Doe

Section A INTRODUCTION AND DEFINITION

You : (EOB)

Computer: --- The first question---

You : your answer (EOB)

Computer: --- Comment and next question---

You : your next answer (EOB)

and

so

on

The state of the s

: 3 of

Ugott and

....

and the same of th

17.

114)

1 .f v (() ==

1.4

-

. .

4. When you wish to terminate the dialogue:

You : sign off (EOB)

Computer: you have been signed off.

(You may sign off at any time).

^{*(}EOB) stands for "end-of-block". To "execute" an EOB, you must hold down the ALTERNATE CODING key and then press the 5-key. This must be done after every student response.

.*

OPERATING NOTES

- 1. Always check with the operator to ensure that the system is ready; then sign on.
- 2. The typewriter's green PROCEED light must always be <u>ON</u> before you can type.
- 3. The PROCEED light can cycle on and off indefinitely before you commence typing---don't worry about it.
- 4. However, once you have started typing your response, if you hesitate too long (approximately 10 seconds) between striking any two keys, the PROCEED light will go out. This means you have lost your message. When the light next comes on, you must follow the CANCEL procedure of item 5. (In order to avoid this delay, just make sure you know what you want to say before you commence typing).
- 5. If you make an error, and realize it <u>before</u> you type the EOB, your message can be cancelled by <u>holding down</u> the ALTERNATE CODING key while pressing first the zero (CANCEL) key, and then the 5 (EOB) key. The machine will type "please repeat", and you must then retype the entire message.
- 6. If you make a typing error, but do not notice it until <u>after</u>
 you type the EOB---it's too late! The computer will analyze your response
 as you typed it and respond accordingly. If you have, for instance, misspelled a word, the computer will interpret this as an incorrect answer.
 So be careful----Take your time.
- 7. You may at any time type, for example, "go to a5 (EOB). This will branch you to the question named. A list of subject areas and associated labels will be furnished to you for reference purposes.

5

The second secon

- 8. You may type "sign off (EOB)" at any time. When you "sign on" again, you will automatically return to the place in the course where you last signed off.
- 9. You may, Any Time You Are Confused, type help (EOB)

 The correct answer will then be supplied. You must then type back the same answer if you wish to continue.
- 10. In addition, if you are stuck on a particular problem, press the EOB keys and the computer will give you a hint. If you are still stuck, press them again and you will receive another hint.
- 11. Consult the MALFUNCTION PROCEDURES list on the bulletin board beside the typewriter if the system appears to be functioning abnormally, or not at all.
- 12. Don't Let the Machine Rush You. The PROCEED light can cycle on and off for hours before you start to type. It won't hurt anything if it does. So take your time.

TYPING INSTRUCTIONS

The computer does <u>not</u> forgive typing errors, misspelling, etc. If you press any key by mistake, do <u>not</u> try to correct the situation in any way except by following the CANCEL procedure above.

Often an answer can be typed in one of several ways. Usually all normal forms will be accepted as correct. However, several conventions have been established to simplify your typing.

- No unnecessary spaces, periods, zeros, or plus signs should be typed.
- 2. Don't use upper case letters (capitals).
- 3. Use a slash(/) for fractions (\(\frac{1}{4}\). incorrect; 1/4, correct).
- 4. When using a whole number with a fraction, place a space between the whole number and the fraction(31/2, incorrect; 3 1/2, correct).
- 5. Use numerals instead of spelling out numbers. This typewriter has the number 1 available; do not use the small L.
- 6. Push the LINE-FEED button before typing a subscript (this button causes the typewriter to print one-half line <u>below</u> the main line).

 Then, after typing the subscript, press the BACK-FEED button to return to the main line.
- 7. Use BACK-FEED for superscripts (a²), followed by LINE-FEED to return to the line.
- Never give units (ft.,\$,etc.) unless they are specifically requested.
- 9. Plus signs are understood and need <u>not</u> be typed. However, you <u>must type in minus signs where</u> applicable.

¥_____ Ç3. This may look like a large amount of rules. They'll come easy once you've started. What it all boils down to is that we have simplified your typing as much as possible. All you have to do is type your answer and hit the EOB--- No capitals, no spaces, no punctuation. Simple, eh??

GOOD LUCK!

APPENDIX F

Flow Charts

of


Programmed Instruction Course

in

Arithmetic and Geometric Progressions




GENERAL PROGRAM FLOW CHART





FLOW CHART SYMBOL KEY


- Connector
- Non-branching question(s)
- Branching question(s)
- Read statements
- Counter
- Set counter instructions
- Loop indicator
- Machine function
- Flow - Correct answer - Wrong answer

























































































































37. (33.), 4. (37. 9/6)

















APPENDIX G

IBM 1401, 1440, or 1446 Operating System

Computer Assisted Instruction





Systems Reference Library

IBM 1401, 1440, or 1460 Operating System Computer Assisted Instruction

This reference publication describes the IBM Computer Assisted Instruction (CAI) program for the IBM 1401, 1440, or 1460 Data Processing System. Included is a general description of CAI as an aid in writing and presenting instruction courses through the IBM 1050 Data Communications System. The flexibility of CAI makes it the ideal program for the school, industry, or military institution experimenting with advanced teaching techniques. Used experimentally, it can be evaluated by the educator himself for its proper place in the education picture.

For titles and abstracts of associated publications, see the *IBM 1440 Bibliography*, Form A24-3005, the *IBM 1401 and 1460 Bibliography*, Form A24-1495, and the *IBM Tele-processing Bibliography*, Form A24-3089.

Preface

IBM is always vitally interested in the progress of education. Computer Assisted Instruction (CAI) is seen as an important contribution to that progress at a time when educational methodology is receiving critical appraisal. Rapid advances in technology are being made in our educational institutions, in industry, and in military establishments. Here CAI can serve experimentally as a laboratory in developing educational courses that offer potential for:

- 1. Higher rates of retention
- 2. Acceleration of curriculum and training
- 3. Uniformly high teaching standards.

Major Revision, March 1965

This publication, Form C24-3253-1, is a major revision of, and obsoletes, Form C24-3253-0. Changes have been made throughout the publication. Most of the changes consist of clarification and expansion of technical details.

Copies of this and other IBM publications can be obtained through IBM Branch Offices.

Address comments concerning the content of this publication to IBM Product Publications, Endicott, New York 13764

Contents

Computer Assisted Instruction for	
1401, 1440, or 1460	5
Programmed Instruction	5
Computer Assisted Instruction	5
Machine Requirements	6
An Experimental Tool	7
Author	8
Student	9
Functional Features	9
Student Response Recording	10
Coursewriter Language	10
Instruction Format	10
Counters	13
Functions	13
Text Formating	14
CAI Procedures	15
Author Control Words	15
Student Control Words	16
Proctor Control	17
Non-Educational Mode Operations	19
Course Writing and Instructional Techniques	19
Sample Sequences	19
Variations in Student Answers	23
Appendix	28
Glossary	29
Index	30



Figure 1. Instructor and Students at Printer-Keyboard

The problems that beset our educational systems concern all of us. Although rapid increases in population, crowded schools in selected areas, and shortages of qualified teachers have gained widespread attention, the problems are not those of the school and university alone. All areas of business must keep in step with the continually changing training requirements brought about by dynamic changes in technology. Each technological advance also broadens the spectrum of skills the military must learn. Solutions, which must be found soon, may bring innovations in our teaching and training methods.

Programmed Instruction

For many years, self-instruction devices or "teaching machines" have been available. Although their value as "teachers" may be limited, many have been found valuable in helping the student to progress at his own rate according to his abilities. Most of these techniques can be grouped under the name of programmed instruction.

Over thirty years ago, S. L. Pressey devised an automatic testing machine that was soon used as an instructional device. This device appears to be the first of the many and varied teaching machines. These early machines were primarily testing devices displaying one question at a time. Most of them were designed so the student had to answer each question correctly before proceeding to the next question.

A number of educators and researchers have contributed to the recent increase in interest in teaching machines. In 1954, B. F. Skinner described an experimental teaching device designed to present a carefully programmed set of instructions. He introduced the use of constructed answers instead of multiple choice. He placed great importance on carefully organized programming of the course material, reinforcing the student's answer at each step.

As we know it today, a programmed-instruction course presents instructions, questions, answers, and other information to the individual student in a carefully planned sequence (program). Because he actively participates in the course, the student is continuously aware of his progress. Every error he makes is followed immediately with information to help him understand what led him to make the mistake, which he is often required to correct.

In a well-prepared program the student progresses according to his individual capabilities. The more capable student moves faster because he makes fewer errors. The slower student receives the practice and information he needs to aid him in learning. As he grasps the subject, he progresses through the course.

Computer Assisted Instruction

A relatively new method of instruction with many of the advantages of the individual-student instruction is called Computer Assisted Instruction (CAI). This method allows the instructor to use the computer as a means of disseminating instruction to a number of students individually.

Pioneering studies in computer assisted instruction by the IBM research organization were started in 1958 by Gustave J. Rath, Nancy S. Anderson, and Richard C. Brainerd. They investigated the use of a computer and a typewriter to teach binary arithmetic. In these preliminary studies, only one typewriter terminal was used, and instructions to the students were given orally by the instructor rather than by the computer.

The present concept of computer assisted instruction evolved from a system developed by William R. Uttal in 1961. Experiments were performed with a modified IBM 650 Data Processing System and specially designed electrical equipment to connect the student stations to the computer.

Present experimental systems, developed at the Thomas J. Watson Research Center, consist of standard IBM equipment such as:

- 1. Large-capacity storage units
- 2. A central processing or computing unit
- 3. A transmission control unit or message "traffic" regulator
- 4. A buffer or temporary storage unit
- 5. Student teaching stations.

The large-capacity storage units are IBM 1311 Disk Storage Drives, which store the entire contents of the course material along with individual and class performance records and other bookkeeping information. Each section of storage contains an address so that course material can be retrieved from any area of storage.

The processing unit acts as an intermediary between the student and the course material stored in the disk storage units. For example, it retrieves questions from the storage units and presents them to the student through the typewriter, compares the student's answers with all possible answers listed by the instructor, and then follows with appropriate instructions, such as "present next question" or "recommend remedial reading."

While the computer is working on one student's problem, responses from other students are temporarily stored in a buffer memory. The "traffic" of messages between students and computer is directed by the transmission control unit. Because the system handles messages so rapidly, each student feels that the computer is working for him only.

Computer assisted instruction generally follows the pattern of programmed instruction, but represents a significant advance over previous forms of this learning concept. IBM researchers have used computer assisted instruction to explore a number of techniques that represent major advances over earlier approaches to programmed instruction.

An experimental course in elementary statistics, developed by an IBM research psychologist, resembles an advanced version of the "scrambled textbook." In this particular course, however, the student constructs his answers rather than making a multiple-choice answer. The computer compares the constructed answer with anticipated responses stored in the machine to determine what action to take next. By using the computer in this way, a student's path can be "branched" to appropriate remedial material depending on his answer.

In another experiment, an IBM psychologist developed a drill technique for a course in German. After the student completes a reading assignment, a series of translation exercises is presented on the typewriter. This series tests the student's knowledge of the new material. If the student makes an error in translation, he is informed of his mistake and asked to try again. Although there is no limit to the number of trials a student may make, he can ask for the correct answer if he wishes. The computer records his mistakes and later repeats the exercises that were not answered correctly. If the student misses too many exercises, the system presents the entire lesson again later.

As a result of experimentation like this within IBM, we believe that a computer assisted instruction system may open a new dimension in instructional techniques.

Machine Requirements

CAI, when used with each of four systems, requires a minimum of equipment as described here.

1. 1440-1448 System

- 1441—A6 Processing Unit with 16,000 positions of storage with Console Attachment, Direct Seek, Disk Storage Control, Indexing, and Store Address Register, Bit Test, Transmission Control Unit Attachment, and Printer Attachment
- 1442—Card Read Punch Model 1 with Card Read Punch Adapter
- 1443—Printer Model 1 with Selective Character Set and Printer Control
- 1447-Console Models 1 and 4 with Sense Switches
- 1311-Disk Storage Drive, one Model 1 and one Model 2 with Direct Seek feature
- 1448—Transmission Control Unit Model 1 with 1050 Attachment feature, Fixed Time-Out feature (New Line and Line Feed, Horizontal Tab), and, as required: Line Group, Line Adapter Set, Common Carrier Adapter Set attached to lines 1 through 12. The user can also optionally specify Text Time-Out Suppression to prevent the timer from operating at the normal 9-18 second disconnect. This optional feature is to be used with the Text Time-Out Suppression on the 1051 Control Unit.
- 1050—Data Communication System, up to 12 systems, each consisting of a 1051 Control Unit Model 2 with an "A" Terminal Identification Letter and a 1052 Printer-Keyboard with the First Printer feature. (If desired, the Text Time-Out Suppression feature can be ordered on the 1051 as a required companion to the one specified on the 1448.)

2. 1460-1026 System

1441—B Processing Unit with 12,000 positions of storage with Disk Storage Control, Direct Seek, Indexing and Store Address Register, Bit Test, Transmission Control Unit Attachment

1447-Model 1 with Sense Switches

1461-Model 1

1402-Model 3

1403-Model 2

- 1311—One Model 1 and one Model 2 with Direct Seek
- 1026—As many as four Model 1's. The first 1026
 Transmission Control Unit must have the Expanded Line feature and as many as three

additional 1026 Model 1's each with the Additional Line feature. The user can also optionally specify Text Time-Out Suppression to prevent the timer from operating at the normal 9-18 second disconnect. This optional feature is to be used with Text Time-Out Suppression on the 1051 Control Unit.

1050—Data Communication System with as many as four systems each consisting of a 1051 Control Unit Model 2 with an "A" Terminal Identification Letter and a 1052 Printer-Keyboard with the First Printer feature. (If desired, the Text Time-Out Suppression feature can be ordered on the 1051 as a required companion to the one specified on the 1026 components.)

3. 1440-1026 System

1441—A5 Processing Unit with 12,000 positions of storage with Direct Seek, Disk Storage Control, Indexing and Store Address Register, Bit Test, Interrupt, Transmission Control Unit attachment, Print Attachment

1442-Model 1 and Adapter

1443—Model 1 with Selective Character Set and Printer Control

1447-Model 1 with Sense Switches

1311—One Model 1 and one Model 2 with Direct Seek

Transmission Control Unit must have the Expanded Line Feature, and as many as three additional 1026 Model 1's each with the Additional Line Feature. The user can also optionally specify Text Time-Out Suppression to prevent the timer from operating at the normal 9-18 second disconnect. This optional feature is to be used with Text Time-Out Suppression on the 1051 Control Unit.

1050—Data Communication System with as many as four systems, each consisting of a 1051 Control Unit Model 2 and a 1052 Printer-Keyboard with the First Printer feature. (If desired, the Text Time-Out Suppression feature can be ordered on the 1051 as a required companion to the one specified on the 1026 components.)

4. 1401-1026 System

1401-Model B, C, or E with 12,000 positions of storage with Disk Storage Adapter, High-

Low-Equal Compare, Advanced Programming, Bit Test, Console Auxiliary Adapter, Sense Switches

1402-Model 1

1403-Model 1

1406-Model 2

1409-Model 2

1311—One Model 4 and one Model 2 with Direct Seek

1026—As many as four Model 1's. The first 1026
Transmission Control Unit must have the Expanded Line feature, and as many as three additional 1026 Model 1's each with the Additional Line feature. The user can also optionally specify Text Time-Out Suppression to disable the timer from operating at the normal 9-18 second disconnect. This optional feature is to be used with Text Time-Out Suppression on the 1051 Control Unit.

1050—Data Communication System with as many as four systems, each consisting of a 1051 Control Unit Model 2 and a 1052 Printer-Keyboard with the First Printer feature. (If desired, the Text Time-Out Suppression feature can be ordered on the 1051 as a required companion to the one specified on the 1026 components.)

An Experimental Tool

Because the application of computers to instruction is relatively recent, experience with the implementation of educational methodology on data processing systems is limited. Therefore, many questions of effectiveness are difficult to dispose of experimentally. It is, thus, particularly desirable to undertake research where the scope of the course material is known, the competence involved in taking the course is understood, and the quality of learning can be measured on completion.

The experimental techniques outlined in this publication are so practicable that it is appropriate today to begin evaluating those research questions that can best be answered through system use. CAI is, therefore, presented, not as a complete solution to any one problem, but as an experimental tool in discovering new dimensions in education.

CAI programs the data processing system (Figure 2) to act as a medium between the instructor and a number of students. Both instructors and students can participate in the course at various locations (local and remote) and at various times or at the same time. With



Figure 2. IBM 1440 as Control Center for IBM 1050 System Terminals

the IBM 1401 or 1440 as the course processing center, an IBM 1050 Data Communications System acts as the communication link between the students and the computer (Figures 3 and 4).

Through CAI, the author writes his course so that each student receives individual instruction. He has a freedom that few teachers possess in the classroom. He guides his students along the path best suited to each. The advanced student does not cover any material that the instructor feels is unnecessary to his progress or

that might be below his level. The slow student reviews important steps that he finds difficult to understand.

Author

CAI enables the author to organize the course in any way he wishes, evaluating the student's capabilities, learning his background, giving him assignments, asking questions, and then directing him to the parts of the course that best suit him. The author may use




Figure 3. Typical 1440-1448 Computer Assisted Instruction System Configuration

various sequences of questions, statements, and instructions. He may use the familiar "frames" of programmed instruction, or he may turn to a method of instruction quite dissimilar to it. Not only can he write his course while the students are taking it, but he can also go back and revise immediately if he wishes. The computer's statistical analysis of the students' reactions gives the author an accurate report of the results of his course. Such reports facilitate his readily revising and improving the course based on actual experience even before the students have completed it.

As he receives the reports, he continuously realizes how he can better adapt the course to the individual




Figure 4. Typical 1401-1026 Computer Assisted Instruction System Configuration

student. It takes only a few such reports to suggest to the author new and varied levels and paths for students to follow.

Student

The student paces himself, with the knowledge that the program will direct him at the proper time to the part of the course that best suits him.

Students may participate in the course at various times. No prescribed time schedule is necessary. If a student reaches an impasse, he calls for "help" from the computer in the form of the correct answer. The statistical analysis of the student's progress measures his efforts and abilities.

Functional Features

CAI consists of:

- 1. A monitor to supervise writing and presenting courses.
- 2. An assembler to enable authors to communicate with the computer when writing and revising courses.

The CAI program:

- 1. Enables authors to write and correct course material while students are taking courses.
- 2. Enables a proctor, who operates the system, to undertake administrative routines.
- 3. Collects data on student's responses for later analysis.
- 4. Enables authors or programmers to add new capability to CAI if they are thoroughly knowledgeable with the internal program organization.
- 5. Operates as many as five courses per disk pack simultaneously.
- 6. Uses as many as twelve IBM 1050 point-to-point (one student/author terminal) lines with an IBM 1448 Transmission Control Unit, and as many as four lines with four IBM 1026 Transmission Control Units. This does not imply that a maximum of only twelve students can use the system, for more than one student, or even an entire classroom, might share a terminal. Figure 5 shows the 1050 terminal with a Formaliner*.

All course input and output to the system is typed on the printer-keyboard of the IBM 1050 Data Communi-

^{*} Available from Moore Business Forms



Figure 5. Typical Student Printer-Keyboard at івм's Thomas J. Watson Research Center

cations System, which may be remote from the computer. The course material is then stored on an IBM 1316 Disk Pack. These interchangeable packs provide large and flexible course storage capability.

Two drives are required for minimum operation of the system. One drive is for recording student responses. The other drive contains system subroutines, identification, course records for the maximum of five courses per pack, storage for author functions and course material, and student records.

Student responses are streamed out in 300-character records while students are taking the course. When authors and students have completed their learning activities, the proctor can place a utility program on the system to extract and print response data for analysis. Such utility programs can only be operated in the non-educational mode (when no students or authors are using the system).

Student Response Recording

Eight choices are available to the author for recording student responses:

- 1. Correct responses
- 2. Incorrect responses
- 3. Correct and incorrect responses
- 4. Unrecognizable responses
- 5. Correct and unrecognizable responses

- 6. Incorrect and unrecognizable responses
- 7. Correct, incorrect, and unrecognizable responses
- 8. No recording.

The author should specify to the proctor the type of recording desired for each student at the time the student is registered.

In addition to the actual response, the system records the student's number, the course name, the location of the question in the course, the type of response, the date of the response, and the contents of student counters. The system does not record the student's use of the *help* and *go to* control words.

Coursewriter Language

An author writes his course by keying it on the type-writer-style IBM 1052 Printer-Keyboard in the form of sequential instructions. As a guide to the format of his course statements, the author may use a Coursewriter Instruction Sheet, Form X24-3336 (Figure 6). With the instruction sheet, a secretary can key in the course material thereby optimizing system time.

When the course is completed or partially written, students may begin the course from the same or another keyboard.

As the author writes the course, it is stored on the IBM 1316 Disk Pack. He can modify any part of the course at any time — even while students are actively participating in the course. The only restriction is that the author cannot modify a course statement at the same time that a student happens to be using that instruction.

The Coursewriter language has two parts:

- 1. A set of 12 instructions or operation codes used by the author while writing his course to instruct CAI how to use this course material with students.
- 2. A set of control words to CAI to aid the author in writing his course, help the student while taking a course, and assist the proctor in operating the system.

Instruction Format

Each course statement has three parts: the *label*, the *operation code* and the *text*, which is also called the course material.

1. *LABEL*. The label (or a sequence number relative to the label) allows unique identification of each "block of print" (up to a 150-character message




Figure 6. Coursewriter Instruction Sheet

completed with an end-of-block character). A label consists of one to ten alphabetic or numeric characters, or a combination of both. All statements immediately following a label are sequenced automatically by the assembly program. To define a label, the author keys a carrier return (when in the operation-code field), the label, and an end-of-block code. The program then executes a carrier return, prints the number "1" in the label field, and spaces to the operation-code field. All blocks of print are numbered sequentially by the program up to the next label.

2. OPERATION CODE. The operation code defines the action to be performed on the third part of the course statement, which is called the text or course material.

The twelve operation codes must be typed in *lower* case characters by the author. He must always key one space after the operation code. The operation codes come under two classifications: major and minor.

The major operation codes are: rd, qu, ca, wa, un, nx, cb, and wb. The minor operation codes are: ad, br, and ty. The fn operation code may be used as either a minor or major operation code.

The major operation codes are always executed in the order they are presented in the course by the author. The major operation codes determine the use of the minor operation codes, which follow them.

The operation code mnemonics and their meaning to CAI are:

- rd causes the program to print the course material on the student printer-keyboard. CAI then waits for the student response. Any response from the student causes CAI to execute all minor operation codes following this instruction and then proceed to the next rd or qu instruction.
- qu causes the program to print the course material on the student printer-keyboard. CAI then waits for the student response. Upon receiving the response, CAI executes all minor operation codes following this instruction and, at least, the first major operation code that follows this instruction.
- ca specifies that the text of this instruction is an anticipated correct answer to the last qu instruction. It causes the student response to be compared with the text of this instruction. If the response and the text are identical, all minor operation codes that follow this ca or set of ca and cb instructions are executed. CAI then proceeds to the next rd or qu instruction. If the response and text are not identical, CAI executes the next major operation code.

- cb specifies that the text of this instruction is another correct answer. It must follow a ca or another cb instruction. The cb instruction causes CAI to react to the student response in the same manner as it does to the ca instruction.
- wa specifies that the text of this instruction is an anticipated wrong answer to the last qu instruction. It causes the student response to be compared with the text of this instruction. If they are identical, all minor operation codes that follow this wa or set of wa and wb instructions are executed. If a ty instruction is not included in the set of minor operation codes that follow, the word "incorrect" is typed out by CAI. CAI then returns to the first major operation code following the last executed qu instruction and waits for the student to respond again. If they are not identical, CAI executes the next major operation code
- wb specifies that the text of this instruction is another wrong answer. It must follow a wa or another wb instruction. The wb instruction causes CAI to react to the student response in the same manner as it does to the wa instruction.
- un specifies that the student response is an unrecognizable answer. It causes the program to print the text of the statement on the student printer-kevboard. CAI then executes all minor operation codes that follow this instruction. CAI then returns to the first major operation code following the last executed qu instruction and waits for the student to respond again. If multiple un's are defined for the same question-answer group, the first un text is displayed for the first unrecognizable student response, the second un text for the second response, and the nth un text for the nth response. The last un is repeated if more unrecognizable responses are given. The limit on the number of un statements for one question-answer group is ten. If this limit is exceeded, the tenth un statement is repeatedly recognized by CAI, and the additional un statements are ignored.
- nx causes CAI to execute all minor operation codes that follow this instruction and, at least, the first major operation code encountered. The nx instruction has no associated text. This operation follows only an answer set. Its purpose is to alert the program to execute the minor operation codes that immediately follow the nx if the response received from the student disagrees with the text of the answer set preceding the nx instruction.
- ty causes CAI to print the text of this instruction on the student printer-keyboard. CAI then proceeds according to the logic of the major operation code that caused this instruction to be executed.

ad causes CAI to add the contents of one student counter or a constant to another counter. There are 10 three-digit counters per student per course. If the operands of the ad instruction are unsigned, CAI assumes a plus (+) sign. If the second operand is omitted, CAI assumes that the second operand is the same as the first operand. If the last operand is not a counter, the instruction is ignored by CAI. The format of the ad instruction is:

ad
$$\pm$$
 or $//$ \pm counter constant

br causes CAI to execute the instruction associated with the label specified in the text of the br instruction. This instruction is executed unconditionally if it has only one operand. If there is a second and third operand (they may be counters or constants), these operands are added in a work area. If the total is zero or negative, CAI branches to the location specified in the first operand and executes the first instruction encountered there. If the total is positive, this instruction is ignored. If the operands are unsigned, CAI assumes a plus (+) sign. If the third operand is omitted, CAI assumes that the third operand is the same as the second. The format of the br intruction is:

Unconditional br br label

Conditional
$$br$$
 br label// \pm or // \pm or constant constant

fn causes CAI to call and execute a machine-language subroutine residing on the systems pack. This permits wide flexibility in experimenting with new computer techniques in teaching. The text field contains the name and operands of the subroutine.

3. TEXT. The text (or course material) may be instructions to the student, questions to the student, predicted correct or wrong answers from the student, labels to serve as reference points in a course, counters, or names and operands of functions.

Counters

CAI automatically provides 10 three-digit counters for each student in each course. The counters are identified by the author by referring to them as c1 through c10. When referenced by the author, the "c" must be a small letter. If a counter number higher than 10 is used, CAI will accept the second digit from the left as the valid counter number.

The counters may be used by the author for record keeping while the student is taking a course. The counters are used with the *ad* and *br* operation codes.

By testing the counters with the conditional br instruction, the author may provide varying paths through his course for a student, based upon the student's performance.

A counter can be reset to zero by using the *ad* instruction. This instruction, in effect, permits the counter to be subtracted from itself and thereby resets itself to zero. This is how counter 1, for example, may be reset to zero:

$$ad -c1//c1$$

Functions

Functions are machine-language subroutines. They must be written by a person familiar with the internal structure of CAI. They permit the user to add new capabilities to the system.

A function read from the disk pack may reside in one of two or three 900-position areas in core storage.* These areas are set aside by CAI solely for use by the functions. CAI initializes index register 1 to contain the address of the area in core storage in which the function is to reside. Therefore, all instructions referencing a location within the area where the function is located must be modified by index register 1.

Index register 3 contains the address of the line input/output area. All function subroutines must begin with these three autocoder instructions:

ORG 918

DCW 'function name' (function names must be exactly 10 characters)

SW
$$266 + X3$$

· (main body of the function in autocoder)

Before leaving the function subroutine, the instruction:

CW
$$266 + X3$$

must be executed.

The area assigned by CAI to a function may be reserved exclusively for that function by inserting an instruction within the function. Once an area is re-

^{*}The 1440-1448 system provides for three 900-position areas. The 1440-1026 and the 1401-1026 systems provide for two 900-position areas in core storage. The capacity of any one function is 900 characters.

served, no other function may use that area until it is released. This instruction is used for reserving an area:

A one
$$+ X1$$
, $902 + X1$

The label "one", representing number 1, should be defined by a DCW. The instruction for reserving the area may be coded after a word mark is set in position 266 + X3. When the area is to be released, the "one" should be subtracted from 902 + X1. This instruction should immediately precede the clear word-mark instruction.

Function subroutines are called, relocated and entered automatically when encountered by CAI. However, the exit from a function subroutine must be an autocoder branch instruction to the appropriate point in the CAI program. This means that the person writing a function subroutine must use a program listing of the CAI program.

Functions are loaded on the Systems pack by the Functions Load program.

Four general function routines are provided initially for the author. These functions are editls (edit-one-s), editla (edit-one-a), limitle (limit-one-c), and limitlw (limit-one-w).

edit1s This function must immediately follow a ca or wa instruction. When executed, it edits out certain characters from the student's response. The characters to be edited are specified as operands of the functions.

There are five possible operands. The author may specify any one or more in any order.

sh as an operand instructs the function to remove all up- and down-shift characters.

sp as an operand instructs the function to remove all space characters.

tab as an operand instructs the function to remove all tab characters.

c/r as an operand instructs the function to remove all carrier-return characters.

all as an operand instructs the function to remove shifts, spaces, tabs and carrier-return characters.

As each character is removed, the remainder of the message is packed together. After the student's response is edited and compacted, a comparison with the previous ca or wa results in action according to the rules of ca or wa.

edit1a This function must immediately follow a ca, wa, or fn edit1s instruction. When executed, it operates on the text of the preceding ca or wa operation code.

The characters to be edited out are specified as operands of the functions. The ca or wa instruction is then executed.

The definitions of the operands are the same as defined under *edit1s*. This editing does not change the original course statement. The comparison results are the same as for edit1s.

limit1c This function, when executed, compares the student's response to determine whether it is within the numerical limits, inclusively, specified in the operand of the function. This function, in effect, takes the place of a ca instruction.

Based upon the comparison, the function directs the program to proceed in the same logic as specified for a *ca* operation code. The maximum-size constant is a ten-character decimal number. The ten-character decimal number may contain ten digits on either side of the decimal point. Therefore, there may be as many as twenty digits in the one constant. If the sign is omitted, a plus sign is assumed.

Op Code	Name	Operands				
fn	limitle	//±constant//±constant				

limit1w This function is identical to limit1c except that, based upon the comparison of the student's response to the operand of the function, it will proceed with the logic of a wa operation code.

Op Code	Name	Operands					
fn	limitlw	//±constant//±constant					

Text Formating

To align the left margin of the printed material for teaching, the author writes his course material in a specified manner. For a *qu*, *rd*, *ty*, or *un* operation code, if the author wants the carrier returned so that the following response typed by the student is at the left margin, he ends the argument with a carrier return and an end-of-block code (rather than only an end-of-block code).

For a ca, cb, wa, wb, br, ad, fn, or nx operation code, only an end-of-block code is necessary because the program automatically causes a carriage return after each block of print is typed.

The author has a choice of having the student's response typed on the same line that the question appears or on a separate line with the qu, rd, ty, or un operation code. If the author wants to have the student's response appear on a separate line, he must key a carrier return after each of these instructions. If he does not, the student's response is typed on the same




Figure 7. Typical Author Entries

line as the course material and CAI returns the carrier automatically when the response is completed.

When a student is taking a course, he must end each response with an end-of-block code.

Figure 7 illustrates the varied formats of a line of print, a block of print, and a course statement. Notice that a block of print is completed by an EOB character typed by the author. A block of print cannot exceed 150 characters. Multiple blocks may be used with the rd, qu, un, and ty operation codes.

In Figure 7, the dash (—) represents a space. The periods (...) represent text. The space, the EOB character, and the carrier-return character (c/r) do not print. The label-sequence numbers print automatically. In Figure 7:

The ten-position label field contains Chapter.

The two-position Op-code field contains qu.

From qu through the following c/r is a line of print.

From qu through the following EOB is a block of nrint.

From qu through the second EOB is a course statement. (A course statement can include many blocks.)

The author can type as many as 149 text characters before giving an end-of-block code. If additional blocks are required, the author continues by spacing three spaces past the operation code and then typing the text.

CAI Procedures

Three groups of control words enable authors, proctors, and students to use CAI.

Author Control Words

Ten control words aid the author in writing, revising, and checking his course. They are:

sign on
insert after
end
type
delete
move
go to
help
author
sign off

The ten control words must be typed in lower-case (small) letters. The control words and a description of each are as follows:

sign on To begin work on a printer-keyboard, the author must use the control word sign on. The course pack must be loaded on the system by the proctor before the author signs on.

insert after To begin writing or to continue writing a course, the author types on his printer-keyboard:

insert after label
or
insert after label-sequence

If the author is beginning a course, this control word defines the label as the first label of the course. If he is continuing a course, the label-sequence number specifies the statement he wants the new material to follow. The program responds to this instruction with the next sequence number. The author then begins to write the course.

The author writes the course by typing an operation code, a space, the text corresponding to the operation code, and the end-of-block code. The CAI program checks for valid operation codes and assembles the course on the course disk pack. If an operation code is invalid, the author is notified with a message. He may then repeat the statement with the correct code.

For the *br* instruction, CAI inserts the branch address that has been equated by CAI to the label specified by the text. If this label has not been defined at this stage of writing the course, this condition is noted and, when the label subsequently becomes assigned, CAI inserts the branch address automatically.

end The author must use the control word end to specify to CAI that he has finished working with the insert after control word. No other control word may be used after the author has used the *insert after* control word except *end* and *sign off*. To use the *end* control word, the author need only type: *end*.

type If the author wants part or all of his course typed on his printer-keyboard, he uses the control word type. This control word may be used in four different formats. They are:

1. To receive a type-out of a section of the course, this format may be used:

type label-sequence//label-sequence

2. To receive a type-out of a section of the course starting at a specified point and continuing to the end of the course, this format may be used:

type label-sequence

3. To receive a type-out of a section of the course starting at the beginning of the course and continuing to a specified point, this format may be used:

type//label-sequence

4. To receive a type-out of the entire course, this format is used:

type

Note: The double slash (//) is a delimiter character used with the CAI control words and the functions as a method of separating data fields.

delete The author uses the delete control word to remove statements from his course. The author types delete and one or two label-sequence numbers on the printer-keyboard. If only the one label-sequence number is specified, only the statement associated with this label-sequence number is removed from the course. If two label-sequence numbers are given, the associated statements and all statements between them are removed from the course. These formats are:

delete label-sequence delete label-sequence//label-sequence

Because the statements deleted are only flagged, but not destroyed, the space where the deleted statements resided is not available for other course material until after the proctor control word *reassemble* has been used.

If a label is deleted, all *br* instructions that refer to that label will, upon execution, cause the student to be signed off the computer automatically by CAI. If the author redefines the deleted labels at any point in the course, all *br* instructions referring to that label are adjusted automatically by CAI.

move To relocate a segment of his course from one section to another, the author types the control word move and three label-sequence numbers on the printer-keyboard. The first two label-sequence numbers identify the section of the course the author wants moved. The third label-sequence number indicates the block the author wants the section to follow. This format is:

move label-sequence number//label-sequence number//label-sequence number

go to To check out a specific section of his course, the author types the control word go to and the label or label-sequence where he wants to start. This label or label-sequence should immediately precede a qu or rd instruction. CAI proceeds in the same manner as it would when a student takes the course. This format is:

go to label-sequence

help This control word instructs CAI to display the first correct answer specified by the author to a particular course question. This control word may be used by an author only when he is checking out a course (see go to control word above). It also provides the label-sequence of the previous qu instruction so the author can determine his location in this course. CAI then proceeds to the next rd or qu instruction. This format is:

help

author This control word tells CAI that the author has finished checking his course. Any of the other author control words may now be used. The format for the author control word is:

author

sign off Just as the author had to sign on to alert CAI, he must also sign off to indicate he has stopped working. The format for this is:

sign off

Note: Any one of these words used alone will not be accepted by CAI as a complete student response: help, go to, sign off, author. This is because they are used exclusively as control words.

Student Control Words

To enable him to proceed correctly through course material and to provide the CAI program with controls for proper student performance, the student may use these four control words: $sign\ on,\ help,\ go\ to,\ and\ sign\ off.$

Like an author, a student must sign on to begin taking the course or continue taking the course from where he left off previously. The student, after signing on, supplies CAI with his course name and student number. The program responds with the student's name. The program then begins teaching the course where the student last left off.

While taking a course, a student may exhaust all the course support the author has included as instructions or textual material. If so, the student types *help*. The program displays the first correct answer, specified by the author, to the particular course question. The student must respond with the same answer or one of the same set before the program will continue to the next *qu* instruction.

An author may wish the student to have a vocabulary list of key words representing labels where remedial course material can be found. If the student wants to refresh his memory, he types the control word go to followed by the label (key word) the author has provided. The program continues at the statement associated with this label.

If the student wants to stop working with CAI, he should type *sign* off on his printer-keyboard.

Proctor Control

All initially used disk packs must be cleared with blanks. For information concerning this procedure see the Systems Reference Library publication *Disk Utility Programs Specifications for IBM 1401, 1440, 1460 (with IBM 1301 and 1311)*, Form C24-1484. Twelve control words enable the proctor to administer CAI efficiently. A proctor may use any of the printer-keyboards on the system when keying in the appropriate control data. The proctor control words are:

```
sign on proctor
register author
register student
register recording
date
line
poll
status
sign off line
control
remove author
remove student
remove recording
halt
```

reassemble

sign off.

These four request words are available with the *line* control word.

The twelve proctor control words must be typed in lower-case characters. The control words and a description of each are:

sign on proctor To begin work on a printer-keyboard, the proctor must use the control word sign on proctor. This control word signals CAI that what follows are control words to specify program operations that administer the system.

register author The registration of an author on the computer also registers a course at the same time. Courses are placed on disk drives specified by the proctor during the author registration routine.

The computer, during this procedure, tells the proctor how many sectors are available for the course. The number of statements specified for the course must not exceed the number of sectors available.

The author registration routine requires the drive number where the course is to be located, the course name, the number of students to be registered, the number of disk sectors required for the course, and the author's name and number.

register student The procedure followed by the proctor to register a student is similar to the one used to register an author.

The student registration routine requires the course, student responses to be placed in disk storage, and the student's name.

Seven available characters, numbers 1 through 7, designate what student responses the author wants recorded in disk storage. If none of the responses is to be stored, the proctor leaves the space in the procedure blank. This is done by pressing the space bar, which sends a blank character to the computer. The computer then types the delimiter lines and the student's name.

The characters in number form and what responses they represent are:

- 1 Only correct answers
- 2 Only wrong answers
- 3 Both correct and wrong answers
- 4 Only unrecognizable answers
- 5 Both correct and unrecognizable answers
- 6 Both wrong and unrecognizable answers
- 7 All correct, wrong, and unrecognizable answers

blank None

register recording One disk pack should be reserved for student responses. The responses to be recorded are designated during student registration by the recording option. The recording pack should be registered if a new pack is to be used or a new section on a pack already in use is to be set aside for the responses.

Registration of the recording pack is necessary unless the pack used the previous day is to be continued. This pack is already registered and need not be registered again (see section titled *Remove Recording*).

date A date routine permits the CAI program to place the current date on each of the student responses. This provides the author with a record of how the student may have answered a question on a particular day. The date is specified by giving the month, day, and year.

line Four requests are available to the proctor whenever he uses the line control word. They are: poll, control, status, and sign off line.

poll The proctor may poll all lines at once or he may activate them one at a time, and as many as he wants, by repeating the polling routine.

status The status request is used when the proctor wants to know what activity is taking place at another printer-keyboard. The status information includes the author or student record and the line constants at the point in the course where the author or student is working at the time the request is made. This information is printed out on the proctor's printer-keyboard.

sign off line The sign off line request is used by the proctor to sign off a printer-keyboard left on by a student or author. The proctor may sign off a unit from another unit.

control The control request is used to deactivate all lines or one line at a time. The line of the proctor is not deactivated at any time. In order for the deactivated line to be used again, the proctor must poll it.

remove author This control word enables the proctor to make both the author and his course unavailable for use by the system.

Note: The control word reassemble enables the proctor to re-create a course that had been removed.

remove student This control word enables the proctor to remove a student from a course.

remove recording At the end of each day, the proctor should update the disk addresses of the student responses. This is an important routine. It provides for continuous recording of sequenced addresses.

If the response recording pack is not updated, the responses recorded the following day will begin at the same address as the previous day, destroying

those earlier responses as new responses are being written over them. Also, if the disk addresses are not updated, the extract and print utility program will be unable to retrieve that day's responses because the computer will not know where they are.

halt The proctor may use the halt control word whenever he wants to stop all printer-keyboards temporarily. When the proctor uses the control word halt, all lines will cease to function at the next end-of-block condition. No one is signed off the computer. To restart all units, the proctor need only press START on the console.

reassemble Reassembling a course allows a proctor to increase or decrease the disk space assigned to this course, increase the number of students assigned to this course, and eliminate deleted instructions from the course.

If necessary, the course to be reassembled may be reassembled on the same or another disk pack. The space occupied by this course on the original disk pack cannot be reused unless all other courses on the same disk pack also are moved to another one. The original disk pack then becomes a scratch pack capable of being reused.

Note: Only one course at any one time may be reassembled.

The computer, while transferring the student records from the old disk pack to the new one, types an abstract of each record on the printer-keyboard. This is an example of an abstract:

Flag Course Statement Number Name
(error (course (Label sequence (student's (student's indicator) name) number of current number) name)

qu position)

The flag field has the following meanings:

Blank No error

The statement label has been deleted.

s The statement sequence number no longer

q The statement is not an rd or qu.

If the statement field is blank for any record, that student has not yet begun to work on the course. If a flag appears for any record, that student is reset to the beginning of the new course. The author, by instructing the student to use the *go to* control word, can reset the student properly.

At the end of a successful reassembly, the computer types: "reassembly successfully completed."

sign off Just as the proctor must sign on to alert the system, he must also sign off to indicate that he has stopped working. He need only type sign off.

Non-Educational Mode Operations

When courses are neither being written nor taken, a series of three utility programs assists in the efficient operation of the system. These programs are loaded into the 1440 through the IBM 1442 Card Read-Punch or into the 1401 or 1460 through the IBM 1402 Card Read-Punch under control of the Autocoder loader. The course pack to be used by the program must be on the IBM 1311 Disk Storage Drive. There are three programs:

Student Record and Course Listing This program lists the student records on the IBM 1443 or 1403 Printer. The following information is listed for each student record:

- 1. Student's number
- 2. Course name
- 3. Counters
- 4. Type of student response recordings
- 5. Label-sequence of rd or qu instructions where student is located in the course
- 6. Disk sector addresses used by CAI
- 7. Student's name

Extract and Print Recordings Student responses that were streamed out on a separate disk pack can be extracted and printed by this utility program when students or authors are not using the system.

Each student response that is recorded on the disk pack includes: the actual response typed by the student, the current date, the student record, the operation code that agrees with the student's response, and the label-sequence number associated with that operation code. The key used by the program to select specific responses is punched into the control cards. On any one pass, only one of the following control fields may be specified.

- Student's number the number that identifies the student.
- 2. Course name the name of the course in which the students are enrolled.
- 3. qu identification the label-sequence number that identifies all the responses to a particular question.
- 4. Response identification all the responses to a particular ca or wa. The ca's and wa's are identified by a label-sequence number.
- 5. Operation code the two-character identification for a particular type of response, such as *ca*, *wa*, or *un*.

Additional data may be obtained by extracting and writing the material on a scratch pack. This

extracting may be done first on one of the above control fields and then on a second, etc. For example, suppose we wanted all the correct answers for a particular student. First, we would extract all responses by student number. Secondly, we would extract and print only the correct answers.

Update Functions This routine enables new functions to be added to the Systems pack. The Autocoder-assembled function is read through the 1442 or 1402 and loaded on the Systems pack. A control card is used to define the type of updating to be performed. The Update Functions routine is used to:

- 1. Add functions to the Systems pack.
- 2. Delete functions from the Systems pack.
- 3. Equate function names.

Course Writing and Instructional Techniques

The operation code sequences, which the author specifies when typing his course material on a terminal, and the unique student responses to that material determine the logical path that the Coursewriter program executes. The operation-code set that initiates the alternate paths was described previously under *Instruction Format*. This set of operations permits the author wide variation in his sequences of correct and wrong answer sets. He can also call on specialized functions and conditional branching.

Sample Sequences

These examples represent a few useful sequences of Coursewriter operation codes. This series of entries is a progressive illustration of Coursewriter sequence logic as it is used for various purposes. After the first example, each succeeding sample sequence adds another dimension to the response logic that an author may wish to adopt. The complete sequence is shown in each case to demonstrate clearly the advantages of this feature.

1. Suppose you want to 1) give the student a reading assignment, 2) ask him a question, 3) have the computer recognize a specific correct answer if the student gives it.

This sequence can be written as follows:

- rd This is the reading assignment that will be typed to the student. When he signals that he has finished reading, the course continues with the following instruction.
- qu This question will be typed to the student after he finishes the reading assignment. The

- computer waits for the student to transmit his reply.
- ca This specific correct answer will be recognized if the student gives it.
- 2. You want to 1) give the student a reading assignment, 2) ask him a question, 3) have the computer recognize a specific correct answer if the student gives it, 4) type an appropriate comment ("correct.") to the student who gives the specific correct answer. This can be done as follows:
 - rd This is the reading assignment that will be typed to the student.
 - qu The question.
 - ca A specific correct answer.
 - ty "Correct." (This message will be typed to the student if he gives the answer specified by the preceding *ca.*)
- 3. You now want to write a sequence to 1) give the student a reading assignment, 2) ask him a question, 3) specify a correct answer, 4) type "Correct." to the student who gives the specific correct answer, 5) advance the student who answers correctly, to the next reading assignment in the course. One way to do this is to write:
 - rd The reading assignment.
 - qu The question.
 - ca Specific correct answer.
 - ty "Correct." (The message that will be typed to the student if he gives the answer specified by the preceding *ca.*)
 - br Next reading assignment. (Identifies the material to be presented next if the student's answer matches the preceding ca.)
- 4. Now, let's write a sequence that 1) gives the student a reading assignment, 2) asks him a question, 3) specifies a correct answer, 4) types "Correct." to the student who gives the specific correct answer, 5) advances the student, who gives the correct answer, to the next reading assignment in the course, 6) types an appropriate comment ("Wrong. Try again.") to the student who gives any unspecified answer, 7) waits for that student to transmit another reply.
 - rd Reading assignment.
 - qu Question.
 - ca Correct answer.

- ty "Correct." (Typed to the student who gives the preceding *ca* answer.)
- br Next reading assignment. (The material to be presented next if the student's answer matches the preceding ca.)
- un "Wrong. Try again." (This message is typed to the student if he gives an unspecified answer.)
- 5. The following sequence 1) gives the student a reading assignment, 2) asks him a question, 3) specifies a correct answer, 4) types "Correct." if he gives the correct answer, 5) advances the student who answers correctly, to the next reading assignment in the course, 6) types "Wrong." if the student gives any unspecified answer, 7) presents the next question in the course to him.
 - rd Reading assignment.
 - qu Question.
 - ca Correct answer.
 - ty "Correct." (This will be typed if the student's answer matches the preceding ca.)
 - br Another reading assignment.
 - un "Wrong." (This message is typed if the student gives any unspecified answer.)
 - br Next question. (The material to be presented next, if the student's answer was unspecified.)
 - qu The next question.
- 6. Suppose you want to 1) ask the student a question, 2) recognize a specific correct answer, 3) tell the student who gives that answer that he is correct, 4) give the student who answers correctly, the next question in the course, 5) type "Wrong. Try again." to the student who gives any unspecified answer, 7) wait for that student to transmit another reply.
 - qu Question 1.
 - ca Correct answer.
 - ty "Correct."
 - un "Wrong. Try again."
 - qu Question 2.

If no branch (br) is written by the author, following a match on the ca, the "Correct." will be typed. Then the student will be given the next question in the course.

- 7. Now you want to 1) ask a question, 2) recognize a specific correct answer, 3) type "Correct." to the student who gives the correct answer, 4) present the next question in the course to him, 5) type an appropriate message to all students who do not give the correct answer. One way to do it is:
 - qu Question.
 - ca Correct answer.
 - ty "Correct."
 - un "Wrong. Try again."

Another way to do it:

- qu Question
- ca Correct answer.
- ty "Correct."
- nx (If the student's answer does not match the preceding ca, go on.)
- ty "Wrong."
- qu Question

The difference between the two versions is that in the first case the student is given repeated tries at the question, and in the second case the student is told "Wrong." and goes on — after his first unspecified answer.

- 8. Suppose you are at a point where you want to separate your students by 1) asking a question, 2) recognizing a specific correct answer, 3) presenting material "A" to the student if he gives the specified correct answer, 4) presenting material "B" to the student if he gives any unspecified answer. One way to write this is:
 - qu Question.
 - ca Correct answer.
 - br "A" (This identifies the material to be presented next if the student's answer matches the preceding ca.)
 - nx If the student's answer does not match the preceding ca.
 - br "B" (This identifies the material to be presented next if the student's answer does not match the preceding ca.)

If, in addition, you want to say "Correct." to the student who gives the specified correct answer and "Wrong." to the student who does not give that

answer, you can insert the appropriate ty's above or write:

- qu Question.
- ca Correct answer.
- ty "Correct."
- br "A"
- un "Wrong."
- br "B"
- 9. Next, let's 1) ask a question, 2) present material "A" to the student if he gives a specific correct answer, 3) recognize a specific wrong answer, 4) type an appropriate message to the student if he gives the specific wrong answer and then present material "B" to him, 5) present material "C" to the student if he does not give one of the specified answers.
 - qu Question.
 - ca Correct answer.
 - ty "Correct."
 - br "A"
 - wa Specific wrong answer that will be recognized if the student gives it.
 - ty "That's only a part of the answer." (This message is typed to the student if he gives the answer specified by the preceding wa.)
 - br "B" (This identifies the material to be presented next if the student's answer matches the preceding wa.)
 - nx If not.
 - br "C"
- 10. Suppose we want to 1) ask a question, 2) present material "A" if the student gives one specific correct answer, 3) present material "B" if the student gives another specific correct answer, 4) present material "C" if he gives one specific wrong answer, 5) Present material "D" if he gives another specific wrong answer, 6) present material "E" if he gives any unspecified answer. This can be done as follows:

qu

ca

br "A"

ca

11. Suppose we want to 1) ask a question, 2) tell the student who gives a specific correct answer that he is correct and then give him the next question in the course, 3) type an appropriate message to the student who gives a specific wrong answer and then let him try to answer the question again, 4) give a "Wrong. Try again." to the student who gives an unspecified answer.

qu

ca

ty "Correct."

wa

ty "That's only a part of the answer. Try again."

un "Wrong. Try again."

qu Next question in the course.

If no branch (br) is written by the author, following a match on the wa, the message of the ty will be typed. The computer then waits for the student to transmit another reply to the question.

12. This sequence will 1) ask a question, 2) tell the student who gives a specific correct answer that he is correct and then give him the next question in the course, 3) type an appropriate message to the student who gives a specific wrong answer and ask him another question, 4) let him answer either the original question or the subquestion, 5) give a "Wrong. Try again" to the student who gives an unspecified answer.

qu

ca

ty "Correct."

wa

ty "That's only the first part of the answer. Would you like to try again?"

wa no

br remedial

wa yes

ty "All right. What's the answer?"

un "Wrong. Try again."

qu Next question in the course.

13. We now have a situation where we want to 1) present material "A" to the student who gives any one of four specific correct answers, 2) present material "B" to the student who gives any one of three specific wrong answers, 3) present material "C" to the student who gives an unspecified answer.

This could, of course, be done by writing:

qu Question.

ca Correct answer.

br "A"

ca Alternate correct answer.

br "A"

And so on down the string of specific correct and wrong answers. However, it can be done more easily by writing:

qu Question.

ca Correct answer.

cb Alternate correct answer.

cb Alternate correct answer.

cb Alternate correct answer.

br "A"

wa Wrong answer.

wb Another wrong answer.

wb Another wrong answer.

br "B"

un nx

or

br "C" br "C"

14. Here we take the case where we want to 1) say "Correct." to the student who gives any one of three specified correct answers, 2) present the next question in the course to that student, 3) say "Wrong." to all other students, 4) present material "B" to them.

qu

cacbcb"Correct." ty

"Wrong." un

"B" br

Next question in course. qu

Since no branch is written by the author, following a match on a ca or cb, the "Correct." will be typed, following which the student will be given the next question in the course.

15. We now have a question for which we want to 1) say "Correct." if the student gives one of the specified correct answers, and give him the next question in the course, 2) say "Wrong. Try again" to the student who gives one of the specified wrong answers and let him try to answer the question again, 3) say "Wrong." to the student who gives an unspecified answer and give him material "B".

quca

cb

"Correct." ty

wa wb

wb

"Wrong. Try again." ty

"Wrong." un

"B". br

Next question in the course.

Since the author did not write a branch after the wrong answer set (wa, wb, wb, ty), the computer will type "Wrong, Try again." and then wait for the student to give another answer.

16. Now we want to expand our treatment for the student who gives unspecified answers. 1) The first time he gives an unspecified answer, say "Wrong.", give him a mild general hint, and have him try again. 2) The second time he gives an unspecified answer, say "Wrong.", give him a stronger general hint, and have him try again. 3) The third time he gives an unspecified answer, say "Wrong.", followed by an explanation of the answer, and then give him the next item in the course.

qu

ca

cb

"Correct." ty

wa

wb

"Wrong." (specific hint) "Try again." ty

"Wrong." (mild general hint) "Try again." un

"Wrong." (stronger general hint) "Try again." un

"Wrong." (explanation of the answer) un

Next item. br

rdNext item in the course - a reading assignment.

Variations in Student Answers

Figure 8 illustrates the author's original input with variations of student answers to a small portion of an actual course on statistics written by a behavioral psychologist at the Thomas J. Watson Research Center. The author's input is shown as well as the answers from four students. The experience of four different students illustrates the varied response to the course material.

4	qu 51. Therefore, the shape of the sampling distribution of t depends on
5	ca n
6	cb size
7	cb number
8	un Remember that we have just seen that different size samples result in different
distribu	tion curves.
9	un Since the shape of the sampling distribution is dependent on sample size, the best
answer he	ere is "n".
10	br chap7 qu52
11	(carriage return)
chap7 qu	52
1	qu 52. Notice that the sampling distributions of t in Fig. 2 are all symmetrical,
but not i	normal, with a mean of
2	ca 0
3	cb zero
4	un If we convert our scores to standard scores, what should the mean of the
distribut	cion be?
5	un Reflect back to the mean of the normal curve of z-scores for a possible solution.
6	un Because we have converted all the scores in the sampling distribution to
standard	scores, the mean will be "0".
7	br chap7 qu53
8	(carriage return)
chap7 qu5	3
1	qu 53. The means of the sampling distributions in the previous question tend to be 0
because a	11 the raw scores have been converted toscores.
2	ca standard
3	wa t
4	wb z
5	ty This answer is partially correct but a more inclusive answer would be
scores.	
6	un What is another name for t and z-scores?
7	un Since t and z-scores are standard scores which result in a mean of 0 for the
distribut	ions, the answer isscores.
8	un Since t and z-scores are standard scores which result in a mean of 0 for the
distribut	ions, the answer is STANDARD scores.
9	br chap7 qu54
10	(carriage return)
chap7 qu5	4
1	qu 54. Now refer to the last page of this chapter in the text. There are two
distribut	ions with n's of 5 and 50. The curve based on an n of 5 is (Y/Z) .
Figure 8.	Author's Original Input with Variation of Responses from Four Students (Part 1 of 3)

24 1401, 1440, 1460 CAI

STUDENT # 1

	51. Therefore, the shape of the sampling distribution of t depends on
ar	rea
	Remember that we have just seen that different size samples result in different
	distribution curves.
s i	ze
	52. Notice that the sampling distributions of t in Fig. 2 are all symmetrical,
	but not normal, with a mean of
<	
	If we convert our scores to standard scores, what should the mean of the
	distribution be?
ze	ro
	53. The means of the sampling distributions in the previous question tend to be 0
	because all the raw scores have been converted to scores.
z	
	This answer is partially correct but a more inclusive answer would be
	scores.
t	and z
	What is another name for t and z-scores?
de	viation
	Since t and z-scores are standard scores which result in a mean of 0 for the
	distributions, the answer is scores.
st	andard
	54. Now refer to the last page of this chapter in the text. There are two
	distributions with n's of 5 and 50. The curve based on an n of 5 is (Y/Z).
	STUDENT # 2
	51. Therefore, the shape of the sampling distribution of t depends on
n	
	52. Notice that the sampling distributions of t in Fig. 2 are all symmetrical,
	but not normal, with a mean of
	ro
Ì	53. The means of the sampling distributions in the previous question tend to be 0
	because all the raw scores have been converted to scores.
t	000100
	This answer is partially correct but a more inclusive answer would be
	scores.
	and z
_	What is another name for t and z-scores?
st	andard
	54. Now refer to the last page of this chapter in the text. There are two
	distributions with n's of 5 and 50. The curve based on an n of 5 is (Y/Z).
	gure 8 Author's Original Input with Variation of Pagnanage from Flour Students (Part 2 of 2)

STUDENT # 3

51. Therefore, the shape of the sampling distribution of t depends on	
number	
52: Notice that the sampling distributions of t in Fig. 2 are all symmetrical	,
but not normal, with a mean of	
0	
53. The means of the sampling distributions in the previous question tend to	be (
because all the raw scores have been converted to scores.	
z	
This answer is partially correct but a more inclusive answer would be	
scores.	
standard	
54. Now refer to the last page of this chapter in the text. There are two	
distributions with n's of 5 and 50. The curve based on an n of 5 is $(Y/2)$.	
STUDENT # 4	
51. Therefore, the shape of the sampling distribution of t depends on	
area	
Remember that we have just seen that different size samples result in different	t
distribution curves.	
tails	
Since the shape of the sampling distribution is dependent on sample size, the	best
answer here is "n".	
52. Notice that the sampling distributions of t in Fig. 2 are all symmetrical	,
but not normal, with a mean of	
n	
If we convert our scores to standard scores, what should the mean of the	
distribution be?	
x	
Reflect back to the mean of the normal curve of z-scores for a possible solution	on.
0	
53. The means of the sampling distributions in the previous question tend to	be (
because all the raw scores have been converted to scores.	
standard	
54. Now refer to the last page of this chapter in the text. There are two	
distributions with n's of 5 and 50. The curve based on an n of 5 is (Y/Z) .	
Figure 8. Author's Original Input with Variation of Responses from Four Students (Part 3 of 3)	

start

1 rd Read Chapter 10 in your text, and when you have completed the assignment, make sure you have understood the three major battles presented.

ad +3//c13 qu What major figure..... 4 ca John ad -1//cl wa Paul R..... ty That was a 8 wa James..... wb J..... 10 qu In what battle 11 ca Saratoga ad -1//cl 12 13 br out one//cl//-l un This battle..... 14 qu If the 15 16 ca br out//c1//0 17 br out one//cl//-1 18 19

br out two//c1//-2

Figure 9. One Use of Counters

20

Appendix

The chart in Figure 10 shows the meaningful sequences of course logic that can be used when the author is writing course material.

А				WHE	N TH	IE NI	EXT C	PERA	OITA	и со	DE IS	,	
		rd	qu	ca	сb	ty	ad	fn	br	un	nx	wa	wb
ca	Answer Agrees	×	×			×	×	×	×				///
cb	Answer Disagrees	×	×	×	×			×		×	×	×	///
wa	Answer Agrees				///	×	×	×	×				
ar wb	Answer Disagrees	×	×	×	///			×		×	×	х	×
nx	Answer Disagrees with preceding ca, cb, wa, ar wb	×	×	×	///	х	×	×	×	×	×	×	///
rd		×	х	///	///	×	×	×	×	///	///	///	///
qu		×	x	×	///	×	×	×	×	×	×	×	///
υn					///	×	×	×	×				///

Upan execution of ane of the aperatians in calumn "A", the legend indicates the actian perfarmed by the program an succeeding aperatians as specified ocrass the tap of the chart. Far example, if an equal campare accurs an a ca or cb, the rd, qu, ty, ad, fr, ar br Op cade that immediately fallaws the ca ar cb graup is executed; but the ca, cb, un, nx, ar wa that immediately follows will not be executed. A wb cannot immediately fallaw a ca or cb graup.

Legend
/// - Invalid Op cade to fallow
x - Op cade executed
Blank - Op code not executed

Figure 10. Course Execution Logic

Alternate Coding Key—The key used with one of the numeric keys on the top row of the printer-keyboard to generate a special code such as the end-of-block (EOB) or cancel codes.

Author—One who writes a course for Computer Assisted Instruction and has complete control over the course content.

Block of Print—The material keyed on the printer-key-board, starting with the operation code, up to and including the end-of-block code.

Cancel Code—The code or signal generated to cancel input on the printer-keyboard before an end-of-block code is keyed.

Card Reader—An input unit that senses and translates into internal form the holes in punched cards.

Character—A code sent to the computer when a key on the printer-keyboard is pressed. Only the alternatecoding key when pressed alone does not send a character to the computer.

Computer Assisted Instruction (CAI)—A method of allowing an author to use an IBM computer system as a means of writing and presenting instructional material individually to a number of students.

Console—A panel which contains lights, keys, switches, and related circuits for a computer system.

Control Card—A card containing information for the CAI utility programs.

Control Words—Used by the author, proctor, and student to alert the computer to specific actions they wish to perform.

Counters—A three-position storage location used with the br and ad operation codes.

Course Material—The actual contents of a course prepared by the author and presented to the student. Course material also may be called text or statements.

Course Pack-The disk pack reserved for course material.

Coursewriter—The language used by an author to write course material for the CAI operating system.

Coursewriter Instruction Sheet—The coding sheet used by an instructor on which he writes his course material with the corresponding labels and operation codes before typing the material on the printer-keyboard.

Disk Sector—A section of a disk pack containing 100 characters. One disk pack contains 20,000 sectors.

End-of-Block Code (EOB)—A signal to the computer that, in effect, tells it a block of print is complete and can now be processed.

Label—A label is used to identify course statements. It is used as an entry point into a course or a segment of a course.

Line Constants—Items of internal information used by the program to identify the current line activity.

Label-Sequence—A label and its associated sequence number.

Operation Code—Defines the action to be taken for each course statement. Operation codes consist of two characters. CAI has 12 operation codes.

Patch Card—Used to adapt the CAI program to a computer system.

Printing on the Fly—Printing that occurs while the printer-keyboard carrier is returning from the right to the left margin.

Proctor—One who operates the computer system used for CAI.

Printer—An output unit used for printing material associated with the utility programs.

Printer-Keyboard—An input/output unit used by the author, proctor, and students to communicate with the computer.

Recording Pack—The pack reserved for storing designated student responses.

Recording Option—An option designated by a number and used to tell the CAI program what student responses are to be saved and stored on disk for future reference.

Systems Pack—The disk pack on which the CAI program is stored.

Sequence Number—The number that identifies a block of print between labels.

Sign On and Sign Off—The words keyed on the printer-keyboard by the author, proctor, and student to tell the computer they wish to begin or end work with the CAI program.

Statement-See Course Material.

Text Time-Out Special Feature—An optional feature that permits continuous operation of the printer-keyboard.

Text-See Course Material.

Index

Assembler Author Author in Student Mode	9 8 16
Block of Print	15
CAI Procedures	15 16 5 19
Control Words: Author	15
Proctor	17
Student	16 13
Course Input	9
Course Material	10 9
Course Statement	15
Course Writing and Instructional Techniques	19
Coursewriter Instruction Sheet	10 10
Dating Student Responses	18
Deactivating Lines	18
Deleting Material	16
Delimiter Character	16 10
Disk Storage Drives	10
End-of-Block Character (EOB)	15 8
Experimental Systems Equipment	5
Experimental Tool	7
Extract and Print Recordings	19
Flag Field	18
Function Routines (General) Function Subroutines	14 13
Functional Features	13
Functions	13
Inserting New Material	15
Instruction Format	10
Label	
Line of Print	15 17
Line Requests	11

Machine Language Subroutine Machine Requirements Major Operation Codes Margin Alignment Minor Operation Codes Monitor	13 6 12 14 12 9
Non-Educational Mode Operations	19
Operation Codes	12
Poll Lines 9 Printer-Keyboard 9 Proctor 9 Program 9 Programmed Instruction 5	5
Reassembling Recording Student Responses Record Keeping Registration Relocating Course Material Remove Revising a Course 9, 10,	18 10 13 17 16 18 15
Sample Sequences Scrambled Textbook Sequential Instructions Status Information Student Student Control Words Student Record and Course Listing Student Response Recording Student Responses Student Responses Stystems Pack	19 6 10 18 9 10 19 10 17 14
Teaching Machines Temporary Halt Text	5 18 13 14 16
Unlabeled Statements Update Functions Utility Programs 10,	12 19 19
Variations in Mildent Answers	1.5

IBM 1401, 1440, o Computer Assisted			vstem 24 – 3253	i-1)	
• Is the material:		Yes	No		
Easy to read?		П			
Well organized?					
Fully covered?					
Clearly explained	2				
Well illustrated?					
• How did you use th	is publi				
As an introduction	to the s	subject			
For additional kno	wledge	of the subject			
Studying machine	operation	on			
During an actual	service (call			
• Which of the follow	vina tori	me hast dasarib	AC VALLE 1	ioh?	
Customer Person	, i	IBM Pe	,	ob.	
Manager		Customer En		П	Field Stock Personnel
Systems Analyst		Instructor	8		Manufacturing Engineering
Operator	n	Sales Represe	entative		Manufacturing
Programmer		Systems Eng			Development Engineering
Trainee		Trainee			Other
Other					
• How often do you u	se this p	oublication?			
Often	Occasion	nally 🗌	Seldon	ı 🗆	
• Comments:					
Your comments help	o us pro	duce hetter ni	hlication	e Plane	se include specific page references

Your comments help us produce better publications. Please include specific page references if appropriate. You may include your name and address if you wish.

Fold

Fold

BUSINESS REPLY MAIL

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

POSTAGE WILL BE PAID BY . . .

IBM Corporation
P. O. Box 6

Endicott, N. Y. 13764

Attention: Product Publications, Dept. 171

FIRST CLASS PERMIT NO. 170 ENDICOTT, N. Y.

Fold

Mद्भार

Fold

International Business Machines Corporation Data Processing Division 112 East Post Road, White Plains, N. Y. 10601

APPENDIK H

IBM 1440 - 1448 Operating System

Computer Assisted Instruction

Student Manual





IBM Systems Reference Library

IBM 1440-1448 Operating System Computer Assisted Instruction Student Manual

This publication describes the IBM 1052 Printer-Keyboard as used with the Computer Assisted Instruction Program (CAI). The publication:

- 1. Contains the information necessary for the student to use the printer-keyboard to receive course material from the computer.
- 2. Describes the standard features, operation, and cautions the student must exercise while using the printer-keyboard.

Preface

A programmed-instruction course presents instructions, questions, answers, and other information to the individual student in a carefully planned sequence (program).

A relatively new method of instruction with many of the advantages of the individual-student instruction is called *Computer Assisted Instruction* (CAI). This method allows the instructor to use the computer as a means of instructing a number of students individually.

Computer assisted instruction generally follows the pattern of programmed instruction, but represents a significant advance over previous forms of this learning concept.

The program sets up the data processing system to act as a medium between the instructor and a number of students. Both instructors and students can participate in the course at various locations (local and remote) and at various times or at the same time. With the IBM 1440 as the course processing center, an IBM 1050 Data Communications System acts as the communication link between the students and the computer.

Through CAI, the author gives each student individual instruction. He guides his students along the path best suited to each. The advanced student does not cover any material that the instructor feels is unnecessary to his progress or that might be below his level. The slow student reviews important steps that he finds difficult to understand.

As a student using CAI, you actively participate in the course and you are continuously aware of your progress. With CAI, the author can allow you to pace yourself, with the knowledge that the program will direct you at the proper time to the part of the course that best suits you.

Address comments regarding the content of this publication to IBM Product Publications, Endicott, New York 13764. Copies of this and other IBM publications can be obtained through IBM Branch Offices.

Contents

IBM 1052 Printer-Keyboard
Student Sign On Student Control Words Student Error Messages Student Sign Off Student Sign
General Keyboard Description
1052 Keyboard Standard Features 6 Keyboard Arrangement 6 Keyboard Function Keys 6 Key Interlock 7 Shift Keys 7
Operation of Printer-Keyboard 7 Tab Settings 7 Clearing Tabs 8 Operating Cautions 8
Error Cancellation 9
Character Cautions 9
Unseen Characters 9
Text Line Length



The IBM 1052 Printer-Keybord is similar to the IBM SELECTRIC® typewriter. As a student, you use it with the Computer Assisted Instruction Program (CAI) to communicate with the IBM 1440 Data Processing System (computer).

The printer-keyboard sends and receives messages as it provides rapid and dependable communication between you and the computer. This publication tells you how to operate the IBM 1052 Printer-Keyboard while using the CAI program.

Student Sign On

Before you can begin work in a course, you must *sign* on the computer. This requires you to follow a set procedure on the printer-keyboard.

The computer recognizes you by your student number which has been assigned by the author. If, however, you type a wrong number or you are not registered for the course, the computer will not recognize the number you type.

You, therefore, cannot proceed any further in the course until you either type the correct student number or you are registered.

Note: Pressing one of the function keys while typing your student number can cause the computer to reject the number (see the section titled *Unseen Characters*).

The following is an example of how to sign on the computer. Sit down at the printer-keyboard and type the words sign on. After the computer responds to the sign on signal, just follow the directions given by the computer to begin work in the course.

The typed sign on procedure is:

Student sign on

Computer type course name

Student (type course name here)

Computer type your number

Student sxxxx (the "s" is lower case)

Computer (the computer types your name here)

Computer (the computer begins to present course

material)

If the computer types a name other than your own, you should sign off immediately (see the section titled Student Sign Off). Then recheck the course name and student number you typed. If one or both are incorrect, repeat the sign on procedure, making the necessary corrections. If you cannot find out what is wrong, call the proctor.

Student Control Words

Two control words are available. They are *help* and *go to*. Use the first control word when you are unable to answer correctly a question presented by the computer. When you type *help*, the computer types the correct answer on the printer-keyboard.

You must then type the same correct answer, just as if you had answered it correctly yourself, before any more material will be presented.

Use the go to control word only when instructed by the author. For example, if you are proceeding through the course at a pace rapid enough for the author to think that you should skip some of the material, you can skip by using the go to control word.

Type this control word on the printer-keyboard as directed by the author, who also specifies the label or location at which he wants you to begin work again.

Student Error Messages

While using the printer-keyboard, you may receive error messages. The messages will be self-explanatory, and you should follow the directions as they are presented.

For example, if you type the course name as instructed by the computer and the course name is wrong, you will receive a message that there is a "course name error." You will then be asked again to "type course name."

Student Sign Off

When you finish using the printer-keyboard, sign off the unit before leaving. The procedure for signing off is similar to the one used to sign on. The typed sign off procedure is:

Student sign off

Computer you have been signed off

Note: You may sign off at any time you choose.

End-of-Block Code

Each line of input on the printer-keyboard must end with an end-of-block code (EOB). The EOB, in effect, tells the computer that the input is complete and can now be processed.

To send an EOB, press the alternate coding (ALTN CODING) key first and hold it down while you press the 5-key.

The EOB is the last character you must send to the computer from the printer-keyboard for a block of input. This means that if a line contains an error, you cannot cancel that error after you have keyed an EOB. The response may be scored wrong by the computer, and you must follow the instructions given by the computer to correct the error. You can use the cancel code (to be explained later in this publication) only before you key an EOB.

General Keyboard Description

The printer-keyboard is a unit for sending information to, and receiving information from, the computer (Figure 1). A single printing element, shaped like a ball, moves across the paper, and contains the entire set of characters that the printer-keyboard is capable of printing.

1052 Keyboard Standard Features

Key Arrangement

The basic arrangement of the four-bank keyboard is shown in Figure 2. The keys on the keyboard include character and function keys. The shift keys and the shift lock generate the up-shift code when pressed. When the shift keys are released, the down-shift code is generated.



Figure 1. IBM 1052 Printer-Keyboard

Keyboard Function Keys

The keyboard function keys are:

- Space
- Backspace
- Line Feed
- Tab
- Return (returns the carrier to the left and moves the paper up for the next line to be printed)
- Shift (and Shift Lock)
- Alternate Coding

The alternate-coding key (ALTN CODING) is used with the top (numeric) row of keys. ALTN CODING does not generate a code character. Instead, while pressing and holding ALTN CODING, you can also press a key in the top row to generate the output code for a particular control function.

For example, if you press ALTN CODING and the 5-key at the same time, you generate an end-of-block (EOB) code. If you press ALTN CODING and the zero key at the same time, you generate a cancel code. These are the only two codes you will need for the CAI program. Although other control functions are available, they are not necessary.

Note: You can avoid errors while using the alternate-coding key, by pressing and holding ALTN CODING before you press one of the dual-coded numeric keys. If the numeric key is pressed first, that number, instead of the desired code, will be entered into the computer.




Figure 2. IBM 1052 Keyboard

Other numeric keys may be pressed accidentally with ALTN CODING while you attempt to key an EOB. Pressing the 6-key with ALTN CODING, for example, signals an end-of-transmission (EOT) and locks the keyboard. This takes control of the printer-keyboard away from you.

Control, however, returns shortly. You receive the green light to proceed when this happens. Then press altn coding and the zero key to cancel the message containing the EOT, and key an EOB. Now you can retype the material and add the proper EOB code.

If you accidentally press any of the numeric keys interlocked with the alternate-coding key, you should immediately key a cancel code followed by an EOB. You do not lose control of the printer-keyboard by pressing any of the other keys.

Key Interlock

All keys except the following are mechanically interlocked to make it impossible to press more than one key at a time:

- ALTN CODING
- RETURN and LINE FEED, with each other only
- Shift keys are locked together.

Shift Keys

Pressing either shift key generates the upper-case (capital) code. This key, when released, generates the lower-case code.

For example, pressing the shift and "G" keys produces a capital "G". Pressing the "G" key alone produces a lower-case (small) "g". Pressing the shift and "8" keys produces an asterisk. Pressing the "8" key alone produces the numeral "8".

Pressing the lock key causes the same effect as the shift key except that the shift keys remain locked. Pressing either shift key unlocks the shift keys and generates the lower-case code.

Operation of Printer-Keyboard

Before you begin to use the printer-keyboard, be sure the main-line power switch on the side of the unit is turned on (see Figure 1). The next step is to check all switches on the front panel to determine if they are in their proper positions.


Figure 3 lists the switches. Those followed by an asterisk are the most common. Your set may have fewer switches, depending upon the model and features that have been attached to your system. The switches *must* be positioned according to this list.

The switches should be set by the proctor or author or under their guidance. Do not touch the switch settings while the printer-keyboard is in use. An error in transmission could result, or you could be *signed off* the system.

Tab Settings

Set tabs on the printer-keyboard if they are required in the course (Figure 4). Use the CLR/SET lever at the left of the margin guide:

- 1. Position the white print-element carrier indicator on the margin guide at the point the tab is to be set.
- 2. Press the CLR/SET lever downward and then release it
- 3. Repeat steps 1 and 2 for any other tabs that have to be set.



FRONT PANEL SWITCHES

SWITCH NAME	POSITION
System*	ATTEND (up)
Moster	OFF (down)
Printer 1*	SEND/REC (middle)
Printer 2	HOME (down)
Keyboard*	SEND (up)
Reader 1	OFF
Reader 2	OFF
Punch 1	OFF
Punch 2	OFF
Stop Code	OFF
Auto Fill	OFF
Punch	NORMAL
System	PROGRAM
EOB	MANUAL (up)
System*	(up)
Test*	OFF (down)
Single Cy	OFF
RDR Stop	OFF

^{*} The minimal set of switches required for CAI.

Figure 3. Front-Panel Switches on the 1052 Printer-Keyboard

Clearing Tabs

The procedure for clearing tabs is similar to the method for setting them:

- 1. Position the white print-element carrier indicator on the margin guide at the location of the tab.
- 2. Press the CLR/SET lever upward and then release it.
- 3. Repeat steps 1 and 2 for any other tabs that have to be cleared from the printer-keyboard.

Operating Cautions

The computer signals you whenever an error occurs. The following paragraphs describe corrective action for these errors. (See Figures 2 and 3 for the locations of buttons.)

Proceed Light

The printer-keyboard accepts typing only when the green proceed light is on. If the light is off, wait until it comes on again. If the light fails to come on, call the proctor. Some systems have the Text Time-Out Suppression optional feature to permit continuous operation.

If, while you are typing, the green proceed light goes out because of too long a pause between characters, wait until it comes on again, key a cancel code followed by an EOB, and then retype your line of text.

Receive Alarm

If the receive alarm light (next to the proceed light)



Figure 4. Margin Guide and Tab Control

blinks, the unit probably is out of paper or the paper is not holding down the white roller that closes the paper control contact.

Data Check and Resend Lights

If the data-check light or resend light comes on and remains on, press the (associated) button next to it.

Transmission Error

If the printer-keyboard types a dash (-) and the resend light comes on after a line of data has been typed, this means the program did not receive the message correctly. It must be retyped. Press the resend button before retyping the line.

Error Cancellation

If you make an error in typing, you can discard the mistake immediately after it occurs, by generating a cancel code. The cancel code tells the computer not to process this line of type.

This must be done before an EOB is keyed. Once an EOB has been keyed for a line of type, the line cannot be cancelled.

The cancel code is generated by holding down the alternate-coding key (ALTN CODING) first and then pressing the zero key. Then key an EOB. The computer will ask you to "please repeat" your entry. You can then retype the correct line.

Character Cautions

Some pairs of keys on the keyboard, like those on a typewriter, are similar when typed. Two examples are the numeral "0" and the letter "O", or the lower-case letter "l" and the numeral "1".

Because they look similar, be careful to avoid using one for the other. If you type the wrong character, even though they look similar on the paper in the printer-keyboard, it is considered a wrong answer by the computer. The computer recognizes these characters for what they are.

Unseen Characters

Be careful when typing on the printer-keyboard. Pressing some of the keys may not leave any trace on your paper, but may send characters to the computer.

The function keys, which include SPACE, LINE FEED, BACKSPACE, TAB, RETURN, and SHIFT, do not leave any marks on your paper. Each when used, however, sends a character to the computer. If they are used when they should not be used, the result may be considered a wrong answer even though it looks correct to you on your paper.

Text Line Length

The maximum number of characters that can be typed per line of text with the CAI program is 150. If you exceed this limit, the computer will reject the data as a transmission error. You must then shorten the material so that it does not exceed 150 characters.



International Business Machines Corporation
Data Processing Division
112 East Post Road, White Plains, N. Y. 10601

IBM 1440-1448 Op Student Manual		System, Co 24-3385-0)	mputer A	Assisted	d Instruction
• Is the material: Easy to read? Well organized? Fully covered? Clearly explained Well illustrated?	?	Yes	No		
 How did you use the As an introduction For additional knows Studying machine During an actual Which of the follows 	o to the solution to the solut	subject of the subject on call	 	ob?	
Customer Person Manager Systems Analyst Operator Programmer Trainee Other		IBM Pontage Customer Entructor Sales Representation Systems Engage Trainee	sentative		Field Stock Personnel Manufacturing Engineering Manufacturing Development Engineering Other
● How often do you u Often □ • Comments:	se this p Occasion		Seldon		
Jointelle					

Your comments help us produce better publications. Please include specific page references if appropriate. You may include your name and address if you wish.

Space is available on the other side of this page for additional comments. Thank you for your cooperation.

Fold

Fold

BUSINESS REPLY MAIL

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

POSTAGE WILL BE PAID BY . . .

IBM Corporation
P. O. Box 6
Endicott, N. Y. 13764

Attention: Product Publications, Dept. 171

FIRST CLASS PERMIT NO 170 ENDICOTT, N. Y

Fold

IBM

Fold

International Business Machines Corporation Data Processing Division 112 East Post Road, White Plains, N. Y. 10601

APPENDIX I

IBM 1440 - 1448 Operating System

Computer Assisted Instruction

Author and Proctor Manual





Systems Reference Library

IBM 1440-1448 Operating System Computer Assisted Instruction Author and Proctor Manual

This reference publication describes the IBM Computer Assisted Instruction program (CAI) for the IBM 1440-1448 Data Processing System. It describes:

- 1. The capabilities of the CAI program.
- 2. The minimum machine requirements for CAI.
- 3. The information necessary for the author to write course material to be presented to his students with the CAI program.
- 4. The operating procedures and related information for the proctor to prepare the 1440-1448 System for CAI.
- 5. The operating instructions and information for the author and proctor to enter material into the computing system via the IBM 1052 Printer-Keyboard.

For the titles and abstracts of associated publications, see the *IBM 1440 Bibliography*, Form A24-3005, and the *IBM Tele-processing Bibliography*, Form A24-3089.



Contents

Computer Assisted Instruction	on	5
Machine Requirements Related Information		 6
Author's Information		7
Author's Error Messages Author's Sign On		 7
Author's Control Words		 7
Course Input Format		
Operation Codes Course Execution Sequence		 8
Author as Student		 11 11
Proctor's Information		
Initial Generation		12
Clearing the Disk Packs Building the Systems Pack		 13
Daily Initialization		
Proctor Input Operation		
Proctor Sign On		 15
Initial Program Loading		 19
CAI Utility Programs		 21
Load Functions List Course and Student Record		
Extract and Print Recordings Extract and Print Headings		 23
IBM 1052 Printer-Keyboard		
General Keyboard Description	on	 25
Keyboard Standard Features		 25
Key Arrangement Character Cautions		
Unseen Characters		 26
Input to the Computer Error Cancellation		 26
Operation of Printer-Keyboa	rd	 27
Operating Cautions Transmission Error		 28
System Error Messages		
Glossary		 30



The Computer Assisted Instruction program (CAI) assists the author or instructor in presenting course material to his class. It also helps the student grasp the material at his own rate of speed and capabilities.

The flexibility of CAI is built into the program. The author need only follow the rules to achieve the most efficient use of CAI.

The language used in the CAI program is called coursewriter. The coursewriter language is not bound by or committed to any particular teaching method. The author implements his own instructional techniques or teaching methods as he writes his course. Since CAI is only an instructional tool, it provides the author with a means of automatic presentation of a course, but still enables him to retain originality in teaching.

The computer in CAI is actually a high-speed data processing system that includes several pieces of equipment (Figure 1). It is automatic only in the sense that if it receives a set of sequenced instructions, it obeys them automatically.

The instructions are given initially to the system through the IBM 1052 Printer-Keyboard. Operation of the printer-keyboard is explained in detail later in this publication (see the section titled: *Printer-Keyboard*).

Note: Throughout this publication, reference will be made to a printer and a printer-keyboard. Whenever printer is used, the reference will be to the IBM 1443 Printer. Whenever printer-keyboard is used, the reference will be to the IBM 1952 Printer-Keyboard used by the author, proctor, and student to communicate with the computer.

The CAI program causes the computer to present course material to the student and to accept his responses. The proper preparation of the computer for CAI provides these capabilities:

- 1. Information or questions can be typed by the CAI program to the student at the printer-keyboard. The author may specify this by using the rd, qu, ty, or un operation codes (see Operation Codes).
- 2. A student can type his response to the information on the printer-keyboard.
- 3. Specific responses can be anticipated and identified as correct or wrong answers. The author does this by using the *ca*, *cb*, *wa*, *wb*, or *fn* operation codes.
- 4. The action to be taken when a student gives an anticipated answer can be specified by use of the *ty*, *ad*, *br*, or *fn* operation codes.

5. The action to be taken when a student gives an unanticipated answer also can be specified with the *un* or *nx* operation codes.

Initial generation of the CAI system should be done only once. Thereafter, the proctor follows a daily set-up routine to prepare the CAI program for each day's use.

Figure 2 shows a typical 1440-1448 machine configuration for CAI. The system may include up to twelve printer-keyboards and as many as five 1311 disk drive storage units.

Machine Requirements

The IBM 1440-1448 Data Processing System used for the CAI program must have a minimum machine requirement of:

1441 A6 Processing Unit with 16,000 positions of storage with Console Attachment, Direct Seek, Disk Storage Control, Indexing and Store Address Register; Bit Test, Transmission Control Unit attachment, and Printer Attachment.




Figure 2. Typical 1440-1448 Computer Assisted Instruction System Configuration

- 1442 Card Read Punch Model 1 with Card Read Punch Adapter.
- 1443 Printer Model 1 with Selective Character Set and Printer Control.
- 1447 Console Models 1 and 4 with Sense Switches.
- 1311 Disk Storage Drive, one Model 1 and one Model 2 with Direct Seek feature.
- 1448 Transmission Control Unit Model 1 with 1050 Attachment Feature, Fixed Time-Out Feature (New Line and Line Feed, Horizontal Tab), and, as required, Line Group, Line Adapter Set, Common Carrier Adapter Set attached to lines 1 through 12. The user can also optionally specify Text Time-Out Suppression to prevent the timer from operating at the normal 9-18 second disconnect. This optional feature is to be used with the Text Time-Out Suppression on the 1051 Control Unit.

Data Communication System — up to 12 systems maximum, each consisting of a 1051 Control Unit Model 2 with an "A" Terminal Identification Letter and a 1052 Printer-Keyboard with the First Printer feature. (If desired, the Text Time-Out Suppression feature can be ordered on the 1051 as a required companion to the one specified on the 1448.)

Related Information

The author and proctor should be familiar with IBM System Reference Library publications IBM 1401, 1440, or 1460 Operating System, Computer Assisted Instruction, Form C24-3253. The proctor also should be familiar with Disk Utility Programs, Operating Procedures, IBM 1440-1301 and IBM 1440-1311, Form C24-3121.

The author, before any work can be started on the computer by the proctor or by himself, must provide the proctor with some required information. This information should include:

- The author's name and number
- The course name
- The approximate number of statements in the course text
- The maximum number of students to be registered
- The names of the students
- The number of cach student
- The recording option for each student
- The instructions for extracted student responses, if any.

This information is necessary to allow the proctor to execute the registration procedures for the course.

If the author's name printed out by the computer is incorrect, the author should *sign off* the printer-key-board immediately. Although his number may be correct, there may be an error in registration that should be checked out before he proceeds any further.

Author's Control Words

The control words for the author are used when he signs on the computer to begin work on his course. Figure 3 contains a list of the control words that the author uses for specific procedures.

For a detailed explanation of the author's control words, see the IBM Systems Reference Library publication IBM 1401, 1440, or 1460 Operating System, Computer Assisted Instruction, Form C24-3253.

Author's Error Messages

While the author is using the printer-keyboard, various error messages may be printed out to him. A list of these errors and the reasons for them are given in Figure 6.

Author's Sign On

The author must *sign on* the computer before he can write or take a course. Valid signing onto the system depends on whether the author has been registered previously by the proctor. The procedure the author must follow in signing on the system is:

Author sign on
Computer type course name
Author (name of course)
Computer type your number

Author axxxx

Computer your name is (name of author)

Computer type control word

Author (one of the control words in Figure 3 must be used here by the author to perform the func-

tion he wants)

Course Input Format

When course material is put into the computer through the printer-keyboard, the author should follow the format of the Coursewriter Instruction Sheet (Figure 4). The instruction sheet contains three major sections: the *label* (or sequence number relative to the *label*), the *operation code*, and the *course material* or text.

In Figure 5, the space, the EOB character, and the carrier-return character (c/r) do not print. The label-sequence numbers print automatically.

On the Coursewriter Instruction Sheet, the carrier-return symbol (c/r) and the end-of-block code (EOB) are included only to show what may be done when an author writes a course if someone other than himself inputs the material on the printer-keyboard. He may also follow this procedure if hc believes it will be an aid to him in keying course material on the printer-keyboard.

Operation Codes

Each operation code has a two-character identification and is used by the author in preparing his course for presentation to his students via the computer.

CONTROL WORD	BRIEF DESCRIPTION
sign an	Used when author wishes to begin warking a the system.
i <u>nsert after</u> label–sequence	Used by the authar when he wishes ta begin or cantinue writing a caurse. Author must designate paint af origin.
type label-sequence//label-sequence	Used when printaut in part ar all af course written by authar is desired.
delete label-sequence//label-sequence	Used when author wishes ta delete one ar more statements fram the course.
mave label-sequence//label-sequence/label-sequence	Used when author wishes ta mave ane ar more statements fram ane lacatian ta anathe within the course structure.
ga ta label-sequence	Point in course from which author wishes to begin checking his material by becoming a student and taking the course.
help	When checking his course, the author uses this word when he wants the program to give him the correct answer to a question.
<u>autho</u> r	Used when authar wants ta change from the student made back to the author mode.
end	Used when the author finishes writing a course and wants ta use another cantral ward to perfarm same other function.
sign off	Used when authar wishes to stop working and leave the system.

Figure 3. Author Control Words.

The operation codes define the action to be performed on the third part of the course statement, which is called the text. The operation codes and their uses are explained in detail in the IBM Systems Reference Library publication IBM 1401, 1440, or 1460 Operating System, Computer Assisted Instruction, Form C24-3253.

The operation codes are:

rd	cb
qu	wb
ca	fn
wa	br
un	ad
nx	ty
	•

The twelve operation codes must be typed in lowercase characters. After each operation code is typed, the author must key one space before he begins typing course material.

Since all operation codes consist of only two characters and must be typed in spaces 12 and 13, space 14 is always left blank.

Course Execution Sequence

Consider operation codes as falling under two categories: major and minor.

The major operation codes are rd, qu, ca, cb, wa, wb, un, and nx. The minor operation codes are ty, ad, and br. The fn operation code can be used as a major or minor operation code.

The major operation codes always will be executed in the order the author presents them in the course. The major operation codes determine the use of the minor operation codes. The use of minor operation codes therefore depends upon the successful execution of the major operation code that precedes them.

Once a major operation code has been executed successfully, all minor operation codes following it also will be executed until the next major operation code is encountered.

Whenever a ca or cb operation code is executed successfully, the program will procede to the next rd

HISTORY Operating System for Computer-Assisted Instruction Coursewriter Instruction Sheet IBM 1401 and 1440 Page No. Zof Z	Lobel 1 Code n Code n Code n k	CHAPTER 1(E 0B) (C(R) (C(R) (C(R) (C(R) (C(R) (A) (READ THE LIFE OF COLUMBUS. (EOB) (A) (A) (A) (A) (A) (A) (A) (
IBM Course Name HISTORY Author's Name JONES Author's Number a 1919	Sequence	YOU SHO AWARE O FINANCI CHAPTER THAT CO

Figure 4. Typical Author Entry on Coursewriter Instruction Sheet.

```
15
             (c/r)
Chapter 1(EOB)
            rd_Read the life of Calumbus. (EOB)
aware of his life in Italy. (EOB)
                _Yau shauld knaw why he went to Spain to ask far(c/r)
financial aid far his vayage. (EOB)

4 qu_What year did Calumbus discaver America?(c/rEOB)
             ca_1492(EOB)
             cb_early 1490s(EOB)
             wa_1392(EOB)
             wb_araund 1500(EOB)
             un_try again(c/r EOB)
    10
Chapter 2(EOB)
i rd_Fram your reading you should be aware(c/r) that Calumbus used three ships an his vayage. (EOB)
            qu_What were the names af the three ships? (c/r)
(Capitalize each name)(c/rEOB)
            ca_Santa Maria, Nina, Pinta(EOB)
```

Figure 5. Typical Author Entry on Printer-Keyboard.

or qu operation code after executing all minor operation codes as associated with that particular ca or cb.

When a wa, wb, or un operation code is executed successfully, the program will return to a point in the course associated with the first major operation code following the current qu operation code. The program then waits for the student to reply again to that qu.

The successful completion of the rd, qu, or nx operation codes permits the execution of all minor operation codes that follow them. The next major operation code also is executed. The execution sequence of these minor operation codes may be altered by the use of the br instruction.

Whenever a ty, un, rd, or qu operation code is executed successfully, the last response from the student is destroyed.

Labels

The label is used as an entry into the course. It consists of one to ten characters. The only restriction in the use of characters is that a label may never contain a slash (/) or a dash (-). The label, depending on its length, must be typed in spaces 1 through 10 as shown in the instruction sheet.

The label allows unique identification of a block of print. The author may use as many as he wishes. It is used only in a *branch* instruction. For example, if the author wishes to have his students skip to material in another part of his course, he may issue a *branch* instruction to that location, which is identified by a label.

Statements immediately following each label are numbered sequentially and automatically by the CAI program, beginning with 1.

The author may define a label by pressing the carrier return key on the printer-keyboard when he is in the operation code field, typing the label in and keying an end-of-block code (EOB). The program will return the carrier, print the number "1" in the label field, and space to the operation code field. Each block of print is numbered sequentially, by the program, up to the next label.

When the author receives a number for the next course statement and he wants to insert a label, he returns the carrier to the left margin, and types in his label and an end-of-block code (EOB). The program will return the carrier, begin sequential numbering again with 1, and the author can then add more course material.

The label sequence number associated with a label can never be used in a branch instruction. Branching can be done only to a label.

The label-sequence number, as well as the label, may be used as the text of author control words such as *delete* and *insert after*.

Note: When typing a label and its associated sequence number, separate them by a dash (-).

Textual Material

Each course material statement may contain up to 150 characters, including the EOB code. The material may be in various forms.

It may be instructions or questions to the student, predicted correct or wrong answers from the student, labels to determine the order in which the course material is to be presented, counters or names, and operands of functions.

If a course statement is longer than 150 characters, the author must key an EOB before he exceeds the maximum number of allowable characters. The carrier is returned automatically, the next sequence number is printed, and the carrier moves to the operation-code field.

At this point, the author continues the course statement by keying three spaces and typing his material.

The author, to align the left margin of the printed material, writes his material in a specified manner. For a *qu*, *rd*, *ty*, or *un* operation code, if the author wants the carrier returned so that the next response typed by the student will be at the left margin, he ends the text with a carrier return and an EOB.

For a *ca*, *cb*, *wa*, *wb*, *br*, *ad*, *fn*, or *nx* operation eode, only an EOB is necessary. When the author is writing the eourse, the program causes a carrier-return and line-feed operation automatically after each block of print.

When a student is taking a course, he ends each response with an EOB. Either the author returns the carrier when the text of a *qu*, *rd*, *ty*, or *un* is typed, or the program returns the carrier after the response from the student.

This allows the first response from a student to follow on the same line as the question or instructions of the course if the author omits the earrier return from the end of the text.

Author as Student

The author can cheek the contents of his course by using the *go to* control word. This signals the computer that the author wishes to become a student. The computer then begins to present course material, starting at the label or label-sequence number specified with the *go to* control word.

To return to his author status, the author types the control word *author*.

Carrier Return Printing

Computers without the Fixed Time-Out special feature sometimes eause printing problems when material is being presented to the student.

For example, after a line of print has been typed on the student's printer-keyboard and the carrier is being returned to the left margin, letters may print at widely spaced intervals while the carrier is returning. This is sometimes ealled "printing-on-the-fly."

Up to 150 characters are allowed for each block of print, beginning with the first character of the text and including the EOB code. Pressing any key on the printer-keyboard, with the exception of the alternate-coding key when pressed alone, sends a character to the computer and is counted among the 150 allowable characters.

Therefore, to avoid printing while the carrier is returning to the left margin, the author may treat each line of course material that he types as a block of print. He does this by keying a carrier return and an EOB, in this order, after each line that he types.

The next sequence number is printed and the carrier moves to the operation code field automatically. The author continues his course material by spacing three times over the operation code field and begins typing.

Author's Sign Off

When the author has finished his work on the printer-keyboard, he should *sign off*. This is one of his control words. He types *sign off* on the printer-keyboard. The computer will acknowledge his request by responding "you have been signed off."

MESSAGES	reason
disk full	Disk copocity for course moterial exceeded.
first lobel error	Error in specifying first lobel while using delete control word.
first sequence number error	Error in specifying first sequence number while using delete control word.
second lobel error	Error in specifying second lobel while using <u>delete</u> control word.
second sequence number error	Error in specifying second sequence number while using delete control word.
system error in delete lobel	Program unoble to delete moteriol requested far deletion.
outhor control word error	Wrong control word used.
lobel limits error	Involid set of lobel limits while using the move, delete, or type control words.
label error	Wrong lobel encountered during course print-out.
sequence number error	Sequence number ossocioted with lobel incorrect.
course name error	Involid course name or disk pack with course not on line.
outhor number error	Incarrect outhor number typed.
involid op code	Wrong operation code used. The operation code must always include two characters and a space. See Operation Codes for list of valid operation codes.
multi-defined lobel	Some lobel used more thon once.

Figure 6. Error Messages on 1052 Printer-Keyboard while Author is using the Computer.

Proctor's Information

The Computer Assisted Instruction program (CAI) for the IBM 1440 Data Processing System is an educational tool that permits an instructor to use the computer as a means of disseminating instructional material to students individually.

The CAI program resides in disk storage. A computer operator or *proctor*, as we shall call him in this publication, stores the program on disk only once. Thereafter, according to his plan of operation, the computer is initialized daily to prepare for the use of CAI.

The proctor must follow certain rules during the operation of the computer and the IBM 1052 Printer-Keyboard (an input/output unit used to communicate with the computer). To avoid errors and achieve maximum efficiency, follow these rules as they are outlined in this publication.

For example, special control cards are required from the proctor at various stages of preparation for the CAI program. The formats of these cards are given. If the format is incorrect, the computer will halt and an error message will be printed on the printer.

The proctor, before he begins any registration procedures, will need some information from the author. This information includes:

- 1. The course name and estimated number of statements expected to be in the course. The course name should not exceed eight characters. The number of statements in a course should not exceed the number of disk sectors available for the material on the pack.
- 2. The author's name and number. The author's number should be preceded by a lower case "a" and followed by four numerals. The author's name must not exceed 22 characters.
- 3. The maximum number of students to be registered at any one time.
- 4. The names of the students and their individual numbers. Each student's number should be preceded by a lower case "s" and followed by four numeric digits. The student's name should not exceed 22 characters.
- 5. The recording option for each student. The recording option, which specifies which student responses are to be recorded in disk storage, is specified when the student is registered.

6. Instructions from the author on what is to be done with the student responses extracted from disk storage and the type of sorting to be done with those responses.

Initial Generation

The initial generation of the CAI program requires the proctor to clear the disk storage area to be used for the program supplied by IBM. This disk area is located on what is known as the Systems pack. To clear the Systems pack, the proctor must use the disk utility program. The utility program is not provided with the CAI package, but can be ordered from IBM.

Four decks of object cards are supplied by IBM to enable the proctor to prepare the computer for CAI. The decks, as shown in Figure 7, include:

- 1. The Systems deck. This deck contains the control program and the load program that places the CAI program into disk storage.
- 2. The Computer Assisted Instruction functions deck.
 This deck contains the various functions or subroutines necessary to execute various parts of CAI.




Figure 7. Initializing Object Decks.

- 3. The Initial Load Program deck. This deck is used daily to initialize the CAI program.
- 4. *Utility decks*. These decks contain the programs that load the functions on the Systems pack, list course material and student records on the printer, and extract and print student responses.

When fewer than 12 lines are installed on the IBM 1448 Transmission Control Unit, the proctor must prepare three patch cards to adapt the CAI program to the system configuration. Place the patch cards immediately in front of the last card of the Systems deck. If fewer than 12 lines are installed and these patch cards are omitted, the computer will come to a 1448-processerror halt.

The patch card formats are:

Card 1

Columns	Contents
1	W
2	6
3	5
4	0
5	7
6	Word separator (0-5-8)
7	A comma (,)
8-13	Punch the contents of columns A and B in Figure 8
	according to the number of lines in the system.
14-80	Blank
0 1	

Columns 8-13 should be punched this way: If six lines are to be used in the system, punch the contents of line 6 under A and B in Figure 8.

Card 2

Columns	Contents
1	W
2	7
3	2
4	0
5	7
6	Word separator (0-5-8)
7	M
8	U
9	2
10	9
11-13	Punch the contents of Column A in Figure 8 according to the number of lines in the system.
14-80	Blank

Card 3

Columns	Contents
1	W
2	7
3	9
4	0
5	7
6	Word separator (0-5-8)
7	M
8	U
9	2
10	9
11-13	Punch the contents of column B in Figure 6 according to the number of lines in the system.

NUMBER OF 1448 LINES	COLUMN A	COLUMN B
1	ніо	HII
2	H20	H21
3	H30	H31
4	H40	H41
5	H50	H51
6	H60	H61
7	H70	H71
8	H80	H81
9	H90	H91
10	100	101
11	110	III

Figure 8. Patch Card Data.

When preparing cards 2 and 3, the same procedure should be followed as for card 1. The main difference is that only the contents of one column in Figure 8 are used. For example, in card 2, the contents of line 6 in column A are punched into the card if there are six lines to be used. For card 3, use the contents of column B.

Clearing the Disk Packs

Two specially designed control cards are prepared and placed behind the Clear Disk Utility program to clear storage on the Systems pack and prepare it to receive the CAI program. These cards must be punched as shown here to clear the pack properly.

The formats of these cards are:

Card 1

Columns	Contents
1-15	M0000000001900
16-20	Blank
21-35	L00002000019900
36-40	Blank
41-55	M00020000021900
56-80	Blank

Card 2

Columns	Contents
1-15	L00022000099900
16-20	Blank
21-35	M00100001999900
36-80	Blank

Only one control card is necessary for clearing storage on the course packs and recording pack. This card is placed behind the clear-disk utility program cards. The format for this card is:

Columns	Contents
1-13	M00000019999
14	0, 2, 4, 6 or 8, depending on which disk drive has the pack to be cleared.
15	0
16-80	Blank

Building the Systems Pack

Each disk drive on-line in the system is numbered. There must be at least two, but as many as five may be used. To build the Systems pack preparatory to using the CAI program, the proctor must take these steps:

- 1. Place the Systems pack on disk drive 0.
- 2. Set the write-disk switch, the check-stop switch, and sense switch A on.
- 3. Set all other switches off.
- Press CHECK RESET, START RESET, 1448 CHECK RESET, and 1448 START RESET.
- 5. Place the Systems deck in the card reader.
- 6. Load the systems deck by pressing START on the card reader and PROGRAM LOAD on the console.

When the computer attempts to read the last card, press START on the reader. After the last card has been read, remove the deck from the card reader.

Note: As a precautionary measure, remove all cards from the card reader after they have been read and returned to their original storage location. This prevents loss, damage, and mixing with other cards that may be processed later.

While building the Systems pack, the computer may halt normally or an error may cause it to stop. The stop button on the console will always light up when the computer halts, but it will give no indication or reason for the halt. The proctor, therefore, should press the A- and B-address register buttons to determine the type of halt. These buttons should be pressed one at a time.

The proctor will receive a number on the storage address register on the console. The numbers shown for each register can be compared to those in the chart in Figure 9 to determine whether the system stopped normally or because of an error.

For example, if the numbers shown when the A-address register button is pressed is 777 and the same number appears in the B-address register, the proctor will know the computer came to a normal halt.

To restart the computer after an error halt, the proctor should press START on the console. If the same halt recurs, all switches should be checked to determine if they are in the right positions as outlined in this publication.

Loading the Functions

A special deck of cards called the Load Function deck is used to load into disk storage the functions necessary for the CAI program. The Load Function deck is

A-ADDRESS REGISTER	B-ADDRESS REGISTER	WHEN HALT WILL OCCUR
222	222	When trying to write Systems Control program on Systems pock.
333	333	While trying to cleor function oreo on Systems pack.
444	444	Reod error when initializing the pock record.
555	555	Write error when writing the pock record.
666	666	Write error while initializing the functions table area on the Systems pack.
777	777	Normol Halt.

Figure 9. Error Halts while Building the Systems Pack

placed first into the card reader. Behind this deck, the proctor should place the deck of functions.

Before starting, the proctor should press START on the printer to prepare it for printing messages. He should then follow these steps:

- 1. Press check reset, 1448 start reset, 1448 check reset, and start reset on the console.
- 2. Press start on the reader.
- 3. Press Program Load on the console.

The computer will load the functions into disk storage. The reader will stop when it attempts to read the last card. Press START on the card reader, and the last card will be read.

After the last card has been read, the computer halts and a message prints on the printer, telling the proctor the functions have been properly loaded on disk. While the functions are being loaded, any errors that may occur will be detected and written out on the printer. This list contains the possible error messages that can occur and are printed on the printer while loading the functions or making changes to functions already in storage:

function control card error
delete function entry not in function area
delete table entry not in table
function already in sector xxxxxx
add table entry already in function table
function table full
equated function not in table

The job of building the Systems pack and loading the functions, although not a lengthy process, is done only once unless it must be enlarged or rebuilt.

The total time for this procedure, including the time to clear the Systems pack, is approximately 10 to 12 minutes.

Daily Initialization

Each day the computer is used for CAI, the proctor must follow a daily initialization routine to prepare it for a new day's work. The procedure to be followed is:

- 1. Place the Systems pack on disk drive 0. All course packs and the one recording pack for student responses should be placed on other drives that are to be used that day.
- 2. Set the write-disk switch, check-stop switch, and switch A on.
- 3. Set all other switches off.
- 4. Press check reset, start reset, 1448 check reset, and 1448 start reset.
- 5. Place the Initial Load Program deck in the card reader. This deck will load the CAI program from disk storage into core storage.
- 6. Press start on the card reader and PROGRAM LOAD on the console.

The card reader will stop when is attempts to read the last card. Press start on the card reader to read the last card. Only one possible error can occur. This halt, if it happens, will occur while the program is being read from disk storage into core storage. If this halt occurs, both the A- and B-address registers will contain the number 111. The proctor should recheck all switches to determine if they are in the correct positions. If the equipment is not the source of the halt, the fault probably is in the Systems pack. The proctor should rebuild his Systems pack.

Polling Line 1

When the CAI program is moved from disk storage into core storage, the initial load program is designed so that it will branch to the initializing routine, and line 1 is polled or activated.

At this point, the proctor should know what is to be done that day before anyone is allowed to do any course work on the computer. He should know:

- 1. If student responses are to be dated as they are recorded.
- 2. What recording pack or sectors on the recording pack are to be registered.
- 3. If any authors are to be registered on the computer.
- 4. What students, if any, are to be registered on the computer.

Proctor Input Operation

The proctor must use the printer-keyboard when keying control data into the computer for the CAI program.

Eleven control words are available to the proctor. They are signals to the computer that specify the operations that administer the system. These control words are keyed on the printer-keyboard.

The printer-keyboard and its operation are explained in detail later in this publication (see *Printer-Keyboard*). Proctor error messages may be printed on the printer-keyboard while the proctor is working at the unit. Figure 10 contains a list of these messages and the reasons for them.

Proctor Sign On

The proctor, before he is able to use the computer to perform any of his duties, must *sign on*. The procedure for this is:

Proctor: sign on proctor Computer: type control word

Proctor Control Words

The proctor has a choice of 11 control words. The one he selects depends on the job that he wants to do. These control words are:

register author
register student
register recording
date
line
remove author
remove student

remove recording reassemble halt sign off

Four requests are available to the proctor whenever he uses the *line* control word. They are: *poll*, *control*, *status*, and *sign* off *line*.

Register Author

The registration of an author on the computer also registers a course at the same time. Courses are placed on disk drives specified by the proctor during the author-registration routine. The computer, during this procedure, tells the proctor how many sectors are available for the course. The number of statements specified for the course must not exceed the number of sectors available.

This is an example of how the author and a course should be registered:

Proctor register author
Computer type drive number

Proctor 2 (If this is the drive on which he wishes

to place the course.)

Computer (number of sectors available is written

here)

Computer type course name//course sectors//stu-

dents

Proctor (course name)//(sectors for course)//

(number of students)

Computer type number//name
Proctor axxxx//(author's name)
Computer registration finished
Computer type control word

Name Length

The maximum number of characters allowed for the name of an author or a student is 22. This number includes all characters that are sent to the computer when a name is typed.

All letters in a name are counted as characters in addition to those characters generated when such printer-keyboard functions as downshift, upshift, and space are used.

Failure to count these characters could result in a name that exceeds the maximum number of characters allowed (see the section titled *Unseen Characters*).

Register Student

The procedure followed by the proctor to register a student is similar to the one used to register an author.

The student registration routine specifies the course, student responses to be placed in a disk storage, and the student's name.

This is an example of how a student should be registered for a course:

Proctor register student Computer type course name

Proctor (type course name here)

Computer type student number//recording option//

student name

Proctor sxxxx//(number of recording option)//

(student's name)

Computer registration finished Computer type control word

The proctor should repeat this procedure for each student to be registered. He may do this by typing register student as the next control word.

Recording Options

Seven available characters, numbers 1 through 7, designate what student responses the author wants recorded in disk storage. If none of the responses is to be stored, the proctor leaves the space in the procedure blank. This is done by pressing the spacebar, which sends a blank character to the computer, and then typing the delimiter lines and proceeding to type the student's name.

The characters in number form and the responses they represent are:

Only correct answers
Only wrong answers

Both correct and wrong answers
Only unrecognizable answers

Both correct and unrecognizable answers
 Both wrong and unrecognizable answers

7 All—correct, wrong, and unrecognizable answers

blank none

Register Recording Pack

One disk pack should be reserved for student responses. The responses to be recorded are designated during student registration by the recording option. The recording pack should be registered if a new pack is to be used or a new section on a pack already in use is to be set aside for the responses.

Registration of the recording pack is necessary unless the pack used the previous day is to be continued. This pack is already registered and need not be registered again (see *Remove Recording*).

Two procedures are available for registering a recording pack, depending on whether it is a new pack or a new section in an existing pack. The procedures are:

NEW PACK

Proctor register recording

Computer type drive number//start sector//last sec-

tor

Proctor 2 (If only the disk drive number is specified, the entire pack will be reserved for

student responses)

Computer registration recording finished

Computer type control word

New Pack Section

Proctor register recording

Computer type drive number//start sector//last sec-

tor

Proctor 2//1346//2347 (if these are the sector

limits desired)

Computer registration recording finished

Computer type control word

Note: The sector limits should be used with caution to prevent the destruction of information stored on the disk pack in the sector specified.

Date Student Responses

A date routine permits the CAI program to place the current date on each of the student responses. This provides the author with a record of how the student may have answered a question on a particular day.

This is the procedure for entering the date into the computer:

Proctor date Computer type

Computer month//day//year

Proctor 11//25//65
Computer date finished
Computer type control word

Line

Four kinds of requests are available to the proctor whenever he uses the *line* control word. They are: poll, control, status, and sign off line.

Poll

The proctor may poll all lines at once or he may activate them one at a time, and as many as he wants, by repeating the polling routine. Here are two examples of how the proctor polls the other lines.

The first example polls all units at once. The second example polls only one line.

Example 1

Proctor line

Computer type request

Proctor poll

Computer type line number

Proctor all

Computer poll finished
Computer type control word

Example 2

Proctor line

Computer type request

Proctor poll

Computer type line number

Proctor 3

Computer poll finished
Computer type control word

When the computer asks the proctor to *type control* word at the end of example 2, he should type *line* if he wants to continue activating lines. He should repeat this procedure until all lines that he wants polled are put into service for that day.

Control

The *control* request is used to deactivate all lines or one line at a time. The line of the proctor can not be deactivated at any time. For the deactivated line to be used again, the proctor must poll it.

This is an example of how all lines are deactivated when the *control* request is used:

Proctor line

Computer type request Proctor control

Computer type line number

Proctor al

Computer control finished
Computer type control word

This is an example of how the *control* request is used to deactivate one line:

Proctor line

Computer type request Proctor control

Computer type line number

Proctor 2

Computer control finished
Computer type control word

Note: If your system is equipped with the Text Time-Out Suppression optional feature, the *control* request should not be used.

Status

The *status* request is used when the proctor wants to know what activity is taking place at an other printer-keyboard. The status information includes the author or student record and the line constants at the point in the course where the author or student is at the time the request is made. This information prints on the proctor's printer-keyboard.

For example, if an author or student is encountering some kind of difficulty with the course, the proctor, with this request, may determine (from a print-out of the record and constants) the origin of the problem.

This is an example of the procedure for the *status* request:

Proctor line

Computer type request

Proctor status

Computer type line number

Proctor 2

Computer (constants and record are printed here)

Computer status finished
Computer type control word

Sign Off Line

The sign off line request is used by the proctor to sign off a printer-keyboard left on by a student or author. The proctor may sign off a unit from another unit. This is an example of how he can use the sign off line request:

Proctor line

Computer type request
Proctor sign off line
Computer type line number

Proctor 2

Computer sign off line finished Computer type control word

Note: This procedure does not deactivate the line.

Proctor Sign On

When the proctor is finished with the initializing routines, he should *sign off* the computer. The computer will acknowledge his request with "you have been signed off." The computer is now ready for use by both authors and students.

Remove Author

18

The procedure for removing an author and course from the computer is one and the same. Whenever an author or course is removed from disk storage, this example of the routine should be followed: Proctor remove author
Computer type course name

Proctor algebra

Computer type author number

Proctor axxxx

Computer author remove finished Computer type control word

Remove Student

At the end of the course or if the student drops out of a course, his records should be removed from the disk files. This is an example of how a student should be removed from the course:

Proctor remove student
Computer type course name

Proctor algebra

Computer type student number

Proctor sxxxx

Computer student remove finished
Computer type control word

Halt

The proctor may use the *halt* control word whenever he wants to stop all printer-keyboards temporarily. When the proctor uses this control word, all lines cease to function at the next end-of-block condition. No one is signed off the computer. To restart all units, the proctor need only press start on the console. This is an example of the halt procedure:

Proctor halt

Computer type control word

Note: The stop button on the console should never be used to halt the computer or printer-keyboard while they are in use.

Remove Recording

At the end of each day, the proctor should update the disk addresses of the student responses. This is an important routine. It provides for continuous recording of sequenced addresses.

If the response recording pack is not updated, the responses recorded the following day will begin at the same address as the previous day, destroying those earlier responses as new responses are being written over them. Also, if the disk addresses are not updated, the extract and print utility program will be unable to retrieve that day's responses because the computer will not know where they are.

This is the procedure for removing the response recording by updating the disk addresses:

Proctor remove recording

Computer remove recording finished

Computer type control word

Reassemble

Reassembling a course allows a proctor to increase or decrease the disk space assigned to this course, to change the number of students assigned to this course, and to eliminate deleted instructions from this course.

If necessary, the course to be reassembled can be moved to another disk pack. The space occupied by this course on the original pack cannot be reused unless all other courses on the same disk pack also are moved to the new disk pack. The original disk pack then becomes a scratch pack capable of being reused after it has been cleared (see *Clearing the Disk Packs*). Note: only one course at any one time may be reassembled.

The steps to be followed for reassembling are:

- 1. Register author on new disk pack (see Register Author).
- 2. Reassemble the course.

In step 1, always use the same course name and author number that were used in the original course registration.

This is an example of how the proctor makes a request for a reassembly:

Proctor reassemble

Computer type course name//author number//typing

option

Proctor (course name)//axxxx//type (if a print-

out of the course is desired during re-

assembly)

Computer (print-out of course, if requested, is done

at this time)

While the computer is transferring the student records from the old disk pack to the new one, an abstract of each record is printed on the printer-keyboard. This is an example of an abstract:

FLAG COURSE STATEMENT NUMBER NAME
(Error (Course (Label-sequence (Student (Student number) name) qu position)

The flag field has the following meanings:

Blank No error.

1 The statement label has been deleted.

s The statement sequence number no longer exists.

q The statement is not an rd or qu.

If the statement field is blank for any record, that student has not yet begun to work on the course. If a flag appears for any record, that student is reset to the beginning of the new course. The author, by instructing the student to use the *go to* control word, can reset the student properly.

At the end of a successful reassembly, the computer types: "reassembly successfully completed." The original course is now unavailable for use by the author or student. The availability of the reassembled course or any part of this course is contingent upon a successful reassembly. If a reassembly is unsuccessful, steps 1 and 2 above for a reassembly must be repeated.

Initial Program Loading

When the Initial Load Program deck is used to load the program into the system, an error halt could occur. Both the A- and B-address registers will show the number 111. The proctor should press START on the reader to continue processing the deck.

If, however, the system will not restart, the problem is that the program cannot be read from disk storage. The proctor should check all switches to make sure they are in the positions outlined in this publication.

MESSAGE	reason
drive number error	Drive number wrong. Drive not on line.
control word error	Invalid control word used. (See Proctor Control Word).
formot error	Preceding requests for computer presented in wrong formot.
pock full	Five courses already on pock or copocity of pock reached with lesser number of courses.
course nome error	Involid nome specified, course not registered, disk pock with course not on line or lock of o second course record during reossembly.
student oreo full	Closs copocity reached.
recording option error	See Recording Options.
pock in use	Drive requested for response re- cordings olreody in use.
outhor number error	Involid outhor number typed or outhor not registered.
remove control word error	One of three types of remove com- mond words not given. Should be remove outhor, remove student or j. remove recording.
student number error	Wrong student number used or stu- dent not registered.
remove recording error	Recording pock not on system.
dote format error	Incorrect formot for <u>dote</u> routine.
request error	Involid requests Volid requests ore poll, control, stotus ond sign off line.
control rejected	Requests for line osked to be con- trolled could not be fulfilled.
number error	Involid line number typed.
sign off line rejected	Activity on line prevents lines from being signed off.
insufficient course spoce	The new course record does not specify sufficient disk spoce for o reossembly.
insufficient student spoce	The new course record does not specify sufficient student record spoce for reossembly.
other ossembly occurring	Only one reossembly is ollowed ot ony one time.

Figure 10. Proctor Error Messages on Printer-Keyboard.

The utility programs used in the CAI programs are provided by IBM to the user. The utility deck contains three programs: Load Functions, List Course and Student Records, and Extract and Print Student Response Records.

The control cards, which are punched by the proctor according to the format outlined here, should be placed behind the utility program deck. The proctor should then:

- 1. Place the course pack on the disk drive he designates in his control card.
- 2. Set the write-disk switch, the check-stop switch, and switch A on.
- 3. Set all other switches off.
- 4. Press check reset, start reset, 1448 check reset, and 1448 start reset.
- 5. Place the utility deck in the card reader.
- 6. Load the utility deck by pressing START on the card reader and PROGRAM LOAD on the console.
- 7. When the system attempts to read the last card, press start on the card reader and the last card will be read.

This procedure for readying the computer should be followed each time one of the utility programs is to be used.

Load Functions

Once the functions have been stored on disk, special control cards can be used to make changes or additions. They include:

- · Add additional functions.
- Equate new functions with another already in storage.
- Delete an entry from the functions table.
- Delete a function from storage.

An end-functions control card also is used to tell the computer the job of making changes to the functions has been completed. Five types of function changes may be made. Each requires a control card. All control cards must be placed behind the Load Function

Program deck that is used to load them. The *add-func*tion control card must precede the function that is being inserted.

Add Function

This control card is required whenever a new function is to be added in the function area. The name of the function is automatically placed in the function table. The format of the add-function control card is:

Columns	Contents
1-3	Add
4	Blank
5-12	Function
13-20	Blank
21-30	Name of function to be added
31-80	Blank

Equate Function

This function is required when a new name is given to a function or a part of that function. If the new name is equated to the whole function, the relative address is 000, which must be entered in columns 41-43 of the following control card. If the new name is equated only to a part of the function, the relative address is the beginning of that part.

The format for the equate-function control card is:

50000000	000
1-6	Equate
7-20	Blank
21-30	Name of the new function
31-40	Name of function already in the system
41-43	Relative address of function in the table to be
	equated with new function
44-80	Blank

Delete Table

Columns

Contents

Whenever a function entry is to be deleted from the function table, a control card designating the entry to be eliminated is inserted behind the functions load program. The format for the delete table control card is:

Columns	Contents
1-6	Delete
7	Blank
8-12	Table
13-20	Blank
21-30	Function entry to be deleted
31-80	Blank

Delete Function

This function is required whenever a function is to be deleted from the function area in the system. The function automatically is removed from the system and the function table. The delete function control card format is:

Columns	Contents	
1-6	Delete	
7	Blank	
8-15	Function	
16-20	Blank	
21-30	Name of funtion to be deleted	
31-80	Blank	

End Functions

This control card indicates that the job of making changes to the function area and table is finished. The format for the end functions control card is:

Columns	Contents
1-3	End
4	Blank
5-13	Functions
14-80	Blank

Error Detection

Whenever the system detects an error in the control card and finds that a function designated by that control card cannot be executed, an error message prints on the printer. An error in the control card will halt the system.

The error messages are preceded by the contents of the control card containing the error. This is a list of the messages printed when an error is detected:

delete function entry not in function area. delete table entry not in table. function already in sector xxxxxx. add table entry already in function table. function table full. equated function not in table.

The final message to be printed on the printer is "function load program finished."

When an error is detected in the control card, the proctor should follow these four steps to correct the mistake:

- 1. Press the non-process run-out key on the card reader to retrieve the error card.
- 2. Correct the error in the error card.
- 3. Replace the corrected card in its proper position with the rest of the cards in the reader.
- 4. Press start on the console to resume processing.

List Course and Student Records

This program permits the proctor to print all of a particular course, parts of that course, or all student records for the course. For each print-out, the proctor must prepare a control card that must be placed behind the utility deck in the card reader. The control card should be punched as follows:

Columns	Contents
1-8	Course name
9-10	Blank
11	"S" or "C" to denote whether the listing is to be
	Student records or a Course.
12	Disk drive number where the course or student records are located.
13-20	Blank
21-30	First label (where listing of a course is to start).
31-33	First sequence number
34-40	Blank
41-50	Second label (where listing of course is to end).
51-53	Second sequence number
54-80	Blank

Assumptions if columns are left blank:

Columns	Assumption
1-8	Error
11	"C" - Course
12	Drive 0
21-30	Start of course
31-33	000
41-50	End of course
51-53	000

A course can be printed in whole or in part, depending on the information contained in the control card. If the whole course is to be printed, the proctor may punch only those columns from 1-12 as directed in the control card format. Otherwise, he must punch the entire card, as outlined, to receive a printed output that consist only of part of a course. The labels and sequence numbers designate the starting and stopping points for course print-outs.

Student records are printed in their entirety and cannot be selected individually. When only student records are wanted from disk storage, only columns 1-12 should be punched. The rest of the control card must be left blank.

Each time a listing is printed, it is preceded by a heading. There are two types of headings. One is for student records and looks like this:

course (name) student records

The second heading is for courses. It lists the course and the limits of the course. This heading looks like this:

course (name) print (label-seq. no.)//(label-seq. no.)

When requesting a listing of a course or student record, errors detected by the computer are printed on the printer (Figure 11).

Also printed is a message telling the proctor that the course or record print-out has been completed. After each error message is printed, the computer halts. Pressing START on the console will restart the computer for the reading of the next control card.

The proctor, however, may correct the error first by pressing the non-process run-out button on the card reader to reach the control card containing the error. The card can be corrected, replaced in the reader in the same position from which it was taken, and processing continues.

Extract and Print Recordings

Only the student responses designated by the recording option (1-7) are recorded. These recorded responses can be printed directly on the printer according to one of the designated selection options specified on a control card.

Responses also may be extracted (by selection option) and moved first to a "scratch" disk pack on another disk drive. This is an intermediate step in obtaining a specific set of responses, excluding all others.

Consider this example: Suppose all responses for many students are recorded and we now want to print only the responses to *ca's* (correct answers) from one of the students. It will be necessary to make two passes with this utility program. The first extracts all responses from the selected student and places them on a "scratch" pack. Let us use disk drive 2.

The second pass prints only the student's *ca* responses from the scratch pack. The control cards for these two passes should be punched like this:

MESSAGE ON 1443 PRINTER	REASON
pock not registered	Disk pack on drive is not registered.
course name error	Course name in control card is not on disk pock you specified.
end of course printout	Requests in control cord completed.
sequence number error	Numbers in columns 31-33 or 51-53 ore incorrect.
lobel error	Label specified in columns 21–30 or 41–50 is incorrect.
student record print finished	Job specified in control cord hos been completed.

Figure 11. Messages for List Course and Student Record.

Control Card 1

Columns	Entry
1	S
2	E
4	(drive number of recording pack)
11-15	(student number)

Control Card 2

Columns	Entry
1	O (letter O, not zero)
3	P
4	2
11-12	ca

It is permissible to extract and print responses in the same pass. The intermediate step used only the extract option in the above example to avoid printing the *ca* responses from the other students.

The general format of the control card is:

Columns	Contents
1	Selection option: <i>C</i> if by Course name, S if by Student number, <i>O</i> if by Operation code, <i>L</i> if by <i>qu</i> identification, <i>R</i> if by Response identification.
2	E if the material is to be Extracted.
3	P if the material is to be Printed.
4	Drive number where material is located. (Drive O is assumed if this column is left blank.)
5	Alternate drive of disk pack to be used for extracted material. (Drive 2 is assumed if this column is left blank.)
6-10	Blank
11-23	Punch course name in columns 11-23, or student number in columns 11-15, or operation code in columns 11-12. For L and R codes, punch label in columns 11-20 and sequence number in columns 21-23.
24-80	Blank

See the IBM Systems Reference Library publication IBM 1401, 1440, or 1460 Operating System, Computer Assisted Instruction, Form C24-3253, for a detailed explanation of the selection options.

Figure 12 contains the *Extract and Print Recording* error messages that arc printed on the printer before the computer halts.

Extract and Print Headings

During the extract and print routine, one of several different types of headings is printed out on the printer, depending on the control card entry for the current job.

The responses may be extracted, printed, or extracted and printed. The way the material is extracted and printed is defined in the control card. For example, suppose the author wants all responses for a course extracted from disk storage and printed. The heading would look like this:

extract and print course (name of course)

If only extracting is done, only the word *extract* and the course designation is printed to tell the proctor what type of work is being performed. If the responses are being printed directly from storage, the word *print* and the type of responses to be retrieved from the disk file are printed followed by a print-out of the material.

MESSAGE	reason
errar in calumn 2 ar 3. must be an E ar P	E is for extract and P is far print. This column drfines whether extract ar printing ar bath jobs are to be perfarmed.
calumn 1 invalid, must be C, S, O, L ar R	See toble an cantrol card information far extract and print rautine.
caurse name errar	Caurse name starting in calumn 11 af the cantral cord is wrang.
disk pock nat registered far recardings	Wrong disk pack an line.
stort, end ar current disk address errar	Pock record is in errar.

Figure 12. Extract and Print Recording Error Messages.

General Keyboard Description

The printer-keyboard is an input/output unit (Figure 13). The paper remains stationary during the printing of each line. A single printing element, shaped like a ball, contains the entire set of characters that the printer-keybroad is capable of printing.

Keyboard Standard Features

Key Arrangement

Figure 14 shows the basic arrangement of the four-bank keyboard. The keys on the keyboard include character and function keys. The shift keys and the shift lock generate the up-shift code when pressed. When the shift keys are released, the down-shift code is generated.

Keyboard Function Keys

The keyboard function keys available are:

- Space
- Backspace
- Line Feed
- Tab
- Alternate coding
- Return (carrier return and line feed)
- Shift (and shift lock)



Figure 13. IBM 1052 Printer-Keyboard.

The alternate-coding key (ALTN CODING) allows dual keying from the numeric row of keys. ALTN CODING does not generate a code character. Instead, pressing and holding ALTN CODING while pressing one of the dual-coded numeric keys in the top row generates the output code for the control function noted above the numeric key selected.

For example, if altn coding and the 5-key are pressed at the same time, the operator generates an end-of-block (EOB) code. If altn coding and the zero key are pressed, the operator generates a cancel code. These are the only two codes the operator using




Figure 14. IBM 1052 Keyboard.

the printer-keyboard for the CAI program needs. Although other control functions are available, they are not necessary.

Note: To avoid errors while using the alternate-coding key, the operator should press and hold ALTN CODING before one of the dual-coded numeric keys is pressed. If one of the numeric keys is pressed first, that number, instead of the desired code, will be entered into the computer.

Other numeric keys may be pressed accidentally with ALTN CODING while the operator is attempting to key an EOB. Pressing the 6-key with ALTN CODING, for example, signals an end-of-transmission (EOT), causing the keyboard to lock up and taking control of the printer-keyboard away from the operator.

Control, however, is returned shortly. The operator receives the green light to proceed when this happens. He should immediately press ALTN CODING and the zero key to cancel the message containing the EOT, and then key the EOB. The material should be retyped with the proper EOB code.

If any of the numeric keys interlocked with ALTN CODING is pressed accidentally, the operator should immediately key a cancel code followed by an EOB. He does not lose control of the printer-keyboard with any of the other keys.

Character Cautions

Some of the keys on the keyboard, like those on the typewriter, are similar when typed. Two of the outstanding examples are the letter "O" and the numeral "zero", and the lower-case letter "l" and the numeral "one."

Because they look alike, the operator should be careful when typing these characters to avoid using one for the other. When the wrong character is typed, even though they look alike on the paper in the printer-keyboard, it is considered a wrong answer by the computer. The computer recognizes these characters for what they are.

Unseen Characters

Some of the keys on the printer-keyboard do not leave any mark on your paper when they are pressed. However, they do send characters to the computer that are counted in the 150-character limit per block of print. The six keys that do not leave any marks on your paper are: SPACE, LINE FEED, BACKSPACE, TAB, RETURN, and SHIFT. If you are counting characters, then each of these keys should be counted as a character.

Let us take for example the name *George Washington*. As the name is written, it contains sixteen characters. Let us type it on the printer-keyboard:

↓G↑eorgeb↓ W↑ashington

 \downarrow = downshift (press shift key)

↑ = upshift (release shift key)

b = blank (or space)

When the name George Washington is transmitted to the computer, 21 characters are involved because of the downshift, upshift, and space functions that were used.

If the name George Washington were entered into the computer and two spaces were inserted between the first and last name, and the typist backspaced to eliminate the extra space, two extra characters were transmitted.

The name would be correctly printed on your paper with only one space between *George* and *Washington*. But, the name would look like this when sent to the computer:

 $\downarrow\!\!G\!\!\uparrow\!\!\operatorname{eorgebb}\!\!\leftarrow\!\!\downarrow\!\!W\!\!\uparrow\!\!\operatorname{ashington}$

← = backspace

The actual transmission to the computer would total 23 characters. If *George Washington* were an author or a student, his name would exceed the maximum number of 22 characters allowed for his name.

Note: If the allowable 22 characters are exceeded, CAI accepts only the last 22 characters keyed on the printer-keyboard.

Input to the Computer

Every input to the computer must end with an endof-block (EOB) signal. The EOB, in effect, tells the computer that the entry is complete and can now be processed.

To enter an EOB, hold down the alternate coding key (ALTN CODING) first and then strike the 5-key. (This is similar to holding down the shift key while typing a capital letter.) When properly done, the EOB signal is sent to the computer, and nothing is printed.

The EOB is the last character sent to the computer from the printer-keyboard for a block of input. This means that if a line contains an error, that error cannot be cancelled by using the cancel code after an EOB has been keyed.

Error Cancellation

If the operator makes an error in typing, the mistake can be discarded immediately after it occurs by generating a cancel eode. The cancel code tells the computer not to process this line of type.

This must be done before an EOB is keyed. Once an EOB is keyed for a line of type, it cannot be cancelled.

The cancel code is generated by holding down ALTN CODING first and then striking the zero key. The operator should then key an EOB. The computer will then ask the operator to "please repeat" his entry. The correct line should then be retyped.

Key Interlock

All keys except the following are mechanically interlocked to prevent pressing of more than one key at a time:

- ALTN CODING.
- Return and line-feed keys, with each other only.
- Shift keys are locked together.

Shift Keys

Pressing either shift key generates the upper-case code. This key, when released, generates the lower-case code.

For example, pressing the shift and "G" keys gives the operator a eapital "G." Pressing the "G" key alone gives the operator a lower-case "g." Pressing the shift and "8" keys produces an asterisk (*). Pressing the "8" key alone gives the numeral "8."

Pressing the lock key causes the same effect as the shift key except that the shift keys remain locked. Pressing either shift key unlocks the shift keys and generates the lower-case code.

Operation of Printer-Keyboard

Before the operator begins to use the printer-keyboard, he should be sure the main-line power switch on the side of his unit is turned on (see Figure 13). The next step is to check all switches on the front panel to determine if they are in their proper positions.

Figure 15 contains a list of all possible switches. Those followed by an asterisk are the most common minimal set. There may be fewer switches on your set, depending upon the model and features attached to your system. It is important that the switches be positioned according to this list.

Note: All switches should be set by the proctor or author. The switch settings should not be touched while the printer-keyboard is in use. An error in transmission could result or the student at the unit could be *signed off* the system.

Margin Setting

The left and right margin set levers are inside the printer-keyboard. They provide for positioning the left and right margin stops. These stops can be changed by:


- 1. Turn the main-line switch on (see Figure 13).
- 2. Move the print-element carrier to the center of the line by pressing either the spacebar or the tab key.
- 3. Turn the main-line switch off.
- 4. Lift the top cover and tilt the hinged switch panel toward the front of the printer-keyboard.
- 5. Press the blue margin indicator toward the rear of the printer-keyboard, and slide it to the new location.

The exact position of the margins is always shown at the front of the unit by the two blue indicators on the visible margin guide (see Figure 16). The white indicator shows the position of the print-element carrier.

Tab Setting

Tabs, if required for a particular course segment, may be set with the CLR/SET lever located to the left of the margin guide. Tabs may be set by:

- 1. Positioning the white print-element carrier indicator on the margin guide at the point the tab is to be set.
- 2. Pressing the CLR/SET lever downward and then releasing it.
- 3. Repeating steps 1 and 2 for other tabs that may have to be set.



FRONT PANEL SWITCHES

11.0111 11.1122 01.1101120	
SWITCH NAME	POSITION
System*	ATTEND (up)
Moster	OFF (down)
Printer 1*	SEND/REC (middle
Printer 2	HOME (down)
Keyboord*	SEND (up)
Reoder 1	OFF
Reoder 2	OFF
Punch 1	OFF
Punch 2	OFF
Stop Code	OFF
Auto Fill	OFF
Punch	NORMAL
System	PROGRAM
EOB	MANUAL (up)
System*	(up)
Test*	OFF (down)
Single Cy	OFF
RDR Stop	OFF

^{*} The minimal set of switches required for CAI.

Figure 15. Front Panel Switches on the 1052 Printer-Keyboard.

Clearing Tabs

28

The procedure for clearing tabs is similar to the method for setting theim. Tabs may be cleared by:

- 1. Positioning the white print-element carrier indicator on the margin guide at the location of the tab.
- 2. Pressing the CLR/SET lever upward and then releasing it.
- 3. Repeating steps 1 and 2 for other tabs that may have to be cleared from the printer-keyboard.

Operating Cautions

The operator at the printer-keyboard is notified by the computer whenever an error occurs. Corrective action for these errors is described in the following paragraphs. (See Figure 14 for locations.)

Proceed Light

Typing on the printer-keyboard can be done only when the green proceed light is on at the unit. If the light is off, wait until it comes on again before continuing. Some systems may have the Text Time-Out Suppression optional feature to permit continuous operation.




Figure 16. Margin Guide and Tab Lever.

If, while the operator is typing, the green proceed light goes out because of too long a pause between characters, the operator should wait until the light comes on again, key a cancel code followed by an EOB, and then retype the line of text.

Receive Alarm

If the receive-alarm light (next to the proceed light) blinks, the unit probably is out of paper or the paper is not holding down the white roller, which closes the paper control contact. This condition can be corrected by the proctor.

Data Check and Resend Lights

If the data check light or the resend light comes on and remains on, press the associated key next to it.

Transmission Error

If the printer-keyboard types a dash and the resend light comes on after a line of data has been typed, this means the message was not received correctly by the program. It must be retyped. Press the resend button before retyping the line.

System Error Messages

These error messages print on the printer-keyboard. Figure 17 lists the systems error messages and the reasons for them.

MESSAGES ON PRINTER-KEYBOARD	reason				
pleose repeat	Concel key depressed.				
message too long	Stotement limit of 150 chorocters exceeded.				
1311 error	Error in 1311. Recheck oll switches.				
type sign on	Error in sign on procedure.				
function error	Error in course or systems pock, depending on what you are doing ot time message is printed.				

Figure 17. System Error Messages.

Glossary

- Alternate Coding Key: The key used with one of the numeric keys on the top row of the printer-keyboard to generate a special code such as the end-of-block (EOB) or cancel codes.
- Author: One who writes a course for Computer-Assisted Instruction and has complete control over the course content.
- Block of Print: The material keyed on the printer-keyboard, starting with the operation code, up to and including the end-of-block code.
- Cancel Code: The code or signal generated to cancel input on the printer-keyboard before an end-of-block code is keyed.
- Card Reader: An input unit that senses and translates the holes in punched cards.
- Character: A code sent to the computer when a key on the printer-keyboard is pressed. Only the alternate coding key when pressed alone does not send a character to the computer.
- Computer Assisted Instruction (CAI): A method of allowing an author to use an IBM computer system as a means of writing and presenting instructional material to a number of students individually.
- Console: A panel that contains lights, keys, switches, and related circuits for a computer system.
- Control Card: A card containing information for the CAI utility programs.
- Control Words: Used by the author, proctor, and student to alert the computer to specific actions they wish to perform.
- Counters: A three-position storage location used in conjunction with the br and ad operation codes.
- Course Material: The actual contents of a course prepared by the author and presented to the student. Course material also may be called text, arguments, or statements.
- Course Pack: The disk pack reserved for course material.
- Coursewriter: The language used by an author to write caurse material for the CAI operating system.

- Coursewriter Instruction Sheet: The coding sheet on which an instructor writes his course material with the corresponding labels and operation codes before typing the material on the printer-keyboard.
- Disk Sector: A section of a disk pack containing 100 characters. One disk pack contains 20,000 sectors.
- End-of-Block (EOB): A signal to the computer that, in effect, tells it a block of print is complete and can now be processed.
- Label: Used to identify course statements. It is used as an entry point into a course or a segment of a course.
- Line Constants: Items of internal information used by the program to identify the current line activity.
- Label Sequence Number: A label and its associated sequence number. They are separated by a dash.
- Operation Code: Defines the action to be taken for each course statement. Operation codes consist of two characters. CAI has 12 operation codes.
- Patch Card: Used to adapt the CAI program to a computer system.
- Printing on the Fly: Printing that occurs while the printer-keyboard carrier is returning from the right to the left margin.
- Proctor: One who operates the computer system for CAI.
- *Printer:* An output unit used for printing material associated with the utility programs.
- *Printer-Keyboard:* An input/output unit used by the author, proctor, and students to communicate with the computer.
- Recording Pack: The pack reserved for storing designated student responses.
- Recording Option: An option designated by a number and used to tell the CAI program what student responses are to be saved and stored on disk for future reference.
- Systems Pack: The disk pack on which the CAI program is stored.
- Sequence Number: The number that identifies a block of print between labels.

Sign On and Sign Off: The words keyed on the printerkeyboard by the author, proctor, and student to tell the computer they wish to begin or end work with the CAI program.

Statement: See Course Material.

Text Time-Out Special Feature: An optional feature that permits continuous operation of the printer-keyboard.

Text: See Course Material.

Index


Abstract of Records Add Function Alternate Coding Key 11,	21	Initial Generation 5, Initial Load Program Deck 13, Initial Program Loading	15
Author as Student Author Registration Author Removal	11 16	Input to the Computer	26
Author's Control Words 7, Author's Error Messages	10 7	Key Arrangement Key Interlock Keyboard Function Keys	27
Author's Information Author's Name Author's Number	12	Keyboard Standard Features	25
Author's Sign Off		Label	10
Author's Sign On	7	Label Sequence Number	10
		Line Line Requests	
Block of Print		Control	17
Branch Instruction Building the Systems Pack	14	Poll	17
		Sign Off Line Status	18
Cancel Code	27	List Course and Student Records	
Carrier Return Printing		List Course and Student Records Program	
Character Cautions Clear Disk Utility Program		Load Function Deck Load Function Error Messages	
Clearing the Disk Packs	13	Load Functions	
Clearing Tabs	28	Load Functions Program	
Computer Assisted Instruction 5, Computer Assisted Instruction Functions Deck	12 12	Loading the Functions	
Control	17	Machine Requirements	5
Control Cards		Major Operation Codes	8
Course Execution Sequence Course Input Format		Margin Alignment	10
Course Material	7	Margin Setting	
Course Name		Minor Operation Codes	8
Course Registration			
Course Removal	18	Name Length	16
Course Statement 10,	12 5	0 " 0 "	20
Coursewriter Instruction Sheet	7	Operation Cautions	
		Operation Code Field	10
Daily Initialization	15	Operation of Printer-Keyboard	
Data Check and Resend Lights	29		
Date Student Responses	17	Patch Cards	13
Delete Function Delete Table	22	Poll	
Disk Utility Program	12	Polling Line 1	
3.00 0.000y 2.00g	12	Printer Printer-Keyboard 5, 12, 15,	
End Functions	22	Printer-Keyboard Operation	
End-of-Block Code (EOB)	26	Printing-on-the-Fly	11
End-of-Transmission (EOT)		Proceed Light	
Equate Function		Proctor Control Words	
Error Cancellation		Proctor Control Words	
Extract and Print Headings		Halt	
Extract and Print Recordings	23	Line	17
Extract and Print Student Response Records	21	Reassemble Register Author	
Fixed Time-Out Feature	11	Register Recording	
Function Error Messages	22	Register Student	
		Remove Recording	
General Keyboard Description		Remove Student	
Glossary	30	Sign Off	
Halt	10	Proctor Error Messages	
Talt	19	Proctor Information	12

Proctor Input Operation Proctor Sign Off Proctor Sign On			. 1			15
Proctor Sign On						10
Froctor Sign On		3.1				10
n11						10
Receive Alarm						18
Receive Alarm	٠.				10	28
Recording Options					12,	10
Recording Pack Registration						10
Recording Removal				٠.		18
Resend and Data Check Lights						28
Setting Tabs						27
Shift Keys						
Sign Off Line						
Status						
Status Information						18
Student Names						12
Student Numbers						
Student Registration						
Student Removal						
Student Responses						
System Error Messages						
Systems Deck						19
Systems Pack						
Systems rack					14,	10
T 1 01 :						~ (
Tab Clearing						20
Tab Setting						27
Text						3
Text Time-Out Suppression						17
Textual Material						
Transmission Error						29
Unseen Characters						26
Update Disk Addresses						18
Utility Decks						13
Utility Programs						

International Business Machines Corporation Data Processing Division 112 East Post Road, White Plains, N. Y. 10601

IBM 1440-1448 Op Author and Proctor	_		Computer A C24-3384-		Instruction
• Is the material:		Yes	No		
Easy to read?		П	П		
Well organized?					
Fully covered?					
Clearly explained:	>				
Well illustrated?					
• How did you use th	is public	cation?			
As an introduction	to the s	subject			
For additional kno			et 🔲		
Studying machine	_				
During an actual	service o	call			
a Whitele of the fellow			9	. 10	
• Which of the follow				jobr	
Customer Person	nei —		Personnel	_	
Manager		Customer	Engineer		Field Stock Personnel
Systems Analyst		Instructor			Manufacturing Engineering
Operator Sales Representative Programmer Systems Engineer				Manufacturing Development Engineering	
Trainee		Trainee	ngmeer	П	Other
Other		Tranicc			Other
• How often do you u	se this p	ublication?			
Often 🗆	Occasion	nally 🗆	Seldon	n 🔲	
• Comments:					
Tr 1 1		1 1	1.11	TO1	. 1 1 .0

Your comments help us produce better publications. Please include specific page references if appropriate. You may include your name and address if you wish.



IBM

International Business Machines Corporation Data Processing Division 112 East Post Road, White Plains, N. Y. 10601











thesB142
Development of a computer assisted instr

3 2768 001 91180 3
DUDLEY KNOX LIBRARY